

Log-in Checklist

RQ- 2018-04-30-35

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 05/10/18 @ 9:45

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	1.1°C	12		X			43855028 3597

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date 05/10/18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: TL

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: TL

Coolers Unpacked/Checked by: Tyler R. Date: 05/10/18 NCRs (Y/N)? N

Event ID Lou / Weir / Cove NCR # _____
CEN-DIST-2018-05-10-01 (SMP)
 Date Received: 10-MAY-2018 09:45

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_05_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Lou / Weir / Cove

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger / Mike Drennon

Sampling Agency: FDEP CE-ROC

Location		WIN ID / Field ID →		Barcode: G4CE0022		☐ Comp ☒ Grab		Collection (comp begin or grab)		Eastern Central		Composite end		Bottle Group(s)	
Field ID		Lake Blue Cove @ 150m SW of Center (1329V)				Date		Time		Date		Time		(See pg 2)	
WIN/ST						Date 5/9/18		Time 1007		Date		Time		4	
Latitude		□ dms				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
						Temp (C) 27.01		pH 9.60		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 91	
Longitude		□ dms				Salinity (ppt)		Comments							
						□ dd		□ dms							
Location		WIN ID / Field ID →		Barcode: G1CE0040		☐ Comp ☒ Grab		Collection (comp begin or grab)		Eastern Central		Composite end		Bottle Group(s)	
Field ID		Lake Lou - Center of Lake (2775D)				Date 5/9/18		Time 1142		Date		Time		A	
WIN/S						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude		□ dms				Temp (C) 25.72		pH 5.62		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 66	
Longitude		□ dms				Salinity (ppt)		Comments							
						□ dd		□ dms							
Location		WIN ID / Field ID →		Barcode: G1CE0014		☐ Comp ☒ Grab		Collection (comp begin or grab)		Eastern Central		Composite end		Bottle Group(s)	
Field ID		Little Lake Weir @ Center (2790B)				Date 5/9/18		Time 1302		Date		Time		A	
WIN/S						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude		□ dd		Longitude		Temp (C) 27.75		pH 7.81		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 238	
Longitude		□ dms				Salinity (ppt)		Comments							
						□ dd		□ dms							
Location						☐ Comp ☐ Grab		Collection (comp begin or grab)		Eastern Central		Composite end		Bottle Group(s)	
Field ID						Date		Time		Date		Time			
WIN/STORET #						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude		□ dd		Longitude		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Longitude		□ dms				Salinity (ppt)		Comments							
						□ dd		□ dms							

Relinquished By: AKL	Date/Time: 5/9/18 1600	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: Tyler R.	Date/Time: 05/10/18 09:45
----------------------	------------------------	------------------------	------------------------------	-----------------------	---------------------------

A - CD-FLR-ECQ sent to contract lab

Group: A Bottle Type: P-1L # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A Bottle Type: P-250ML-WI-THI # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3 sent to contract lab

CD-FLR-ECQ

Group: A Bottle Type: BP-1L # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3

CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 3 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 3

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 3 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 3

W-PO4-F



Project Name: SMF

Project Number: RQ-2018-04-30-35

Site Location: Cove/Lou/Weir

Contract/PO # Flowers Lab - B16975

Sampler Names: Mike Linger / Mike Drennar

Signature: [Signature]

Special Instructions:

Samples are ambient water and not suspected to contain chlorine

Relinquished by:	Date	Time	Received by:	Date	Time	Comments
<i>Shikhi</i>	5/9/18	1500	<i>MM/KR</i>	5/9	14:59	Temp Upon Receipt : 0 °C
Relinquished by:	Date	Time	Received by:	Date	Time	Sample Containers Intact?
						<i>N</i>

Date of Request: 09-APR-2018
 Created By: LINGER_M On: 09-APR-2018
 Modified By: SWANSON_C On: 10-APR-2018
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Lou / Weir / Cove

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 10-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 10-APR-2018
 Sampling Kit Required: YES Ship on: 20-APR-2018
 Sampling Kit Shipped: YES On: 18-APR-2018
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 30-APR-2018
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

