



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

WIN Station Name: Double Run @ 800m DS of Double Run Rd Date: 2/12/18
WIN/ Field ID: G1CE0032 WBID: 2852 Latitude: 28.6901944
County: Lake ORG ID: 21 FL CEN Longitude: -81.7494138
Receiving Body of Water: Little Lake Harris RQ-2018- 02-12-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
						☒ Sample Container	☐ Van Dorn	☐ Pole
Terry Jordan						☐ Carboy	☒ Syringe	
Melke Drennan						☐ Dipper	☐ Other	

Water Level: Dry / Pooled / Low / Normal / High / Flooded
Photos: Yes / No Flow: No Flow / Intestinal / Flowing NA
Meter ID# 2029 NON Matrix: Fresh Marine / DI
Tide: Rising / Falling / Slack / NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
EST	1055	3.3	0.3	1.0	1.19	13.6	6.76	0.09	190	21.34
CEN			2.8		1.52	15.5	6.78	0.09	191	18.51

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	7275010	10/2/14	☒ 2
Metals	☒ W-ICPMS ☐ W-ICP	☒ Ice ☒ HNO3	7261120	9/18/18	☒ 2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice	9743729		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes: _____

WIN ID / Field ID → Double Run @ 800m DS of Double Run Rd (2852)

Signature: [Signature] Date: 2/12/18

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: CEN-DIST

Project ID: SMP

Requester: Michael Linger

Field Report Prepared By: Terry Rorden

Collected By: Terry Rorden / Mike Drennen

Sampling Agency: ZILCEN

Location	WIN ID / Field ID →		dd dms Longitude		dd dms		Collection (comp begin or grab)		Date 2-12-18 Time 927		Composite end		Date		Time		Bottle Group(s)	
Field ID	Apopka Beauclair Canal						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine				A&B	
WIN/STO	@ 200m S of Lock (2835A1)						Temp (C)		pH		Sample Depth		ft		Sp. Conductance (umho/cm)		424	
Latitude			dd dms		Longitude		Salinity (ppt)		0.20									
Location	WIN ID / Field ID →		dd dms		Longitude		dd dms		Collection (comp begin or grab)		Date 2/12/18 Time 1020		Composite end		Date		Time	
Field ID	Little Lake Harris @ 1000m SE of Center (2838B)						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine				C	
WIN/STO							Temp (C)		pH		Sample Depth		ft		Sp. Conductance (umho/cm)		256	
Latitude			dd dms		Longitude		Salinity (ppt)		0.12									
Location	WIN ID / Field ID →		dd dms		Longitude		dd dms		Collection (comp begin or grab)		Date 2/12/18 Time 1028		Composite end		Date		Time	
Field ID	Little Lake Harris @ Center (2838B)						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine				C	
WIN/STO							Temp (C)		pH		Sample Depth		ft		Sp. Conductance (umho/cm)		255	
Latitude			dd dms		Longitude		Salinity (ppt)		0.12									
Location	WIN ID / Field ID →		dd dms		Longitude		dd dms		Collection (comp begin or grab)		Date 2/12/18 Time 1036		Composite end		Date		Time	
Field ID	Little Lake Harris @ 1000m SW of Center (2838B)						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine				C	
WIN/STO							Temp (C)		pH		Sample Depth		ft		Sp. Conductance (umho/cm)		252	
Latitude			dd dms		Longitude		Salinity (ppt)		0.12									

Number of Coolers Shipped: 3

Received By: Tyler R.

Date/Time

02/13/18 @ 9:25a

Shipping Method

Fed Ex

Relinquished By: Terry Rorden

Date/Time 2/12/18 1350

* Please add 3 additional Bottle Group C's

* Please add 3 additional Bottle Group Cs

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: CD-FLR-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: W-AHERB-AA W-GLYPH W-PYR-AA-R W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: W-CAB-AA-R	BG-1L	# of Bottles: 1	Preservative:	CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4

Group: B	Bottle Type: W-CT-CI-R - W-PCL-SQ-R	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS CHLSUITE-W	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: W-ICP W-ICPMS	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 4	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: W-PO4-F	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 4	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4

Please add 3 additional Bottle Group Cs

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Apopka-Beau / Lil Lk Harris X4 / Howey Height

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Terry Riordan

Project ID: SMP

Collected By: Terry Riordan / M. Ke Drennan

Sampling Agency: 21 F L C EN

Location		WIN ID / Field ID →		G1CE0098		Barcode		G1CE0032		Barcode	
Field ID	Little Lake Harris @ 2500m S of Center (2838B)			dd dms		Longitude		dd dms		Longitude	
WIN/STORE				dd dms				dd dms			
Latitude				dd dms				dd dms			
Location		WIN ID / Field ID →		G1CE0032		Barcode		G1CE0032		Barcode	
Field ID	Double Run @ 800m DS of Double Run Rd (2852)			dd dms		Longitude		dd dms		Longitude	
WIN/STORE				dd dms				dd dms			
Latitude				dd dms				dd dms			
Location		WIN ID / Field ID →		G1CE0032		Barcode		G1CE0032		Barcode	
Field ID				dd dms		Longitude		dd dms		Longitude	
WIN/STORE				dd dms				dd dms			
Latitude				dd dms				dd dms			

☐ Comp Grab ☒ Matrix (type, e.g., Salt, Fresh, etc) Temp (C) 20.28 Salinity (ppt) 0.12 Comments	Collection (comp begin or grab) Date 2/12/18 Time 1046 Diss. Oxygen 8.73 Sample Depth 0.3 pH 7.86 Sp. Conductance (umho/cm) 252	Composite end Date mg/L % sat Total Res. Chlorine (mg/L) Sp. Conductance (umho/cm)	Eastern Central Bottle Group(s) (See pg 2)
☐ Comp Grab ☒ Matrix (type, e.g., Salt, Fresh, etc) Temp (C) 21.34 Salinity (ppt) 0.09 Comments	Collection (comp begin or grab) Date 2/12/18 Time 1055 Diss. Oxygen 1.19 Sample Depth 0.3 pH 6.76 Sp. Conductance (umho/cm) 190	Composite end Date mg/L % sat Total Res. Chlorine (mg/L) Sp. Conductance (umho/cm)	Eastern Central Bottle Group(s)
☐ Comp Grab ☐ Matrix (type, e.g., Salt, Fresh, etc) Temp (C) Salinity (ppt) Comments	Collection (comp begin or grab) Date Time Diss. Oxygen Sample Depth pH Sp. Conductance (umho/cm)	Composite end Date mg/L % sat Total Res. Chlorine (mg/L) Sp. Conductance (umho/cm)	Eastern Central Bottle Group(s)
☐ Comp Grab ☐ Matrix (type, e.g., Salt, Fresh, etc) Temp (C) Salinity (ppt) Comments	Collection (comp begin or grab) Date Time Diss. Oxygen Sample Depth pH Sp. Conductance (umho/cm)	Composite end Date mg/L % sat Total Res. Chlorine (mg/L) Sp. Conductance (umho/cm)	Eastern Central Bottle Group(s)

Relinquished By: Terry Riordan	Date/Time: 2/12/18 1350	Shipping Method: Fed Ex	Number of Coolers Shipped: 3	Received By: Tyler R	Date/Time: 02/13/18 09:25
--------------------------------	-------------------------	-------------------------	------------------------------	----------------------	---------------------------

* Please add 3 additional Bottle Group C's

* Please add 3 additional Bottle Group Cs

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	see previous
Group: A	Bottle Type: CD-FLR-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	*
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	*
Group: A	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	*
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	*
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	*
Group: B	Bottle Type: W-AHERB-AA W-GLYPH W-PYR-AA-R W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	*
Group: B	Bottle Type: W-CAB-AA-R	BG-1L	# of Bottles: 1	Preservative:	CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	*
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	*

Group: B	Bottle Type: W-CT-CI-R W-PCL-SQ-R	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	** see previous
Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	**
Group: C	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS CHLSUITE-W	P-1L	# of Bottles: 14	Preservative:	ICE	Enter Number of Bottles Sent to Lab	**
Group: C	Bottle Type: W-ICP W-ICPMS	BP-1L P-500ML	# of Bottles: 14 14	Preservative:	ICE HNO3	Enter Number of Bottles Sent to Lab	** **
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 14	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	**
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 14	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	**

~~**~~ Please add 3 additional Bottle Group Cs



Signature:

[illegible]**Special Instructions:**

Samples are ambient water and not suspected to contain chlorine

Relinquished by:	Date	Time	Received by:	Date	Time	Comments
Mike Dragan	2/12/18	1218				
Relinquished by:	Date	Time	Received by:	Date	Time	Temp Upon Receipt: 31.00
						Sample Containers Intact? N

Date of Request: 25-JAN-2018
 Created By: LINGER_M On: 25-JAN-2018
 Modified By: SWANSON_C On: 29-JAN-2018
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Apopka-Beau / Lil Lk Harris X4 / Howey Height

Send Coolers To:

Phone: 407-894-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Michael Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 26-JAN-2018
 Biology Request Reviewed By: SWANSON_C On: 29-JAN-2018
 Sampling Kit Required: YES Ship on: 02-FEB-2018
 Sampling Kit Shipped: YES On: 02-FEB-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: YES
 Date to Receive Samples: 12-FEB-2018
 Received By: REYNOLDS_T On: 13-FEB-2018

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Michael Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Apopka / Howey
 Group B: Apopka
 C: Lil Harris

3 - cases of Nitric Acid

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: CH2ClCOOH Pre-Preserved
W-CAB-AA-R	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.