

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3 sent to contract lab
	CD-FLR-ECQ						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						



Department of Environmental Protection
3319 Maguire Blvd Suite 232, Orlando, FL 32803
Natalie Ayala / Michael Linger / Kalina Warren
Michael.Linger@dep.state.fl.us
(407) 897-4100

Project Name: SMP

Project Number: RQ-2018-04-16-140

Site Location: Deen / 11 miles / Sko

Contract/PO # Flowers Lab - B16975

Sampler Names:

Mike Linger / Mike Drennan Signature: _____

Preservative

Matrix

Analyze For:

[illegible]

Special Instructions:

Samples are ambient water and not suspected to contain chlorine

Relinquished by:

Date	Time
------	------

Received by:

Date _____

APPROVED BY: gmc/fca

Time	13:33
------	-------

Comments

Temp	

1

Received by:

Date _____

Sample Containers Intact?