

Chemical Analysis Report

CEN-DIST-2018-08-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Puzzle Lk Drain**
Request ID: **RQ-2018-06-18-35**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 17-AUG-2018 13:55



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SAINT JOHNS RIVER @ 300M DOWNSTREAM OF HATBILL PARK RAMP **Collection Date/Time: 07/31/2018 12:47**

Field ID: G3CE0006

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2012179	EPA 180.1 Rev. 2.0	Turbidity	1.2		NTU	P349508	
	EPA 300.0 Rev. 2.1	Chloride	99	A	mg Cl/L	P349624	
		Sulfate	14	A	mg SO4/L	P349627	
		Color (true)	260		PCU	P349504	
	SM 2320 B-97	Total Alkalinity	54		mg CaCO3/L	P349652	
	SM 2540 C-97	TDS	299		mg/L	P349797	
	SM 2540 D-97	TSS	3	I	mg/L	P349952	
	SM 4500 F-C-97	Fluoride	0.091	I	mg F/L	P349655	
2012180	EPA 350.1 Rev. 2.0	Ammonia-N	0.034		mg N/L	P349684	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P349539	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P349615	
	EPA 365.1 Rev. 2.0	Total-P	0.13		mg P/L	P349562	
	SM 5310 B-00	Organic Carbon	25		mg C/L	P349733	
2012181	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.090		mg P/L	P349501	
2012189	EPA 200.7 Rev. 4.4	Calcium	28.0		mg/L	P349576	
		Iron	640		ug/L	P349576	
		Magnesium	7.93		mg/L	P349576	
		Potassium	2.9		mg/L	P349576	
		Sodium	52.5		mg/L	P349576	
		Zinc	5.0	U	ug/L	P349576	
	EPA 200.8 Rev. 5.4	Arsenic	0.66		ug/L	P349576	
		Cadmium	0.020	U	ug/L	P349576	
		Chromium	0.40	U	ug/L	P349576	
		Copper	0.20	U	ug/L	P349576	
		Lead	0.12	I	ug/L	P349576	
		Nickel	0.20	U	ug/L	P349576	
		Silver	0.010	U	ug/L	P349576	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P349508

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349684

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P349504

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P349652

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P349797

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P349952

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P349655

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P349733

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	102		P	85 - 115
Iron	105		P	85 - 115
Magnesium	110		P	85 - 115
Potassium	103		P	85 - 115
Sodium	97.6		P	85 - 115
Zinc	103		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	99.3		P	85 - 115
Cadmium	101		P	85 - 115
Chromium	93.5		P	85 - 115
Copper	96.3		P	85 - 115
Lead	95.3		P	85 - 115
Nickel	98.2		P	85 - 115
Silver	97.6		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	107		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	106		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349684

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.5		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.1		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P349504

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.2		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P349652

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P349655

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.8		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P349733

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012229	Calcium	106		P	80 - 120
2012229	Iron	107		P	80 - 120
2012229	Magnesium	111		P	80 - 120
2012229	Potassium	105		P	80 - 120
2012229	Sodium	101		P	80 - 120
2012229	Zinc	105		P	80 - 120
2012690	Calcium	105		P	80 - 120
2012690	Iron	110	109	P/P	80 - 120
2012690	Magnesium	114	114	P/P	80 - 120
2012690	Potassium	106	106	P/P	80 - 120
2012690	Sodium	101		P	80 - 120
2012690	Zinc	107	108	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012229	Arsenic	102		P	80 - 120
2012229	Cadmium	103		P	80 - 120
2012229	Chromium	95.7		P	80 - 120
2012229	Copper	98.8		P	80 - 120
2012229	Lead	98.2		P	80 - 120
2012229	Nickel	101		P	80 - 120
2012229	Silver	99.0		P	80 - 120
2012690	Arsenic	99.4	104	P/P	80 - 120
2012690	Cadmium	98.8	102	P/P	80 - 120
2012690	Chromium	94.1	97.1	P/P	80 - 120
2012690	Copper	93.8	98.4	P/P	80 - 120
2012690	Lead	94.3	97.8	P/P	80 - 120
2012690	Nickel	96.1	100	P/P	80 - 120
2012690	Silver	96.2	98.8	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012260	Chloride	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012179	Sulfate	110		P	90 - 110
2012260	Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349684

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012161	Ammonia-N	93.1	91.8	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012164	Kjeldahl Nitrogen	93.9	98.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012161	NO2NO3-N	99.8	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012208	Total-P	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012159	O-Phosphate-P	96.4	97.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P349655

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2011974	Fluoride	102	102	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P349733

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012158	Organic Carbon	98.3	96.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P349508

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012157	Turbidity	7.66	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012690	Calcium	0.100	Spike	P	0 - 20
2012690	Iron	0.552	Spike	P	0 - 20
2012690	Magnesium	0.277	Spike	P	0 - 20
2012690	Potassium	0.331	Spike	P	0 - 20
2012690	Sodium	0.689	Spike	P	0 - 20
2012690	Zinc	0.608	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012690	Arsenic	4.00	Spike	P	0 - 20
2012690	Cadmium	3.50	Spike	P	0 - 20
2012690	Chromium	3.10	Spike	P	0 - 20
2012690	Copper	4.68	Spike	P	0 - 20
2012690	Lead	3.61	Spike	P	0 - 20
2012690	Nickel	3.90	Spike	P	0 - 20
2012690	Silver	2.68	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012179	Chloride	7.23	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012179	Sulfate	8.04	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349684

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012161	Ammonia-N	0.758	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P349539

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012164	Kjeldahl Nitrogen	3.01	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P349615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012161	NO2NO3-N	1.05	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P349562

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012208	Total-P	0.249	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P349501

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012159	O-Phosphate-P	0.496	Spike	P	0 - 20

Reference Method: SM 2120 B
 Batch ID: P349504

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012160	Color (true)	1.27	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P349652

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2011974	Total Alkalinity	1.13	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
 Batch ID: P349797

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012021	TDS	0.962	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P349655

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2011974	Fluoride	0.0	Spike	P	0 - 3.5

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P349733

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012158	Organic Carbon	1.22	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A85560

Included Lab Sample IDs: 2012179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	103	P/P	90 - 110
Sulfate	100	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A85616

Included Lab Sample IDs: 2012181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	98.5	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A85617

Included Lab Sample IDs: 2012179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	103	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A85618

Included Lab Sample IDs: 2012179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	103	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85666

Included Lab Sample IDs: 2012180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85667

Included Lab Sample IDs: 2012180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	108	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A85677

Included Lab Sample IDs: 2012180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A85692

Included Lab Sample IDs: 2012179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97
Run ID: A85692
Included Lab Sample IDs: 2012179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A85703
Included Lab Sample IDs: 2012180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Run ID: A85708
Included Lab Sample IDs: 2012189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	102	103	P/P	90 - 110
Iron	101	102	P/P	90 - 110
Magnesium	103	103	P/P	90 - 110
Potassium	101	102	P/P	90 - 110
Sodium	98.4	98.3	P/P	90 - 110
Zinc	105	106	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A85716
Included Lab Sample IDs: 2012189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	98.3	101	P/P	90 - 110
Cadmium	99.2	100	P/P	90 - 110
Copper	96.6	100	P/P	90 - 110
Lead	97.3	98.5	P/P	90 - 110
Nickel	96.2	100	P/P	90 - 110
Silver	93.8	95.4	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A85729
Included Lab Sample IDs: 2012180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.2	98.6	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A85738
Included Lab Sample IDs: 2012189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	97.4	97.3	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						7.66	
EPA 200.7 Rev. 4.4	Calcium	102	106	105				0.100
	Iron	105	107	110	109			0.552
	Magnesium	110	111	114	114			0.277
	Potassium	103	105	106	106			0.331
	Sodium	97.6	101	101				0.689
	Zinc	103	105	107	108			0.608
EPA 200.8 Rev. 5.4	Arsenic	99.3	102	99.4	104			4.00
	Cadmium	101	103	98.8	102			3.50
	Chromium	93.5	95.7	94.1	97.1			3.10
	Copper	96.3	98.8	93.8	98.4			4.68
	Lead	95.3	98.2	94.3	97.8			3.61
	Nickel	98.2	101	96.1	100			3.90
	Silver	97.6	99.0	96.2	98.8			2.68
EPA 300.0 Rev. 2.1	Chloride	107	105				7.23	
	Sulfate	106	110	102			8.04	
EPA 350.1 Rev. 2.0	Ammonia-N	98.5	93.1	91.8				0.758
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	93.9	98.4				3.01
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	99.8	101				1.05
EPA 365.1 Rev. 2.0	Total-P	99.3	100	100				0.249
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.1	96.4	97.0				0.496
SM 2120 B	Color (true)	99.2					1.27	
SM 2320 B-97	Total Alkalinity	103					1.13	
SM 2540 C-97	TDS						0.962	
SM 4500 F-C-97	Fluoride	97.8	102	102				0.0
SM 5310 B-00	Organic Carbon	96.1	98.3	96.8				1.22

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2012179
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2012189
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2012189
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2012179
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2012179
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2012180
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2012180
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2012180
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2012180
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2012181
SM 2120 B / E31780	True Color measured at 450 nm	2012179
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2012179
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2012179
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2012179
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2012179

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2012180

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/01/2018			08/01/2018 14:45	William L. Brown IV	2012179
EPA 200.7 Rev. 4.4	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/03/2018 16:51	Betina Topolski	2012189
EPA 200.8 Rev. 5.4	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/06/2018 18:40	Allison Taylor	2012189
	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/07/2018 19:03	Allison Taylor	2012189
EPA 300.0 Rev. 2.1	08/01/2018			08/03/2018 18:07	Lipi Saha	2012179
EPA 350.1 Rev. 2.0	08/01/2018			08/06/2018 14:01	Julia Storbeck	2012180
EPA 351.2 Rev. 2.0	08/01/2018	08/02/2018 11:00	Adrian Shelby	08/03/2018 09:51	Joseph Suarez	2012180
EPA 353.2 Rev. 2.0	08/01/2018			08/03/2018 12:35	Lauren Bottorf	2012180
EPA 365.1 Rev. 2.0	08/01/2018	08/02/2018 11:50	Sima Feizi	08/03/2018 09:40	Beverly Y. Sanders	2012180
EPA 365.1 Rev. 2.0 dissolved	08/01/2018			08/01/2018 15:20	Julia Storbeck	2012181
SM 2120 B	08/01/2018			08/01/2018 17:03	Tanya Welborn	2012179
SM 2320 B-97	08/01/2018			08/03/2018 06:00	Dale L. Simmons	2012179
SM 2540 C-97	08/01/2018			08/03/2018 16:45	Yijie Li	2012179
SM 2540 D-97	08/01/2018			08/03/2018 16:45	Yijie Li	2012179
SM 4500 F-C-97	08/01/2018			08/03/2018 06:00	Dale L. Simmons	2012179
SM 5310 B-00	08/01/2018			08/06/2018 18:33	Megan Treadwell	2012180