

HA/RPS/LVS

Site Name Salt Creek

Sample Date 11/14/18

WBID 2990

WIN ID 2990 G2CE0088

RQ 2018-11-12-66

	Initial/Date	QC Initial/Date
Water chemistry data to LIMS	LMD 11/26/18	MKL 12/5/18
Create SBIO station visit	LMD 11/26/18	n/a
Phys/Chem entry	LMD 11/28/18	MKL 12/5/18
Habitat Assessment entry	LMD 11/28/18	MKL 12/5/18
Vascular entry (add LIMS ID to entry)		n/a
RPS entry	LMD 11/28/18	MKL 12/5/18
Authorize SBIO data	MKL 12/5/18	n/a
Scan all sheets to 21FLCEN folder	LMD 11/29/18	n/a
LIMS/WIN migration	LMD 2/4/19	n/a
File in cabinet		n/a

Comments/notes:

✓ 2m² Mac's



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

April 2018

Data Qualified?

Yes / No

WIN Station Name: Salt Creek @ Packard Avenue

Date: 11/14/18

WIN/ Field ID: G2CE0088

WBID: 2990

Latitude: 28.71382868

County: Seminole

ORG ID: 21 FL CEN

Longitude: -81.16694512

Receiving Body of Water: Lt Desup

RQ-2018- 11-12-66

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Mike Linger								
Mike Drennan								

Sampling Equipment			
☒ Sample Container	☐ Van Dorn	☐ Pole	
☐ Carboy	☒ Syringe		
☐ Dipper	☐ Other		
Depth Measured with <u>SECCHI DISK LINE METER</u>			
Equipment ID (KNOTHEAD/67, LEADFOOT/NON, CRUSTY/SCUD)			

Collection Method			
☒ Wading	☐ Canoe/Kayak		
☐ From Shore	☐ Electric Motor		
☐ Other	☐ Gasoline Motor		


Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded				Meter ID# <u>B60P NON</u>				Matrix: <u>Fresh</u> / Marine / DI							
Photos: <u>Yes</u> / No				Flow: No Flow / Intestinal / <u>Flowing</u> / NA				Tide: Rising/ Falling/ Slack/ <u>NA</u>				Tide Times: High Low			
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)					
<u>EST</u>	<u>1000</u>	<u>0.4</u>	<u>0.2</u>	<u>0.4(s)</u>	<u>5.71</u>	<u>67.0</u>	<u>7.42</u>	<u>2.26</u>	<u>4237</u>	<u>22.06</u>					
CEN															

Biological Samples Collected: None <u>HA</u> SCI <u>RPS</u> Algae ID LVS LVI Other:								
SBIO ID Numbers: SBIO-ID: <u>79038</u> HA-ID: <u>15493</u> RPS-ID: <u>9144</u> Macrophyte-ID: LIMS#: <u>2041614</u>								
Parameter Suite	Parameter Methods				Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4	<u>SA8197090</u>	<u>7/16/19</u>	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP				☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice	<u>13615055</u>		
Chlorophyll	☒ CHLSUITE-W				☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC				☐ Formalin			
Periphyton	☐ ALGAE-ID				☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD				☒ Ice			
Tracers	☒ W-E8321-DI ☒ W-E8321-MS				☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI				☐ Ice			
	☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA				☐ Other			

Notes:

WIN ID / Field ID →

Salt Creek @
Packard Avenue
(2990)



G2CE0088

Signature: [Signature]

Date: 11/14/18

Enter Field Parameters, Verify Station ID In LIMS DMT: LMD 11/26/18

QC Station ID, Field Parameters In LIMS DMT: MKL 12/5/18

Scan/Save Field Sheets LMD 11/28/18 Migrate Data to WIN: LMD 2/4/19

Verify Data In WIN: [Signature]

(Initials/Date)

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID 79038 ORG ID 21 FL CEN LATITUDE 28.71382868
COUNTY Seminole STORET # 62CE0088 LONGITUDE -81.16694512
DATE 11/14/18 TIME 1000 SAMPLING AGENCY FOEP CE-ROC
SITE NAME Salt Creek C. Packard Avenue
FIELD ID/NAME 62CE0088 RECEIVING BODY OF WATER LK. Jessup

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural 90 Silviculture Field/Pasture Agricultural Residential 10 Commercial Industry Other (Specify)							Landscape Development Intensity Index (LDI)
Local Watershed Erosion (select one): ☒ None ☐ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☐ No evidence ☒ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect m wide m/s 0.14 m/s m/s m deep 0.2 m deep m deep			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: >18 Right Bank: >18				Hydrologic Modification Score (per FT 3101)			
High Water Mark: 0.4 + 0.2 = 0.6 (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No			
Artificially ☐ No ☒ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)			

SEDIMENT / SUBSTRATE

Sediment type: sandy/silt

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse	Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):	Smothering of Substrates Sand Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Silt Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐
--	---	---

SUBSTRATE TYPE Assessment Tool: ☐ SCI ☒ RPS ☐ LVS ☐ LCI ☐ BioRecon % Coverage Woody Debris (Snags) 1.3 7 Undercut Banks / Roots 1.7 7 Leaf Packs or Mat 2 Aquatic Vegetation 3 Rock or Shell Rubble Sand 1.5 1 Mud / Muck / Silt Other Other	WATER QUALITY Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: 0.2 22.06 7.42 5.71 67.0 4237 2.26 0.4 Mid: ☒ VOB Bottom: Meter ID: Roop / Non 0.4
--	--

Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐	Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: Exp:	Color Tannic ☒ Green (Algae) ☐ Clear ☐ Other (Specify)
Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot Number: Exp:	Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐

ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☐ ☒ ☐ ☐ Fish: ☐ ☐ ☒ ☐ Aquatic Plants: ☐ ☐ ☒ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐	System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) AMBIENT FIELD CONDITIONS / NOTES: <u>80's</u> ☒ The antecedent hydrologic conditions have been met to my best knowledge.
---	---

SAMPLING TEAM Mike Linger / Mike Drennon SIGNATURE: [Signature] DATE: 11/14/18


DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>FDEP-CEROC</u>		STORET STATION NUMBER: <u>G2CE0088</u>	DATE (MM/DD/YY): <u>11/14/18</u>	RECEIVING BODY OF WATER: <u>Jesup</u>
REMARKS:	COUNTY: <u>Seminole</u>	LOCATION: <u>Salt Creek</u>	FIELD ID/NAME: <u>G2CE0088</u>	

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components Substrate Diversity <u>10</u>	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock] 20 19 18 17 16	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags) 15 14 13 12 11	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed 10 9 8 7 6	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered 5 4 3 2 1
Substrate Availability <u>3</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>12</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>18</u> ----- Primary Score <u>43</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components Artificial Channelization <u>12</u>	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks. 20 19 18 17 16	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered. 15 14 13 12 11	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area. 10 9 8 7 6	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks. 5 4 3 2 1
Bank Stability Right Bank <u>10</u> Left Bank <u>9</u> <u>19</u>	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. 8 7 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank <u>9</u> Left Bank <u>9</u> <u>18</u>	Width of vegetation greater than 18 m 10 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 1
Riparian Zone Vegetation Quality Right Bank <u>9</u> Left Bank <u>9</u> <u>18</u> ----- Secondary Score <u>67</u>	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 1

110

TOTAL SCORE

Date: <u>11/14/18</u>	Analyst: <u>Mrke Dsenna / Mike Linger</u>	Signature: 
-----------------------	---	--

$S = .9$
 $R = .1$
 $L = 0$
 $A = 0$

$S = .8$
 $R = .3$
 $L = .2$
 $A = .1$

$S = .2$
 $R = .1$
 $L = .1$
 $A = .1$

$S = .3$
 $R = .3$
 $L = 0$
 $A = .1$

$S = .4$
 $R = .3$
 $L = 0$
 $A = .1$

$S = .3$
 $R = .3$

$S = .2$
 $R = .1$
 $L = 0$
 $A = .1$

$S = .2$
 $R = .1$
 $L = 0$
 $A = .1$

$S = .3$
 $R = .2$
 $L = 0$
 $A = .1$

$S = .4$
 $R = .2$
 $L = 0$
 $A = .1$


$$BF = WL + .4$$
$$BIH = BF + .3$$

S 4.0
R 2.0
L 0.3
A 0.8

$$\begin{aligned}\bar{V} &= .14 \text{ m/s} \\ \bar{W} &= 3.0 \text{ m} \\ \bar{Z} &= .2 \text{ m}\end{aligned}$$

7.1/300 = 2.4%

- Very few aquatic macrophytes
- Canopy: Sabal oaks, Taxodium,
- primary. *Thelypteris*, *Commelina*, *Hydrocotyl*,
Athyrium
- no decent barter through
- spoil both sides
- channel > 25 yrs

Revision Date: March 1, 2014

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: Salt Creek County: Seminole Date: 11/14/18 Investigators: Mike Liner / Mike Orman
 STORET Station Number: 62CE0088

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N			60	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		92		5	N		
	6	N				6	N		84
	7	4				7	N		
	8	5				8	N		
	9	N				9	N		
10	1	N			70	1	N		
	2	3				2	N		
	3	4				3	N		
	4	N				4	N		
	5	N		82 84		5	N		92
	6	N				6	N		
	7	N				7	N		
	8	3				8	N		
	9	N				9	N		
20	1	N			80	1	N		
	2	N				2	N		
	3	3				3	N		
	4	N				4	N		
	5	N		86		5	N		96
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
30	1	N			90	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		92		5	N		84
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
40	1	N			100	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		80		5	N		88
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
50	1	N							
	2	N							
	3	N							
	4	N							
	5	N		76					
	6	N							
	7	N							
	8	N							
	9	N							

Secchi depth 0.4 (s)
 Estimated?

points ranked 4-6 5
 total points assessed 79
 % points ranked 4-6 5

Check accompanying data collected at same site/date.
 Algal mat sample
 Linear Veg Survey ✓
 Habitat Assessment ✓
 SCI/Biorecon
 Water sample ✓
 RQ-2018-11-12-66

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.
 Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.
 Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.
 Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

Waterbody: Salt Creek	Date: 11/14/18	County: Seminole	Storet Number: G2CE0088
Analyst: Mike Linger	Signature: <i>[Signature]</i>		

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

62-160.800, F.A.C.