

# FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597  
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986  
812 SW Harvey Green Dr, Madison, FL 32340  
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)  
Phone: 772-343-8006 E86562 (South Lab)  
Phone: 850-973-6878 E82405 (North Lab)  
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando  
3319 Maguire Blvd., Suite 232  
Orlando, FL 32803

PO #: n/a  
Client Project #: RQ-2018-04-02-54  
Date Sampled: Apr 5, 2018  
Apr 6, 2018; Invoice: 362347

## Report Summary

Date Received: Apr 5, 2018

FCL Project Manager: Michael D. Conner


| Laboratory # | Sample Description | Analysis | Chemist | Location | Sample Matrix |
|--------------|--------------------|----------|---------|----------|---------------|
| 362347SW1    | G2CE0087           | SM9223B  | ECG     | Main Lab | Surface Water |
| 362347SW2    | G2CE0088           | SM9223B  | ECG     | Main Lab | Surface Water |
| 362347SW3    | G2CE0089           | SM9223B  | ECG     | Main Lab | Surface Water |
| 362347SW4    | G2CE0090           | SM9223B  | ECG     | Main Lab | Surface Water |
| 362347SW5    | G2CE0094           | SM9223B  | ECG     | Main Lab | Surface Water |
| 362347SW6    | G2CE0094-DUP       | SM9223B  | ECG     | Main Lab | Surface Water |

## Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAP Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.  
President/Technical Director



# FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597  
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986  
812 SW Harvey Green Dr, Madison, FL 32340  
3980 Overseas Hwy, Suite 103, Marathon, FL 33050


Phone: 407-339-5984 E83018 (Main Lab)  
Phone: 772-343-8006 E86562 (South Lab)  
Phone: 850-973-6878 E82405 (North Lab)  
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando  
3319 Maguire Blvd., Suite 232  
Orlando, FL 32803

PO #: n/a  
Client Project #: RQ-2018-04-02-54  
Date Sampled: Apr 5, 2018  
Apr 6, 2018; Invoice: 362347

## Analysis Report

|                  |        |                            |      |                    |      |          |         |       |          |          |
|------------------|--------|----------------------------|------|--------------------|------|----------|---------|-------|----------|----------|
| Lab #: 362347SW1 |        | Sampled: 04/05/18 10:00 AM |      | Desc: G2CE0087     |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 6.30   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |
| Lab #: 362347SW2 |        | Sampled: 04/05/18 10:10 AM |      | Desc: G2CE0088     |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 11.0   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |
| Lab #: 362347SW3 |        | Sampled: 04/05/18 10:18 AM |      | Desc: G2CE0089     |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 8.50   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |
| Lab #: 362347SW4 |        | Sampled: 04/05/18 10:25 AM |      | Desc: G2CE0090     |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 9.80   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |
| Lab #: 362347SW5 |        | Sampled: 04/05/18 11:15 AM |      | Desc: G2CE0094     |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 5.20   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |
| Lab #: 362347SW6 |        | Sampled: 04/05/18 11:20 AM |      | Desc: G2CE0094-DUP |      |          |         |       |          |          |
| Parameter        | Result | Units                      | DF   | MDL                | PQL  | QC Batch | Method  | CAS # | Analyzed |          |
| E. Coli          | 7.30   | mpn/100mL                  | 1.00 | 1.00               | 1.00 | 10368612 | SM9223B |       | 04/05/18 | 04:26 PM |



# FLOWERS CHEMICAL LABORATORIES INC.


---

P.O. Box 150597, Altamonte Springs, FL 32715-0597  
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986  
812 SW Harvey Green Dr, Madison, FL 32340  
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)  
Phone: 772-343-8006 E86562 (South Lab)  
Phone: 850-973-6878 E82405 (North Lab)  
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando  
3319 Maguire Blvd., Suite 232  
Orlando, FL 32803

PO #: n/a  
Client Project #: RQ-2018-04-02-54  
Date Sampled: Apr 5, 2018  
Apr 6, 2018; Invoice: 362347



# FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597  
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986  
812 SW Harvey Green Dr, Madison, FL 32340  
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)  
Phone: 772-343-8006 E86562 (South Lab)  
Phone: 850-973-6878 E82405 (North Lab)  
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando  
3319 Maguire Blvd., Suite 232  
Orlando, FL 32803

PO #: n/a  
Client Project #: RQ-2018-04-02-54  
Date Sampled: Apr 5, 2018  
Apr 6, 2018; Invoice: 362347

## Narrative Report

### Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results were read on 4/6/18 at 11:42AM.

### Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

### Attachments

Chain of Custody

| Qualifier | Meaning                                                                                                          |
|-----------|------------------------------------------------------------------------------------------------------------------|
| U         | Compound was analyzed for but not detected.                                                                      |
| J         | Estimated value; one or more QC components associated with this data value exceed current QC limits.             |
| Q         | Sample held beyond the accepted holding time.                                                                    |
| L         | Off-scale high; reported concentration exceeds the highest standard.                                             |
| V         | Analyte was detected in both the sample and the associated method blank.                                         |
| W         | The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.                                             |
| Z         | Too numerous to count colonies on plate.                                                                         |
| A         | Absent                                                                                                           |
| P         | Present                                                                                                          |
| T         | Value reported is less than the statistical method detection limit. Reported for informational purposes only.    |
| M         | Value reported is greater than the statistical method detection limit, but less than the reported MDL.           |
| G         | The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.                |
| S         | The least of the dilutions performed did not yield sufficient oxygen residual for valid data.                    |
| O         | Result is greater than (over) the specified value.                                                               |
| I         | Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| B         | Results based upon colony plate count outside ideal range.                                                       |
| Y         | The laboratory analysis was from an improperly preserved sample. The data may not be accurate.                   |