

Log-in Checklist

RQ- 2018-01-01-26

Shipping Method: FEDEX

Date/Time of Receipt: 01/31/18 @ 10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	0.9°C	12		✓			811977804263

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: Y

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: Y

Coolers Unpacked/Checked by: Tyler R. Date: 01/31/18 NCRs (Y/N)? N

Event ID: Lk Lou / Lil Lk Weir NCR #

CEN-DIST-2018-01-31-01 (SMP)

Date Received: 31-JAN-2018 10:00

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: CEN-DIST

Project ID: SMP

Requester: Michael Linger

Field Report Prepared By:

Mike Linger

Collected By:

Mike Linger / Lawrence Drennan

Sampling Agency:

FDEP CE-Roc

Location	WIN ID / Field ID →		G4CE0022	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/18 Time 1013	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	Lake Blue Cove @ 150m SW of Center (1329V)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 13.38	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORE				Temp (C) 15.45	pH 9.40	Sample Depth 0.3	Sp. Conductance (umho/cm) 86	
Latitude				Salinity (ppt)	Comments CD-FLR-BCQ sent to contract lab			
Location	WIN ID / Field ID →		G1CE0014	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/18 Time 1136	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Little Lake Weir @ Center(2790B)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 10.25	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORE				Temp (C) 15.96	pH 7.54	Sample Depth 0.3	Sp. Conductance (umho/cm) 225	
Latitude				Salinity (ppt)	Comments CD-FLR-LZCQ sent to contract lab			
Location	WIN ID / Field ID →		G1CE0040	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/18 Time 1301	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Lake Lou - Center of Lake (2775D)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 9.58	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORE				Temp (C) 15.59	pH 5.87	Sample Depth 0.3	Sp. Conductance (umho/cm) 65	
Latitude				Salinity (ppt)	Comments			
Location				☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORE #				Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude				Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MKL	1/30/18 1600	FedEx	1	Tyler R.	01/31/18 @ 10:00

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2 sent to control lab
	CD-FLR-ECQ						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						



Project Name: SMP

Project Number: RQ-2018-01-01-26

Site Location: Lou / Weir / Blue Cove

Contract/PO # Flowers Lab - B16975

Sampler Names: Mike Linger / Mike Draman Signature: [Signature]

Special Instructions:

Relinquished by:	Date	Time	Received by:	Date	Time	Comments
<i>Chickli</i>	1/30/18	1510	<i>[Signature]</i>	1/30	15:10	Temp Upon Receipt : -7.5°C
Relinquished by:	Date	Time	Received by:	Date	Time	Sample Containers Intact?
						☒ N

Date of Request: 12-DEC-2017
 Created By: LINGER_M On: 12-DEC-2017
 Modified By: SWANSON_C On: 13-DEC-2017
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Lk Lou / Lil Lk Weir

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-DEC-2017
 Biology Request Reviewed By: SWANSON_C On: 13-DEC-2017
 Sampling Kit Required: YES Ship on: 26-DEC-2017
 Sampling Kit Shipped: YES On: 26-DEC-2017
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 01-JAN-2018
 Received By: REYNOLDS_T On: 31-JAN-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: CD-FLR-ECQ	Number of Bottles: 2	Preserved With: ICE
	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L