

Log-in Checklist

RQ- 2018-02-19-48

Shipping Method: Fed Ex

Date/Time of Receipt: 2/21/18 9:45

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	2.40C	4		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☒

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: JD

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: JD

Coolers Unpacked/Checked by: JD Date: 2/21/18 NCRs (Y/N)? ☐

Event ID: CEU-DIST-2018-02-21-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Spring Garden Creek (Vol.)

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Natalie Ayala


Project ID: SMP

Collected By:

Volusia County

Sampling Agency:

FDEP

Location	WIN ID / Field ID →				☐ Comp ☒ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central	Composite end		Bottle Group(s) (See pg 2)		
Field ID	Spring Garden Creek @ 200m Upstream of Lake Woodruff (2921F)		G2CE0081		Date		Time		Date		Time			
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	0.28	Temp (C)	22.2	pH	6.79	Sample Depth	0.5		☐ ft ☒ m	Sp. Conductance (umho/cm)
Comments													A	
CD-FLR-ECQ submitted to Flowers lab														
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central	Composite end		Bottle Group(s)		
Field ID					Date		Time		Date		Time			
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)	
Comments														
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central	Composite end		Bottle Group(s)		
Field ID					Date		Time		Date		Time			
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)	
Comments														
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central	Composite end		Bottle Group(s)		
Field ID					Date		Time		Date		Time			
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)	
Comments														

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Mike Linger	2/20/18 4:00pm	FedEx	1	J.D.	2/21/18 9:45

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 submitted to Flowers Lab.
	CD-FLR-ECQ						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						

Date of Request: 31-JAN-2018
 Created By: LINGER_M On: 31-JAN-2018
 Modified By: SWANSON_C On: 02-FEB-2018
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Spring Garden Creek (Vol.)

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 02-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 02-FEB-2018
 Sampling Kit Required: YES Ship on: 09-FEB-2018
 Sampling Kit Shipped: YES On: 06-FEB-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 19-FEB-2018
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: CD-FLR-ECQ	Number of Bottles: 1	Preserved With: ICE
	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Do Not Lift Using This Tag


EDD
ORIGIN ID: ORLA (407) 894-7555
MIKE LINGER
FL DEP CENTRAL DISTRICT
3319 MAGUIRE BLVD STE 232
ORLANDO, FL 32803
UNITED STATES US

SHIP DATE: 09FEB18
ACTWGT: 10.00 LB
CAD: 100182098/NET3980

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085 REF:
INV: DEPT:
PO:

RMA:



55211122D/CAS

FedEx
RK# 7907 7735 2698
221

WED - 21 FEB 10:30A
PRIORITY OVERNIGHT

32399
FL-US
TLH

36 TLHA



FTD 5037366 20FEB18 ORLA 546C1/122D/0C8A

87