



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd., Suite 232
Orlando, FL 32803

PO #: RQ-03-12-55
Client Project #: SMP
Date Sampled: Mar 12, 2018
Mar 15, 2018; Invoice: 359807

Report Summary

Date Received: Mar 12, 2018

FCL Project Manager: June S. Flowers

Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
359807SW1	G2CE0168	SM9223B	ECG	Main Lab	Surface Water
359807SW2	G2CE0169	SM9223B	ECG	Main Lab	Surface Water
359807SW3	G2CE0076	SM9223B	ECG	Main Lab	Surface Water
359807SW4	G2CE0156	SM9223B	ECG	Main Lab	Surface Water
359807SW5	G2CE0077	SM9223B	ECG	Main Lab	Surface Water
359807SW6	G2CE0157	SM9223B	ECG	Main Lab	Surface Water

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAP Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd., Suite 232
Orlando, FL 32803

PO #: RQ-03-12-55
Client Project #: SMP
Date Sampled: Mar 12, 2018
Mar 15, 2018; Invoice: 359807

Analysis Report

Lab #: 359807SW1		Sampled: 03/12/18 10:57 AM		Desc: G2CE0168						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	154	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM
Lab #: 359807SW2		Sampled: 03/12/18 11:25 AM		Desc: G2CE0169						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	194	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM
Lab #: 359807SW3		Sampled: 03/12/18 12:20 PM		Desc: G2CE0076						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	31.3	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM
Lab #: 359807SW4		Sampled: 03/12/18 12:30 PM		Desc: G2CE0156						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	53.0	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM
Lab #: 359807SW5		Sampled: 03/12/18 01:05 PM		Desc: G2CE0077						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	2420	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM
Lab #: 359807SW6		Sampled: 03/12/18 01:20 PM		Desc: G2CE0157						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	2420 J	mpn/100mL	1.00	1.00	1.00	10366564	SM9223B		03/12/18	03:01 PM



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd., Suite 232
Orlando, FL 32803

PO #: RQ-03-12-55
Client Project #: SMP
Date Sampled: Mar 12, 2018
Mar 15, 2018; Invoice: 359807



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd., Suite 232
Orlando, FL 32803

PO #: RQ-03-12-55
Client Project #: SMP
Date Sampled: Mar 12, 2018
Mar 15, 2018; Invoice: 359807

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results were read on 3/13/18 at 11:02AM.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Additional Comments

"J" flag indicates: All Quanti-Tray wells were positive. Result may be higher than reported.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.