

Biological Analysis Report

CEN-DIST-2018-04-05-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Flowers Chemical Laboratories Inc. - Altamonte
Springs
481 Newburyport Avenue
Altamonte Springs, Florida 32701
DOH Accreditation E83018

Event Description: **Six / Soldier / LW(w) / Gee / Howell**
Request ID: **RQ-2018-04-02-51**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 22-MAY-2018 15:15



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: HOWELL CREEK @ 150M US OF LAKE HOWELL (2997A)

Collection Date/Time: 04/04/2018 09:42

Field ID: G2CE0072

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981699	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	196		MPN/100 mL		
1981707	SOP-PCR-1.2	GULL2-qPCR**	950	T	TSC/100 mL	P342672	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: HOWELL CREEK @ US OF LAKE HOWELL LN (2997A)

Collection Date/Time: 04/04/2018 09:22

Field ID: G2CE0138

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981700	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	142		MPN/100 mL		
1981708	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	U	TSC/100 mL	P342672	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Ref. Method and Comment:
 SOP-PCR-1.2: No amplification of GULL2 marker.

Sample Location: GEE CREEK @ SR HWY 419 (2994A)

Collection Date/Time: 04/04/2018 10:11

Field ID: G2CE0075

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981693	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	411		MPN/100 mL		
1981701	SOP-PCR-1.0	HF183-qPCR**	260	I	GEU/100 mL	P344842	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: GEE CREEK @ ALTON RD (2994A)

Collection Date/Time: 04/04/2018 10:29

Field ID: G2CE0161

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981694	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1730		MPN/100 mL		
1981702	SOP-PCR-1.0	HF183-qPCR**	980		GEU/100 mL	P344842	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: SOLDIER CREEK @ JUST DOWNSTREAM OF SR HWY 419 (2986)

Collection Date/Time: 04/04/2018 10:47

Field ID: G2CE0162

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981697	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	299		MPN/100 mL		
1981705	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P342672	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Ref. Method and Comment:
 SOP-PCR-1.0: No amplification of HF183 marker.

Sample Location: SOLDIER CREEK @ 150m UPSTREAM OF SR HWY 419 (2986)

Collection Date/Time: 04/04/2018 11:00

Field ID: G2CE0071

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: G2CE0071

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981698	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	461		MPN/100 mL		
1981706	SOP-PCR-1.0	HF183-qPCR**	37	T	GEU/100 mL	P342672	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: SIX MILE @ 400M US OF LAKE JESSUP (2984) **Collection Date/Time: 04/04/2018 11:18**

Field ID: G2CE0074

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981695	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1990		MPN/100 mL		
1981703	SOP-PCR-1.0	HF183-qPCR**	280	U	GEU/100 mL	P345261	
	SOP-PCR-1.4	BacR-qPCR**	1.9E+04		TSC/100 mL	P345261	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:
 SOP-PCR-1.0: No amplification of HF183 marker.
 SOP-PCR-1.4: Precision data unavailable for Analysis Batch A83966.

Sample Location: ELDER SPRINGS RUN @ US OF MYRTLE ST (2984) **Collection Date/Time: 04/04/2018 11:25**

Field ID: G2CE0120

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1981696	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1050		MPN/100 mL		
1981704	SOP-PCR-1.0	HF183-qPCR**	84	T	GEU/100 mL	P345261	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0
Batch ID: P342672

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P345261

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P342672

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.4
 Batch ID: P345261

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P342672

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	95.6	70.8	P/P	50 - 175

Reference Method: SOP-PCR-1.0
 Batch ID: P344842

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	120	104	P/P	50 - 175

Reference Method: SOP-PCR-1.0
 Batch ID: P345261

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	55.0	95.7	P/P	50 - 175

Reference Method: SOP-PCR-1.2
 Batch ID: P342672

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	65.3	73.7	P/P	50 - 300
GULL2-qPCR	51.0	89.3	P/P	50 - 300

Reference Method: SOP-PCR-1.4
 Batch ID: P345261

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	92.3	74.4	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P342672

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1971367	HF183-qPCR	83.9		P	50 - 175
1973484	HF183-qPCR	89.7	92.8	P/P	50 - 175
1974754	HF183-qPCR	92.3		P	50 - 175
1974755	HF183-qPCR	91.0		P	50 - 175
1975217	HF183-qPCR	78.0		P	50 - 175
1981244	HF183-qPCR	115		P	50 - 175
1981705	HF183-qPCR	78.8		P	50 - 175
1981706	HF183-qPCR	83.1		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P342672

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1981851	HF183-qPCR	78.1		P	50 - 175
1982097	HF183-qPCR	90.7		P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1978108	HF183-qPCR	79.3		P	50 - 175
1980236	HF183-qPCR	78.4		P	50 - 175
1980237	HF183-qPCR	91.2		P	50 - 175
1980276	HF183-qPCR	109		P	50 - 175
1981021	HF183-qPCR	107		P	50 - 175
1981614	HF183-qPCR	95.0		P	50 - 175
1981615	HF183-qPCR	93.9		P	50 - 175
1981701	HF183-qPCR	98.1		P	50 - 175
1981702	HF183-qPCR	106		P	50 - 175
1986512	HF183-qPCR	123		P	50 - 175
1991711	HF183-qPCR	106		P	50 - 175
1991712	HF183-qPCR	101	101	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P345261

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1981703	HF183-qPCR	85.7		P	50 - 175
1981704	HF183-qPCR	87.3		P	50 - 175
1983989	HF183-qPCR	81.6		P	50 - 175
1983990	HF183-qPCR	92.1	86.0	P/P	50 - 175
1983991	HF183-qPCR	82.5		P	50 - 175
1983992	HF183-qPCR	80.2		P	50 - 175
1983993	HF183-qPCR	89.6		P	50 - 175
1985974	HF183-qPCR	86.5		P	50 - 175
1985975	HF183-qPCR	105		P	50 - 175
1986052	HF183-qPCR	84.1		P	50 - 175
1986054	HF183-qPCR	82.1		P	50 - 175
1986378	HF183-qPCR	70.9		P	50 - 175
1986379	HF183-qPCR	75.1		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P342672

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1973484	GULL2-qPCR	90.2	91.5	P/P	50 - 300
1974755	GULL2-qPCR	115		P	50 - 300
1981244	GULL2-qPCR	64.1		P	50 - 300
1981707	GULL2-qPCR	77.6	83.4	P/P	50 - 300
1981708	GULL2-qPCR	88.5		P	50 - 300

Reference Method: SOP-PCR-1.4
Batch ID: P345261

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P345261

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1981703	BacR-qPCR	64.8		P	50 - 175
1983992	BacR-qPCR	60.0		P	50 - 175
1985974	BacR-qPCR	63.6		P	50 - 175
1986052	BacR-qPCR	73.8		P	50 - 175
1986054	BacR-qPCR	50.3		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P342672

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1973484	HF183-qPCR	3.37	Spike	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1991712	HF183-qPCR	0.390	Spike	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P345261

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1983990	HF183-qPCR	6.83	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P342672

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1973484	GULL2-qPCR	1.37	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1981701
Field Sample ID: G2CE0075

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	119	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 1981702
 Field Sample ID: G2CE0161

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	116	P	50 - 300

Lab Sample ID: 1981703
 Field Sample ID: G2CE0074

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	107	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	102	P	50 - 300

Lab Sample ID: 1981704
 Field Sample ID: G2CE0120

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	112	P	50 - 300

Lab Sample ID: 1981705
 Field Sample ID: G2CE0162

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	101	P	50 - 300

Lab Sample ID: 1981706
 Field Sample ID: G2CE0071

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	104	P	50 - 300

Lab Sample ID: 1981707
 Field Sample ID: G2CE0072

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.2	SKETA-qPCR	104	P	50 - 300

Lab Sample ID: 1981708
 Field Sample ID: G2CE0138

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.2	SKETA-qPCR	96.5	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	
							LCS	MS
SOP-PCR-1.0	HF183-qPCR	70.8	95.6	89.7	92.8	92.3		3.37
				91.0				
	HF183-qPCR	104	120	123	79.3	106		0.390
SOP-PCR-1.2	HF183-qPCR	95.7	55.0	85.7	87.3	81.6		6.83
				92.1				
	GULL2-qPCR	65.3	89.3	51.0	90.2	91.5	115	1.37
		73.7			77.6			

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision		
							LCS	SMP	MS
SOP-PCR-1.4	BacR-qPCR	74.4	92.3	64.8	60.0	63.6			
				73.8					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 9223 Quanti-Tray / E83018	Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District	1981693, 1981694, 1981695, 1981696, 1981697, 1981698, 1981699, 1981700
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1981701, 1981702, 1981703, 1981704, 1981705, 1981706
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	1981707, 1981708
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	1981703
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1981701, 1981702, 1981703, 1981704, 1981705, 1981706, 1981707, 1981708

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 9223 Quanti-Tray	04/04/2018	04/04/2018 14:21		04/05/2018 10:53	Flowers - Altamonte Springs	1981693, 1981694, 1981695, 1981696, 1981697, 1981698, 1981699, 1981700
SOP-PCR-1.0	04/05/2018	04/05/2018 13:30	Puja Jasrotia	04/09/2018 15:43	Mailin Lopez	1981705, 1981706
	04/05/2018	04/05/2018 13:30	Puja Jasrotia	05/15/2018 16:44	Mailin Lopez	1981703, 1981704
	04/05/2018	04/05/2018 13:30	Sarah Menz	05/15/2018 12:52	Sarah Menz	1981701, 1981702
SOP-PCR-1.2	04/05/2018	04/05/2018 13:30	Puja Jasrotia	04/19/2018 09:33	Sarah Menz	1981707, 1981708
SOP-PCR-1.4	04/05/2018	04/05/2018 13:30	Puja Jasrotia	05/16/2018 12:41	Sarah Menz	1981703
SOP-PCR-4.0	04/05/2018	04/05/2018 13:30	Angela Smith	05/14/2018 15:47	Puja Jasrotia	1981701, 1981702, 1981703, 1981704, 1981705, 1981706, 1981707, 1981708