

RQ-201804-3034

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound |

Date/Time of Receipt:

5-2-18/10/00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present?	*Intact?		
			Yes	No	Yes	No
Red	0.4	4		✓		

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included?

Yes ✓

No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓

No

Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes

No ✓

If yes, is it intact? Yes ✓

No

**Caps on tight? Yes ✓

No

**Containers intact? Yes ✓

No

**Sufficient Sample Volume: Yes ✓

No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX			W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓

No

NA

Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes

No

NA ✓

Init: SR

Coolers Unpacked/Checked by: SR

Date: 5-2-18

NCRs (Y/N)?

N

Event ID:

CEN-DIST-2018-05-02-03

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:8-15-19
Chlorine Test Strips Lot #	091417V EXP:09/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Haw Crk ab Crescent / Little Haw

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger / Mike Drennan

Sampling Agency: FDEP CE-ROC

Location WIN ID / Field ID → Little Haw Creek @ 25m DS of SR40 (2630C)				☐ Comp ☒ Grab Collection (comp begin or grab) Date 5/1/18 Time 1128		Eastern ☒ Central Composite end Date Time		Bottle Group(s) (See pg 2) A	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.07 mg/L 2.07 MKL		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C) 19.4		pH 4.48		Sample Depth 0.3 ft 0.3 m		Sp. Conductance 103.0 umho/cm MKL	
Latitude		Longitude		Salinity (ppt)		Comments		CD-FL-ECQ sent to contract lab	
Location WIN ID / Field ID → Haw Creek approx 850m Downstream of Boat Ramp (2622A)				☐ Comp ☒ Grab Collection (comp begin or grab) Date 5/1/18 Time 1254		Eastern ☒ Central Composite end Date Time		Bottle Group(s) B	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.82 mg/L		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C) 23.2		pH 5.93		Sample Depth 0.3 ft 0.3 m		Sp. Conductance 293.2 umho/cm	
Latitude		Longitude		Salinity (ppt)		Comments		CD-FLR-ECQ sent to contract lab - not in cooler	
Location		☐ Comp ☐ Grab Collection (comp begin or grab) Date Time		Eastern ☐ Central Composite end Date Time		Bottle Group(s)			
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		Longitude		Salinity (ppt)		Comments			
Location		☐ Comp ☐ Grab Collection (comp begin or grab) Date Time		Eastern ☐ Central Composite end Date Time		Bottle Group(s)			
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		Longitude		Salinity (ppt)		Comments			

Relinquished By: MKL	Date/Time: 5/1/18 1600	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: SJR	Date/Time: 5-2-18/10:00
----------------------	------------------------	------------------------	------------------------------	------------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 sent to contract lab
	CD-FLR-ECQ						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 sent to contract lab
	CD-FLR-ECQ						



CONTRACT LAB - CHAIN OF CUSTODY

Client Name: Department of Environmental Protection
Address: 3319 Maguire Blvd Suite 232, Orlando, FL 32803
Project Manager: Natalie Ayala / Michael Linger / Kalina Warren
E-Mail: Michael.Linger@dep.state.fl.us
Telephone Number: (407) 897-4100

Project Name: SMP

Project Number: RQ-2018-04-30-34

Site Location: Haw Creeks

Contract/PO # Flowers Lab - B16975

Sampler Names:

Mike Linger / Mika Drennan Signature: *[Signature]*

FIELD ID	Lab No. (Lab Use Only)	Date	Time Sampled	No. of Containers	Grab	Composite	Preservative				Matrix				Analyze For:		
							ICE	HCL	HNO3	NONE	Groundwater	Wastewater	Drinking Water	Surface Water	Escherichia Coli (ECQ)	Enterococci (ENQ)	Fecal Coliform (FC)
G2CE0128		5/1/18	1128	1	X		X							X	X		
G2CE0116		5/1/18	1254	1	X		X							X	X		

Special Instructions:

Samples are ambient water and not suspected to contain chlorine

Relinquished by:	Date	Time	Received by:	Date	Time	Comments
<i>[Signature]</i>	1440 5/1/18	1440	MP / FC	4/55/1	1440	Temp Upon Receipt: 0.3 °C
Relinquished by:	Date	Time	Received by:	Date	Time	Sample Containers Intact?
						☒ Y ☐ N

Date of Request: 09-APR-2018
 Created By: LINGER_M On: 09-APR-2018
 Modified By: SWANSON_C On: 10-APR-2018
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Haw Crk ab Cresent / Little Haw

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 10-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 10-APR-2018
 Sampling Kit Required: YES Ship on: 20-APR-2018
 Sampling Kit Shipped: YES On: 16-APR-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: YES
 Date to Receive Samples: 30-APR-2018
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: A: Lil Haw
 B: Haw

5 - cases of sulfuric acid
 10 - sets of sulfuric acid labels

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: CD-FLR-ECQ	Number of Bottles: 1	Preserved With: ICE
	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Collert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District

Do Not Lift Us

ORIGIN ID: TLHA (407) 894-7555
MIKE LINGER
FL DEP CENTRAL DISTRICT
3319 MAGUIRE BLVD STE 232
ORLANDO, FL 328033767
UNITED STATES US

SH.
ACT.
CAD: C

RT 856
FZ

10:30 B
3211
05-82

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: 11111111



FedEx
Express



JT71016102001UY
546C1/9132/53C1
546C1/9132/53C1

FedEx
TRK#
0221 4385 5028 3211

36 TLHA

RETURNS MON-FRI
WED - 02 MAY 10:30A
PRIORITY OVERNIGHT

32399
FL-US
TLH



FID 5037366 01MAY18 ORLA 546C2/702B/0C8A