

RQ- 2018-10-22-38

Log-in Checklist

Login Station ID: #4Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 10/24/18 @ 10:15 am

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>2.0 °C</u>			<u>12</u>		<u>X</u>			<u>4385 5034 6481</u>

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Date 10/24/18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: me

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: me

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: me

Coolers Unpacked/Checked by: Tyler R. Date: 10/24/18 NCRs (Y/N)? N

Event ID: Searcy / Hope / Noname NCR #
CEN-DIST-2018-10-24-01 (SMP)

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Searcy / Hope / Noname

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Mike Linger

Project ID: SMP

Collected By:

Mike Linger / Lawrence Orennan

Sampling Agency:

FDEP CE-ROC

Location	WIN ID / Field ID → Lake Hope @ Center (29979)	G2CE0106	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/23/18 Time 938	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 3.54	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/S				Temp (C) 26.33	pH 6.94	Sample Depth 0.3	Sp. Conductance (umho/cm) 310
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments ★		
Location	WIN ID / Field ID → Noname Lake @ Center (2999B)	G2CE0068	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/23/18 Time 1026	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.72	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/S				Temp (C) 26.81	pH 7.06	Sample Depth 0.3	Sp. Conductance (umho/cm) 124
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments ★		
Location	WIN ID / Field ID → Lake Searcy @ Center (2986E)	G2CE0137	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/23/18 Time 1116	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 8.13	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/S				Temp (C) 25.99	pH 7.30	Sample Depth 0.3	Sp. Conductance (umho/cm) 144
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments ★		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #				Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
Latitude			☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments

Relinquished By: MKL	Date/Time 10/23/18 1600	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: Tyler R.	Date/Time 10/24/18 @ 10:15
-------------------------	----------------------------	--------------------------	---------------------------------	--------------------------	-------------------------------

★ CD-FLR-ECA sent to contract lab

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY				
	TURBIDITY				
	W-CL-IC				
	W-COLOR				
	W-F				
	W-SO4-IC				
	W-TDS				
	W-TSS				
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 3	Preservative: Na thiosulfate and Ice	Enter Number of Bottles Sent to Lab	3 sent to contract lab
	CD-FLR-ECQ				
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W				
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3				
	W-NO2NO3				
	W-S-A-TP		H2SO4		
	W-TKN		LOT# SA8101020		
	W-TOC		EXP: 04/11/2019		
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F				



CONTRACT LAB - CHAIN OF CUSTODY

Client Name: Department of Environmental Protection
Address: 3319 Maguire Blvd Suite 232, Orlando, FL 32803
Project Manager: Natalie Ayala / Michael Linger / Kalina Warren
E-Mail: DEP-overflowmicro@dep.state.fl.us
Telephone Number: (407) 897-4100

Project Name: SMP

Project Number: RQ-2018-10-22-38

Site Location: Hope / No name / Searcy

Contract/PO # FLOWERS - B3508E

Sampler Names: Mike Linger / Mike Danner

Signature: [Signature]

FIELD ID	Lab No. (Lab Use Only)	Date	Time Sampled	No. of Containers	Grab	Composite	Preservative				Matrix				Analyze For:		
							ICE	HCL	HNO3	NONE	Groundwater	Wastewater	Drinking Water	Surface Water	Escherichia Coli (ECQ)	Enterococci (ENQ)	Fecal Coliform (FC)
G2CE0106		10/23/18	938	1	X		X							X	X		
G2CE0068			1026	1	X		X							X	X		
G2CE0137			1116	1	X		X							X	X		

Special Instructions:

Samples are ambient water and not suspected to contain chlorine

Note to samplers: For Site with E.coli only, email both custody and submittal forms to Joshua Ayers and cc John Watts.

Relinquished by:	Date	Time	Received by:	Date	Time	Comments
[Signature]	10/23/18	1207	[Signature]	10/23/18	1205	Temp 2.5 Upon Receipt:
Relinquished by:	Date	Time	Received by:	Date	Time	Sample Containers Intact?
						Y N

Cooler Packing Worksheet for Request: RQ-2018-10-22-38

Searcy / Hope / Noname
Ship Cooler On: 10/17/2018
Customer/Project: CEN-DIST/SMP

Assigned To: KLUG_K
Requester: Michael Linger
Priority: 3

407-897-4180
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

Comments:

No preservatives needed.

Requested Analyses:

Bottle Group: A

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00071991

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: P-250ML-WI-THI

Qty: 3 Preservation: Na thiosulfate and Ice

Lot # 418005

Description: 250 ml Sterilized with tablet

Analysis

CD-FLR-ECQ

Description

Escherichia coli by Collert 18 Quanti-Tray method by Flowers Chemical Laboratory in Altamonte Springs

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1227219

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 00072044

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: FILTER-ICE

Lot # 00065781

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: KK

Number of Coolers: 1

Date: 10/17/18

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☐ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2018-10-22-38

Date of Request: 04-OCT-2018
 Created By: LINGER_M On: 04-OCT-2018
 Modified By: SWANSON_C On: 05-OCT-2018
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Searcy / Hope / Noname

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-OCT-2018
 Biology Request Reviewed By: SWANSON_C On: 05-OCT-2018
 Sampling Kit Required: YES Ship on: 17-OCT-2018
 Sampling Kit Shipped: YES On: 17-OCT-2018
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 22-OCT-2018
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: Na thiosulfate and Ice
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Flowers Chemical Laboratory in Altamonte Springs
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L