



ENVIRONMENTAL RESEARCH & DESIGN, INC.

Engineering • Science • Chemistry • Research
3419 Trentwood Blvd. • Suite 102 • Belle Isle (Orlando), FL 32812-4864
Telephone: 407-855-9465 • Fax: 407-826-0419

TECHNICAL REPORT FOR THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

CLIENT PROJECT: RQ-2018-07-30-37

ERD JOB #: 18-008

SAMPLE COLLECTION DATE: November 26, 2018

DATE REPORT PREPARED: December 13, 2018

CLIENT SERVICE CONTACT: Chip Harper
(charper@erd.org)

Report To:

DEP-Overflow Micro
Florida Department of Environmental Protection
Biology Section
Twin Towers / Lab Complex A, Rm 216, MS 6515
Tallahassee, FL 32399
(DEP-overflowmicro@dep.state.fl)

cc: Frances.Moore@dep.state.fl.us; Avril.Wood-McGrath@dep.state.fl.us

Total Number of Pages in Report: 2

Analytical results presented in this report have been reviewed for compliance with the ENVIRONMENTAL RESEARCH & DESIGN, INC. (ERD) Quality Systems Manual and have been determined to meet applicable method guidelines and standards referenced in the 2003/2009 National Environmental laboratory Accreditation Program (NELAP) Quality Manual unless otherwise noted. The Analytical Results within these report pages reflect the values obtained from tests performed on samples as received by the laboratory on the date(s) listed unless indicated differently.

Cassie Revell
Lab Director



SAMPLE SUMMARY

Client: FDEP
Project Name: RQ-2018-07-30-37
ERD Job #: 18-008

Lab Sample I.D.	Date Collected	Time Collected	Sampler	Date Received	Matrix Code*	Type	Client Sample I.D.
18-3081	11/26/18	9:25	MD	11/26/18	AQ	Surface Water	G2CE0077
18-3082	11/26/18	9:27	MD	11/26/18	AQ	Surface Water	G2CE0077-DUP
18-3083	11/26/18	9:32	MD	11/26/18	AQ	Surface Water	G2CE0157
18-8084	11/26/18	10:53	LB	11/26/18	AQ	Surface Water	G2CE0122

*Matrix Code: AQ = Aqueous SED = Sediment

SUMMARY OF ANALYSES

Analyte: E. coli

Method: EPA 1603

Analyst: AF

Lab Sample I.D.	Client Sample I.D.	Result	Qualifier*	PQL	MDL	Units	Date Collected	Date Received	Date Analyzed
18-3081	G2CE0077	2,040	B	1	1	cfu/100 ml	11/26/18	11/26/18	11/27/18
18-3082	G2CE0077-DUP	2,120	B	1	1	cfu/100 ml	11/26/18	11/26/18	11/27/18
18-3083	G2CE0157	1,980	B	1	1	cfu/100 ml	11/26/18	11/26/18	11/27/18
18-8084	G2CE0122	4	B	1	1	cfu/100 ml	11/26/18	11/26/18	11/27/18

*B: < 20 or >80 cfu/100 ml

U = Result is < MDL

INCUBATION TIMES

ERD SAMPLE I.D.	DATE COLLECTED	CLIENT FIELD I.D.	INCUBATION PERIOD 1 (minimum of 2 hours)			INCUBATION PERIOD 2 (minimum of 22 hours)		
			Date Prepared	Time Started	Time Ended	Time Started	Time Ended	Date Analyzed
18-3081	11/26/18	G2CE0077	11/26/18	13:55	15:55	15:55	14:35	11/27/18
18-3082	11/26/18	G2CE0077-DUP	11/26/18	13:55	15:55	15:55	14:35	11/27/18
18-3083	11/26/18	G2CE0157	11/26/18	13:55	15:55	15:55	14:35	11/27/18
18-8084	11/26/18	G2CE0122	11/26/18	13:55	15:55	15:55	14:35	11/27/18

END OF REPORT

