

Chemical Analysis Report

CEN-DIST-2018-12-06-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Salt Creek X2**
Request ID: **RQ-2018-12-03-53**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 18-DEC-2018 11:50

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SALT CREEK @ PACKARD AVENUE (2990)

Collection Date/Time: 12/05/2018 13:00

Field ID: G2CE0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2047014	EPA 8321B	2,4-D	0.074		ug/L	P355712	
		Sucralose**	0.13		ug/L	P355853	
		Bentazon	8.0E-04	U	ug/L	P355712	
		MCP	0.0020	U	ug/L	P355712	
		Triclopyr**	0.0040	U	ug/L	P355712	
		Imidacloprid	0.0020	U	ug/L	P355712	
		Diuron	0.0022	I	ug/L	P355712	
		Pyraclostrobin**	0.0020	U	ug/L	P355712	
		Primidone**	0.0040	U	ug/L	P355712	
		Linuron	0.0040	U	ug/L	P355712	
		Acetaminophen**	0.0080	U	ug/L	P355712	
		Fenuron	0.016	U	ug/L	P355712	
		Imazapyr**	0.0064	I	ug/L	P355712	
		Carbamazepine**	8.0E-04	U	ug/L	P355712	
		Fluridone**	0.0011	I	ug/L	P355712	
		Hydrocodone**	0.0020	U	ug/L	P355712	
		Naproxen**	0.0080	U	ug/L	P355712	
		Ibuprofen**	0.020	U	ug/L	P355712	
		Acesulfame K**	0.10	U	ug/L	P355853	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P355712

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	4.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
MCP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B
Batch ID: P355853

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P355712

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	76.2		P	40 - 150
Acetaminophen	92.6		P	30 - 150
Bentazon	74.7		P	30 - 150
Carbamazepine	80.8		P	40 - 150
Diuron	81.8		P	40 - 150
Fenuron	112		P	40 - 150
Fluridone	107		P	40 - 150
Hydrocodone	102		P	40 - 150
Ibuprofen	64.2		P	40 - 150
Imazapyr	112		P	40 - 150
Imidacloprid	78.5		P	40 - 160
Linuron	76.1		P	40 - 150
MCPP	95.0		P	40 - 150
Naproxen	77.5		P	40 - 150
Primidone	86.2		P	40 - 150
Pyraclostrobin	52.3		P	40 - 150
Triclopyr	58.3		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P355853

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	118		P	40 - 150
Sucralose	99.8		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
 Batch ID: P355712

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2046826	2,4-D	68.5	75.9	P/P	40 - 150
2046826	Acetaminophen	102	125	P/P	30 - 150
2046826	Bentazon	42.1	33.6	P/P	30 - 150
2046826	Carbamazepine	76.6	72.1	P/P	40 - 150
2046826	Diuron	62.0	62.4	P/P	40 - 150
2046826	Fenuron	92.2	104	P/P	40 - 150
2046826	Fluridone	104	108	P/P	40 - 150
2046826	Hydrocodone	100	103	P/P	40 - 150
2046826	Ibuprofen	54.4	61.9	P/P	40 - 150
2046826	Imazapyr	109	127	P/P	40 - 150
2046826	Imidacloprid	129	134	P/P	40 - 160
2046826	Linuron	59.3	61.2	P/P	40 - 150
2046826	MCP	83.5	92.5	P/P	40 - 150
2046826	Naproxen	56.8	69.1	P/P	40 - 150
2046826	Primidone	96.9	91.6	P/P	40 - 150
2046826	Pyraclostrobin	51.2	59.3	P/P	40 - 150
2046826	Triclopyr	44.5	49.9	P/P	40 - 150

Reference Method: EPA 8321B
 Batch ID: P355853

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2046826	Acesulfame K	101	113	P/P	40 - 150
2046826	Sucralose	95.3	106	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P355712

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2046826	2,4-D	7.32	Spike	P	0 - 30
2046826	Acetaminophen	15.5	Spike	P	0 - 30
2046826	Bentazon	13.6	Spike	P	0 - 30
2046826	Carbamazepine	4.42	Spike	P	0 - 30
2046826	Diuron	0.455	Spike	P	0 - 30
2046826	Fenuron	11.7	Spike	P	0 - 30
2046826	Fluridone	4.37	Spike	P	0 - 30
2046826	Hydrocodone	2.63	Spike	P	0 - 30
2046826	Ibuprofen	12.9	Spike	P	0 - 30
2046826	Imazapyr	7.43	Spike	P	0 - 30
2046826	Imidacloprid	3.24	Spike	P	0 - 30
2046826	Linuron	3.20	Spike	P	0 - 30
2046826	MCP	9.16	Spike	P	0 - 30
2046826	Naproxen	19.6	Spike	P	0 - 30
2046826	Primidone	5.64	Spike	P	0 - 30
2046826	Pyraclostrobin	14.6	Spike	P	0 - 30
2046826	Triclopyr	11.4	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P355853

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2046826	Acesulfame K	9.46	Spike	P	0 - 30
2046826	Sucralose	7.76	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2047014
Field Sample ID: G2CE0088

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	75.7	P	30 - 160
EPA 8321B	Acetaminophen-d4	114	P	30 - 160
EPA 8321B	Carbamazepine-d10	69.3	P	30 - 160
EPA 8321B	Diuron-d6	75.5	P	30 - 160
EPA 8321B	Endothall-d6	108	P	40 - 160
EPA 8321B	Endothall-d6	108	P	40 - 160
EPA 8321B	Ibuprofen-d3	67.9	P	30 - 160
EPA 8321B	Primidone-d5	93.6	P	30 - 160
EPA 8321B	Sucralose-d6	106	P	40 - 160
EPA 8321B	Sucralose-d6	106	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
 Run ID: A88298
 Included Lab Sample IDs: 2047014

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	113	92.8	P/P	60 - 150

Reference Method: EPA 8321B
 Run ID: A88326
 Included Lab Sample IDs: 2047014

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	106	105	P/P	60 - 150

Reference Method: EPA 8321B
 Run ID: A88378
 Included Lab Sample IDs: 2047014

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	88.6	85.5	P/P	50 - 150
Acetaminophen	99.6	127	P/P	60 - 160
Bentazon	89.8	87.3	P/P	50 - 160
Carbamazepine	113	110	P/P	60 - 160
Diuron	108	107	P/P	60 - 150
Fenuron	106	123	P/P	60 - 150
Fluridone	113	125	P/P	60 - 160
Hydrocodone	99.6	117	P/P	60 - 150
Ibuprofen	87.2	85.6	P/P	50 - 160
Imazapyr	117	108	P/P	50 - 150
Imidacloprid	85.2	89.3	P/P	60 - 160
Linuron	107	108	P/P	60 - 150
MCPP	89.9	86.0	P/P	50 - 150
Naproxen	85.6	79.8	P/P	50 - 160
Primidone	106	119	P/P	60 - 160
Pyraclostrobin	99.2	106	P/P	60 - 150
Triclopyr	93.5	85.8	P/P	50 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8321B	2,4-D	76.2	68.5	75.9		7.32
	Acesulfame K	118	101	113		9.46
	Acetaminophen	92.6	102	125		15.5
	Bentazon	74.7	42.1	33.6		13.6
	Carbamazepine	80.8	76.6	72.1		4.42
	Diuron	81.8	62.0	62.4		0.455
	Fenuron	112	92.2	104		11.7
	Fluridone	107	104	108		4.37
	Hydrocodone	102	100	103		2.63
	Ibuprofen	64.2	54.4	61.9		12.9
	Imazapyr	112	109	127		7.43
	Imidacloprid	78.5	129	134		3.24
	Linuron	76.1	59.3	61.2		3.20
	MCPP	95.0	83.5	92.5		9.16
	Naproxen	77.5	56.8	69.1		19.6
	Primidone	86.2	96.9	91.6		5.64
	Pyraclostrobin	52.3	51.2	59.3		14.6
	Sucralose	99.8	95.3	106		7.76
	Triclopyr	58.3	44.5	49.9		11.4

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 8321B / E31780	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2047014
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	2047014

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	12/06/2018	12/11/2018 12:30	Rebecca Ware	12/11/2018 16:17	Rebecca Ware	2047014
	12/06/2018	12/11/2018 12:30	Rebecca Ware	12/12/2018 18:00	Mohammad Ghaffari	2047014
	12/06/2018	12/12/2018 10:00	Hoor Shaik	12/14/2018 00:49	Juyoung Kim	2047014