



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

Data Qualified?

Yes / No

April 2018

WIN Station Name: Imperial River @ Imperial Pkwy Bonita

Date: 06/19/2018

WIN/ Field ID: G1SD0063

WBID: 3258EA

Latitude: 26.086307

(mm/dd/yyyy)

County: Lee

ORG ID:

Longitude: 81.762755

(Decimal Degrees)

Receiving Body of Water: Gulf of Mexico

RQ-2018- 07-02-38

(Decimal Degrees)

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Chase Conley			X	X	X	X
Maryann Dugan			X	X	X	X

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with <u>SECCHI</u>		
Equipment ID <u>DEEP BLUE</u>		
Collection Method		
☐ Wading	☐ Canoe/Kayak	
☒ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded		Meter ID# <u>5</u>		Matrix: <u>Fresh</u> / Marine / DI						
Photos: <u>Yes</u> / No		Flow: No Flow / Intestinal / <u>Flowing</u> / NA		Tide: Rising/ Falling/ Slack/ <u>NA</u>						
Tide Times: High <u>NA</u> Low <u>NA</u>										
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1305	0.5	0.3	0.5	4.1	53	7.0	/	482	28.3
CEN				S						

Biological Samples Collected:		None	<u>HA</u>	SCI	<u>RPS</u>	Algae ID	<u>LVS</u>	LVI	Other:
SBIO ID Numbers:		SBIO-ID:	HA-ID:	RPS-ID:	Macrophyte-ID:	LIMS#:			
Parameter Suite	Parameter Methods		Preservation	Lot#	Expiration	pH Check			
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		☒ Ice ☒ H2SO4	<u>SAB085170</u>	<u>8/26/19</u>	☒ <2			
Metals	☐ W-ICPMS ☐ W-ICP		☐ Ice ☐ HNO3			☐ <2			
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter		☒ Ice						
Chlorophyll	☒ CHLSUITE-W		☒ Ice						
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHL / W-COLOR / W-SO4-IC / W-TDS		☒ Ice						
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY		☐ Ice						
Macroinvertebrates	☐ M-FW-QLDC		☐ Formalin						
Periphyton	☐ ALGAE-ID		☐ Ice						
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci		☐ Ice						
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD		☐ Ice						
Tracers	☐ W-E8321-DI ☐ W-E8321-MS		☐ Ice						
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA		☐ Ice ☐ Other						

Notes:		Field ID/WIN ID	Location
Visit ID #78756 08/20/18 UAR			Imperial River @ Bonita
Signature: <u>Maryann Dugan</u>		Date: <u>06/19/2018</u>	

Enter Field Parameters, Verify Station ID in LIMS DMT:		QC Station ID, Field Parameters in LIMS DMT:	
Scan/Save Field Sheets <u>08/20/18 UAR</u>	Migrate Data to WIN: <u>SAC 08/20</u>	Verify Data in WIN:	
(Initials/Date)	(Initials/Date)	(Initials/Date)	(Initials/Date)

(Initials/Date)

Verify Data in WIN:

(Initials/Date)



G1SD0063

Location



Imperial River @ Bonita

STORET STATION
NUMBER:

G1SD0063

DATE
(MM/DD/YY):

6/19/18

SAMPLING AGENCY:

FDEP South ROC

FIELD ID/NAME:

Imperial River @ Bonita

COUNTY:

LEE

LOCATION:

Imperial River, Off Rd, Bonita

RECEIVING BODY OF WATER:

Gulf of Mexico

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>7</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 <u>7</u> 6	5 4 3 2 1
Substrate Availability <u>3</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 <u>3</u> 2 1
Water Velocity <u>12</u> <u>.14</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 <u>12</u> 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>15</u> ----- Primary Score <u>37</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. <u>15</u> 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>18</u>	20 19 <u>18</u> 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>R9</u> Left Bank <u>L</u>	10 <u>9</u> <u>R</u> <u>L</u>	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>2</u> Left Bank <u>a</u>	10 <u>9</u>	8 7 6	5 4	3 <u>2</u> 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>6</u> Left Bank <u>8</u> ----- Secondary Score <u>61</u> <u>98</u>	10 9	<u>8</u> <u>7</u> <u>6</u>	5 4	3 2 1

TOTAL SCORE

Date:

06/19/2018

Analyst:


MAR-ANN DUGAN, CHAE CONLEY

Signature:

Mar-Ann Dugan

#15354

DEP-SOP-001/01 Form FD 9000-4
Stream/River Habitat Sketch Sheet



Location: Imperial River @ Bonita
Date: 06/19/2018
Sampler: MARYANN DUKAN, CHASE CONLEY

100 m: Latitude _____
Longitude _____
0 m: Latitude _____
Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☒	Snags	1.4	4.2
☒	Roots/undercut banks	1.0	3.1
☐	Leaf Packs (or mats)		
☒	Aquatic Macrophytes	0.27	.8
☐			
☐			
☒	Pools	total # observed = 3	# range expected = 3

Average width 3.0 m
Average depth 0.7 m

Velocity measured at 0 meter mark.

WQ & chemistry taken at 0 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

#15340

Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

Field ID/WIN ID

G1SD0063

Location

Imperial River @ Bonita

Location

Date: 6/19/88

County: **LEE**

Waterbody: <u>Imperial River</u>

Signature: Ramprasad Dey

Imperial River @ Bonita

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names. **bold is exotic invasive**

spaces for additional taxa names. bold is exotic invasive												Meter Mark													
HERBACEOUS SPECIES	Meter Mark										Specime n collected (check)	HERBACEOUS SPECIES	Meter Mark										Specime n collected (check)		
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100			0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100			
Alternanthera philoxeroides		X		X	X	X	X		X	X		Micranthemum glomeratum													
Bacopa caroliniana												Micranthemum umbrosum													
Bacopa monneri												Myriophyllum aquaticum													
Bidens mitis												Najas guadelupensis													
Boehmeria cylindrica												Nuphar luteum													
Centella asiatica												Orontium aquaticum													
Ceratophyllum demersum												Panicum hemitomon													
Chara sp.												Panicum repens													
Cicuta maculata												Panicum rigidulum													
Cladium jamaicense												Pistia stratioides													
Colocasia esculenta												Polygonum glabra													
Commelina diffusa												Polygonum hydropiperoides													
Commelina virginica												Polygonum punctatum	X												
Crinum americanum												Pontedaria cordata													
Cyperus												Potamogeton illinoensis													
Diodia virginiana												Ruellia simplex													
Eichhornia crassipes												Sacciolepis striata													
Eleocharis (wispy viviparous)												Sagittaria kurziana													
Ahydrilla verticillata												Sagittaria lancifolia													
Hydrocotyle sp.				X								Sagittaria latifolia													
Hygrophila polysperma												Salvinia minima							X	X					
Hymenachne amplexicaulis												Samolus parviflora													
Hymenocallis												Saururus cernuus													
Lachnanthes caroliniana												Sparganium americanum													
Landoltia punctata												Sphagneticola trilobata (Wedelia)													
Temna sp.				X		X						Typha sp.													
Limnophila sessiflora												Urochloa mutica (Brachiaria)													
Ludwigia leptocarpa												Vallisneria americana													
Ludwigia palustris												Zizania aquatica													
Ludwigia peruviana								X	X			Eichornia crux-galli						X		X	X	X	X	X	X
Ludwigia repens												Eichornia walterii						X		X	X				
Luziola fluitans												Paspalum	X	X	X	X									
												Phragmites australis	X	X	X	X									
If no Dominant or Co-Dominant were selected, indicate with "X"																									
Indicate % cover macrophytes per section																									
0-5% Macrophyte Coverage	X	X	X	X	X	X	X	X	X	X															
>5 and ≤10% Macrophyte Coverage																									
>10 and ≤25% Macrophyte Coverage																									
>25 and ≤50% Macrophyte Coverage																									
> 50% Macrophyte Coverage																									

#9080

(This fits with paper margins and orientation.)

Field DWIN ID

Location

Imperial River @ Bonita

G1SD0063

Investigator's:

Date:

County:

Site:

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N - 6)	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N - 6)	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N - 6)	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N - 6)	Canopy Cover			
0	1	N		40	1	N		80	1	N		80	1	N				
	2				2				2				2			2		
	3				3				3				3			3		
	4				4				4				4			4		
	5				5				5				5			5		
	6				6				6				6			6		
	7				7				7				7			7		
	8				8				8				8			8		
	9				9				9				9			9		
10	1			50	1			90	1			90	1					
	2				2				2				2			2		
	3				3				3				3			3		
	4				4				4				4			4		
	5				5				5				5			5		
	6				6				6				6			6		
	7				7				7				7			7		
	8				8				8				8			8		
	9				9				9				9			9		
20	1			60	1			100	1			100	1					
	2				2				2				2			2		
	3				3				3				3			3		
	4				4				4				4			4		
	5				5				5				5			5		
	6				6				6				6			6		
	7				7				7				7			7		
	8				8				8				8			8		
	9				9				9				9			9		
30	1			70	1			70	1			70	1					
	2				2				2				2			2		
	3				3				3				3			3		
	4				4				4				4			4		
	5				5				5				5			5		
	6				6				6				6			6		
	7				7				7				7			7		
	8				8				8				8			8		
	9				9				9				9			9		

points ranked 4-6: 6
total points assessed: 0
% points ranked 4-6: 0

Secchi depth: 0.5

Check accompanying data collected at same site/date.

Algal mat sample
Habitat Assessment: ✓
Linear Veg. Survey: ✓
SCI/Biorecon (circle 1)
Water sample: ✓
RQ: 2018-07-02-38

Algal Thickness Rank

N: rough, no algae; slimy; algae to 1 mm
3: >1mm - 6 mm
4: >6 - 20 mm
5: >20 mm - 10 cm
6: >10 cm

Record "N" for points deeper than the Secchi depth; algae are presumed absent. Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. Note if thickness estimated for deep points which can be seen but not reached.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6

Collect an algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP-SOP-001/01: Form FD 9000-3 (9/19/12)
PHYSICAL/CHEMICAL CHARACTERIZATION FIELD SHEET

SAMPLE ID 2018-07-02-38 ORG ID _____
 COUNTY LEE SAMPLING AGENCY S ROC
 DATE 6/19/18 TIME 1305
 SITE NAME Imperial River @ Bonita
 FIELD ID/NAME G1SD0063 RECEIVING BODY OF WATER Gulf of Mexico

Field ID/WIN ID _____
 Location _____
 Imperial River @ Bonita

G1SD0063

156

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category):

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industry	Other (Specify)

Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy
 Local Watershed NPS Pollution ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side
 Left Bank: 18 Right Bank: 4

Hydrologic Modification Score (per FT 3101) X

High Water Mark: _____ + _____ = _____
 (m) (above present water level) (present depth) (above bed)

Artificially Impounded ☐ Yes ☒ No

Artificially ☐ No ☒ Mostly recovered, more sinuous
 Channelized: ☐ Some recovery ☐ Recent, severe

Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%)
☐ Heavily Shaded ☒ Moderate Shaded (46-80%)

Landscape Development Intensity Index (LDI) _____

Typical Width (m) Depth (m)/Velocity (m/sec) Transect

<u>0.14</u> m/s	<u>0.14</u> m/s	<u>0.14</u> m/s
<u>0.7</u> m deep	<u>1.2</u> m deep	<u>0.7</u> m deep

SEDIMENT / SUBSTRATE

Sediment Oils
☒ Absent ☐ Slight
☐ Moderate ☐ Profuse

Sediment Odors
☒ Normal ☐ Sewage ☐ Petroleum
☐ Chemical ☐ Anaerobic
☐ Other (Specify): _____

Smothering of Substrates
 Sand Smothering: None ☐ Slight ☒ Moderate ☐ Severe
 Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe
 Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe

SUBSTRATE TYPE

Assessment Tool: ☐ SCI ☒ RPS ☒ LVS
☐ LCI ☐ BioRecon

	% Coverage	INVERT # Times Sampled	PERI # Times Sampled
Woody Debris (Snags)			
Undercut Banks /Roots			
Leaf Packs or Mat			
Aquatic Vegetation			
Rock or Shell Rubble			
Sand/Silt			
Sand/Gravel			
Mud/Muck/Silt			
Other			

WATER QUALITY

	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)
Top:	<u>0.3</u>	<u>28.3</u>	<u>7.0</u>	<u>4.1</u>	<u>53</u>	<u>482</u>	<u>-</u>	<u>0.5</u>
Mid:								☒ VOB
Bottom:								
Meter ID:	<u>5</u>	Meter Verify: Y ☐ N ☐		SITE DEPTH <u>0.5</u>				

Water Odors Normal ☒ Petroleum ☐
 Sewage ☐ Chemical ☐ Other ☐

Water Surface Oils Normal ☒ Sheen ☐
 Globbs ☐ Slick ☐ Other ☐

Water Sample Taken? ☒ Yes ☐ No
 Sample Preserved? ☒ Yes ☐ No
 Lot Number: _____ Exp: _____

Algae Sample Taken? ☐ Yes ☒ No
 Sample Preserved? ☐ Yes ☒ No
 Lot Number: _____ Exp: _____

Color Tannic ☒ Green (Algae) ☐
 Clear ☒ Other (Specify) ☐

Clarity Clear ☒ Slightly Turbid ☐
 Turbid ☐ Opaque ☐

ABUNDANCE

	Absent	Rare	Common	Abundant
Periphyton:	☒	☐	☐	☐
Fish:	☐	☐	☒	☐
Aquatic Plants:	☐	☒	☐	☐
Iron/Sulfur Bacteria:	☒	☐	☐	☐

System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify) _____

WEATHER CONDITIONS / NOTES:

☐ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM

SIGNATURE:

DATE:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter ID: 5 RQ: 2018-07-02-38 Project: SMP/Ingral

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 3/22/18

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Chase Conley	6/19/18	1045	23.42	8.51	8.51	100	45.9		P/F	L/F
ICV	Chase Conley	6/19/18	1047	23.28	8.54	8.55	100	45.1		P/F	L/F
CCV	M. DUGAN	6/19/18	1516	28.4	7.745	7.78	100	46.1		P/F	L/F
CCV										P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.
 Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Chase Conley	6/19/18	1050	180321B	4/19	1000	1000	P/F	L/F
ICV	Chase Conley	6/19/18	1052	180321A	4/19	500	505	P/F	L/F
CCV	M. DUGAN	6/19/18	1516	171211B	12/18	100	105	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Chase Conley	6/19/18	1054	177435	10/19	7.0	7.0	-12.6	P/F	L/F
Calibr.	Chase Conley	6/19/18	1056	180710	2/20	4.0	4.0	165	P/F	L/F
Calibr.	Chase Conley	6/19/18	1058	178540	12/19	10.0	10.0	-196	P/F	L/F
ICV	Chase Conley	6/19/18	1100	180710	2/20	4.0	4.0	165	P/F	L/F
CCV	M. DUGAN	6/19/18	1522	178542	12/19	10.0	10.1		P/F	L/F
CCV									P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? Yes / No If yes, list date of last quarterly depth verification _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value meters	Pass / Fail	Lab / Field
Pressure mode in air						P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: