

RQ- 2018-04-02-66

Log-in Checklist

Login Station ID: #4Shipping Method: FedEx | UPS | HD | Greyhound | _____Date/Time of Receipt: 4/4/18 9:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	4.6°C	17		/			
RED	1.8°C	11		/			
RED	2.8°C	18		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes / No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No / Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No / If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes / No _____ **Containers intact? Yes / No _____

**Sufficient Sample Volume: Yes _____ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		<u>/</u>	W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u>/</u>	W-NP-AA-SF		
W-BNA (-625, -R)		<u>/</u>	W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		<u>/</u>	W-PCL-SQ-R		<u>/</u>
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		<u>/</u>
W-PAH (-R)			W-PSNP-TQ		<u>/</u>

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH $\leq$ 2.0? Yes / No _____ NA _____ Init: Q.2

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No / NA / Init: Q.7

Coolers Unpacked/Checked by: Q.2 Date: 4/4/18 NCRs (Y/N)? _____

Event ID: 50-DIST-2018-04-04-01 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:08/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Peace River Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By: GARY SERRA

Project ID: SMP

Collected By: STEVE CAFARZ

Sampling Agency: 8052

Location	Field ID/WIN ID G3SD0067	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/3/18 Time 0945	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location PrairieCreek@WshngtnLp	Matrix (type, e.g., Salt, Fresh, etc) F	Diss. Oxygen 6.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STOR		Temp (C) 24.17	pH 8.56	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 975	B, E
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ECOLI TO SANDERS		
Field ID/WIN ID	G3SD0095	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/3/18 Time 1050	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location MyrtleSlough@Pinelands	Matrix (type, e.g., Salt, Fresh, etc) F	Diss. Oxygen 2.05	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
WIN/STOR		Temp (C) 21.19	pH 7.95	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 746	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments NOT REPRESENTATIVE / ECOLI TO SANDERS		
Field ID/WIN ID	G3SD0097	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/3/18 Time 1120	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location Myrtle Slough @ SR 31	Matrix (type, e.g., Salt, Fresh, etc) F	Diss. Oxygen 8.53	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B, D
WIN/STOR		Temp (C) 25.01	pH 7.91	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 808	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ECOLI TO SANDERS		
Field ID/WIN ID	G3SD0096	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/3/18 Time 1205	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location Hog Bay @ CR 763	Matrix (type, e.g., Salt, Fresh, etc) F	Diss. Oxygen 6.92	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STOR		Temp (C) 24.2	pH 8.11	Sample Depth 0.5	☐ ft ☒ m	Sp. Conductance (umho/cm) 1008	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ECOLI TO SANDERS		

Relinquished By: Cafarz / FJM Serra	Date/Time 4/3/18 1530	Shipping Method FEDEX	Number of Coolers Shipped: 3	Received By: J. S.	Date/Time 4/4/18 9:00
--	--------------------------	--------------------------	---------------------------------	-----------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u> <u>0</u>
	SD-SND-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
	CHLSUITE-W						
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u>

Peace River Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>4/3/18</u> Time <u>1230</u>	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Location	G3SD0011	Matrix (type, e.g., Salt, Fresh, etc.) <u>Fresh</u>	Diss. Oxygen <u>7.54</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) <u>—</u>	C
HawthorneCrk@ReynoldsSt		Temp (C) <u>23.31</u>	pH <u>8.04</u>	Sample Depth <u>0.15</u>	Sp. Conductance (umho/cm) <u>1194</u>	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments <u>ecoli to sample</u>			
Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Location	G3SD0132	Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
RunoffPeace River Site3		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments <u>DRY SITE / UNSAMPLEABLE</u>			
Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>4/3/18</u> Time <u>1330</u>	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Location	G3SD0131	Matrix (type, e.g., Salt, Fresh, etc.) <u>Fresh</u>	Diss. Oxygen <u>5.14</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) <u>—</u>	A
BobcatCreek in Preserve		Temp (C) <u>21.9</u>	pH <u>8.0</u>	Sample Depth <u>0.05</u>	Sp. Conductance (umho/cm) <u>320</u>	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments <u>ecoli to sample</u>			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Cofae / FTM sarce

4/3/18 1530

Fed ex

3

G.D.

4/4/18 9:50

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-SND-ECQ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____

Group: B	Bottle Type: P-250ML-WI-THI SD-SND-ECQ	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>Sent to sailors</i>
Group: B	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: 3	Preservative: HNO3	Enter Number of Bottles Sent to Lab <u>3</u>
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>3</u>
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>3</u>
Group: C	Bottle Type: QPCR-P-250ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: P-250ML-WI-THI SD-SND-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>Sent to Sadeo</i>
Group: C	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D	Bottle Type: QPCR-P-250ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: D	Bottle Type: BG-500ML W-CARB-AA	# of Bottles: 1	Preservative: CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D	Bottle Type: BG-500ML W-CT-CI-R W-PCL-SQ-R	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>4</u>
Group: D	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D	Bottle Type: BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>4</u>

Group: D	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>4</u>
	W-PSNP-TQ						
Group: E	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	PCR-FILTER						
Group: E	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH ₂ ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	<u>1</u>
	W-CARB-AA						
Group: E	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-CT-CI-R						
	W-PCL-SQ-R						
Group: E	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
	W-E8321-DI						
	W-E8321-MS						
Group: E	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-PSNP-TQ						

Date of Request: 20-MAR-2018
 Created By: DUGAN_M On: 20-MAR-2018
 Modified By: SWANSON_C On: 22-MAR-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Peace River Streams

Send Coolers To:

Phone: 239-344-5610
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Maryann Dugan

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 21-MAR-2018
 Biology Request Reviewed By: SWANSON_C On: 22-MAR-2018
 Sampling Kit Required: YES Ship on: 28-MAR-2018
 Sampling Kit Shipped: YES On: 28-MAR-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 02-APR-2018
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Maryann Dugan

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals (Kit A); E.Coli x3
 Group B: Freshwater Kit With Metals (Kit C); E.Coli x3
 Group C: Markers, Tracers; E.Coli x1
 Group D: Markers, Pesticides x1
 Group E: Markers, Pesticides x1

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories for South District
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories for South District
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		

Bottle Group C (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories for South District
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: ADD-PYRACL	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Bottle Group D (Water) With 1 Samples:

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
W-E8321-DI Template: ROC-ALL (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group E (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 2 Preserved With: ICE
PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE
W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R Template: DEFAULT (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
W-E8321-DI Template: ROC-ALL (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L Number of Bottles: 2 Preserved With: ICE
W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.



Do Not Lift Using This Tag


GIN ID: FMYA (239) 344-5610
RYANN DUGAN
5 VICTORIA AVE SUITE 364
RT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 28MAR18
ACTWGT: 20.00 LB
CAD: 100182096/NET3980

AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

501 245-8085 REF: DEPT:
IV:
IC:
IA:

552J1107F50C45



edEx
3K# 7907 9860 3755
221

WED - 04 APR 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US TLH



ORIGIN ID: FMYA (239) 344-5610
MARYANN DUGAN
2295 VICTORIA AVE SUITE 364
FORT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 28MAR18
ACTWGT: 20.00 LB
CAD: 100182098/NET3980


TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085
INV:
PO:

REF:

DEPT:

RMA:



5521107F5DCAS

92623 04/09 55211/9132/DCAS



EXP 11/18
32399
TLH

FL-US

XH TLHA

WED - 04 APR 10:30A
PRIORITY OVERNIGHT

7907 9860 3733

TRK# 0221

FedEx





Do Not Lift Using This Tag

ORIGIN ID: FMYA (239) 344-5610
MARYANN DUGAN

2295 VICTORIA AVE SUITE 364

FORT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 28MAR18
ACTWGT: 20.00 LB
CAD: 100182098/NET3980

AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085

REF:

INV: DEPT:

MA:



FedEx
TRK# 7907 9860 3788
0221

WED - 04 APR 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US TLH



192623 04/03 552J1/9132/DCA5