

Biological Analysis Report

SO-DIST-2018-04-06-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **3240M : Stroud Creek**
Request ID: **RQ-2018-04-02-71**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Maryann Dugan

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 15-MAY-2018 14:08

A handwritten signature in black ink, appearing to be 'Puja Jasrotia', with a horizontal line underneath it.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Stroud Creek @ SR78 Up Side

Collection Date/Time: 04/05/2018 09:10

Field ID: AD71600

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1982100	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P343867	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	U	TSC/100 mL	P343867	LCS
	SOP-PCR-1.3	GFD-purified-qPCR**	310	I	TSC/100 mL	P344748	LCS, MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P343867	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:

SOP-PCR-1.0: No amplification of HF183 marker.

SOP-PCR-1.2: No amplification of GULL2 marker. Precision data unavailable for Analysis Batch A83763.

SOP-PCR-1.4: No amplification of BACR marker.

SOP-PCR-4.0: Lee County analysed the micro samples

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0

Batch ID: P343867

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P343867

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Reference Method: SOP-PCR-1.3

Batch ID: P344748

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4

Batch ID: P343867

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P343867

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	95.7	70.1	P/P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P343867

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	95.9	28.4	P/F	50 - 300

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.3
Batch ID: P344748

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	134	29.1	P/F	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P343867

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	82.2	58.9	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P343867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1976854	HF183-qPCR	72.1		P	50 - 175
1976855	HF183-qPCR	61.9		P	50 - 175
1976857	HF183-qPCR	55.5		P	50 - 175
1976858	HF183-qPCR	56.2		P	50 - 175
1976859	HF183-qPCR	63.5		P	50 - 175
1980254	HF183-qPCR	74.2		P	50 - 175
1981665	HF183-qPCR	84.2		P	50 - 175
1981666	HF183-qPCR	76.2		P	50 - 175
1982100	HF183-qPCR	79.6		P	50 - 175
1983688	HF183-qPCR	77.3		P	50 - 175
1984031	HF183-qPCR	82.1		P	50 - 175
1987386	HF183-qPCR	80.4		P	50 - 175
1987512	HF183-qPCR	74.8	95.8	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P343867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1982100	GULL2-qPCR	92.5		P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P344748

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1978108	GFD-purified-qPCR	57.3		P	50 - 175
1978110	GFD-purified-qPCR	214		F	50 - 175
1978942	GFD-purified-qPCR	142		P	50 - 175
1979109	GFD-purified-qPCR	194	182	F/F	50 - 175
1982100	GFD-purified-qPCR	92.9		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P343867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1976854	BacR-qPCR	68.8		P	50 - 175
1976858	BacR-qPCR	58.2		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
 Batch ID: P343867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1982100	BacR-qPCR	72.8		P	50 - 175
1983688	BacR-qPCR	76.6		P	50 - 175
1987512	BacR-qPCR	67.8	69.2	P/P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P343867

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987512	HF183-qPCR	24.6	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
 Batch ID: P344748

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1979109	GFD-purified-qPCR	5.94	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P343867

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987512	BacR-qPCR	2.16	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1982100
 Field Sample ID: AD71600

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	106	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	93.0	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	94.0	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
					LCS			
SOP-PCR-1.0	HF183-qPCR	70.1	95.7	76.2	74.2	80.4		24.6
					79.6			
SOP-PCR-1.2	GULL2-qPCR	28.4	95.9	92.5				

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SOP-PCR-1.3	GFD-purified-qPCR	29.1	134	57.3	92.9	214			5.94
SOP-PCR-1.4	BacR-qPCR	58.9	82.2	72.8	67.8	69.2			2.16
				68.8					

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1982100
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	1982100
SOP-PCR-1.3 / E31780	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	1982100
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	1982100
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1982100

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SOP-PCR-1.0	04/06/2018	04/06/2018 14:00	Puja Jasrotia	05/02/2018 17:03	Mailin Lopez	1982100
SOP-PCR-1.2	04/06/2018	04/06/2018 14:00	Puja Jasrotia	05/08/2018 15:31	Sarah Menz	1982100
SOP-PCR-1.3	04/06/2018	04/06/2018 14:00	Sarah Menz	05/10/2018 09:52	Sarah Menz	1982100
SOP-PCR-1.4	04/06/2018	04/06/2018 14:00	Puja Jasrotia	05/03/2018 10:26	Sarah Menz	1982100
SOP-PCR-4.0	04/06/2018	04/06/2018 14:00	Angela Smith	04/26/2018 09:09	Puja Jasrotia	1982100