

Log-in Checklist

RQ- 2018-04-02-73

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 06/29/2018 / 11:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.4C	10		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No X Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No X Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 06/29/2018 NCRs (Y/N)? X

Event ID: Lake Pythias, Huckleberry Lake, Pe NCR # _____

SO-DIST-2018-06-29-02 (SMP)

Date Received: 29-JUN-2018 11:30

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	8062 EXP:2020/12

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Lake Pythias, Huckleberry Lake, Pearl Lake, Lake Henry

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By:


Project ID: SMP

Collected By:

Sampling Agency:

Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 6/28/18 Time 10:00	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	Location	G4SD0138	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.46 ☒ mg/L 99.1 ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C) 30.2	pH 7.15	Sample Depth 1 ☒ ft ☐ m	Sp. Conductance (umho/cm) 152.3	
Latitude 27.63572 ☐ dd ☐ dms	Longitude 81.49725 ☐ dd ☐ dms	Salinity (ppt)	Comments				
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 6/28/18 Time 11:45	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Location	G4SD0166	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 156.8 ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C) 31.0	pH 9.50	Sample Depth 1 ☒ ft ☐ m	Sp. Conductance (umho/cm) 93.3	
Latitude 27.45251 ☐ dd ☐ dms	Longitude 81.462889 ☐ dd ☐ dms	Salinity (ppt) NA	Comments				
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 6/28/18 Time 11:45	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Location	G4SD0166	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 156.8 ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C) 31.0	pH 9.50	Sample Depth 1 ☒ ft ☐ m	Sp. Conductance (umho/cm) 93.3	
Latitude 27.45251 ☐ dd ☐ dms	Longitude 81.462889 ☐ dd ☐ dms	Salinity (ppt) NA	Comments				
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 6/28/18 Time 11:45	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Location	G4SD0166	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 156.8 ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C) 31.0	pH 9.50	Sample Depth 1 ☒ ft ☐ m	Sp. Conductance (umho/cm) 93.3	
Latitude 27.45251 ☐ dd ☐ dms	Longitude 81.462889 ☐ dd ☐ dms	Salinity (ppt) NA	Comments				
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 6/28/18 Time 11:45	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Location	G4SD0166	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 156.8 ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C) 31.0	pH 9.50	Sample Depth 1 ☒ ft ☐ m	Sp. Conductance (umho/cm) 93.3	
Latitude 27.45251 ☐ dd ☐ dms	Longitude 81.462889 ☐ dd ☐ dms	Salinity (ppt) NA	Comments				

Relinquished By:	Date/Time	Shipping Method FedEx overnight	Number of Coolers Shipped: 1	Received By:	Date/Time
------------------	-----------	------------------------------------	---------------------------------	--------------	-----------



Bottle Type: P-1L # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab _____

-KALINITY

-JRBIDITY

-CL-IC

-COLOR

-F

-SO4-IC

-TDS

-TSS

Bottle Type: BP-1L # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab _____

-HLSUITE-W

~~Bottle Type: P-250ML W/TH # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab _____~~

~~-SND-ECQ~~

Bottle Type: P-500ML # of Bottles: 4 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab _____

-NH3

-NO2NO3

-S-A-TP

-TKN

-TOC

H2SO4
SA8085170
EXP: 03/26/19

Bottle Type: P-125ML # of Bottles: 4 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab _____

-PO4-F

Date of Request: 20-MAR-2018
 Created By: DUGAN_M On: 20-MAR-2018
 Modified By: SWANSON_C On: 22-MAR-2018
 Customer: SO-DIST
 Project: SMP
 Division: Not Applicable
 District: South District
 Sampling Event: Lake Pythias, Huckleberry Lake, Pearl Lake, Lake Henry

Send Coolers To:

Phone: (863) 402-6545
 Highlands County Parks and Natural Resources
 4344 George Blvd.
 Sebring, FL 33875
 Attn: Clell Ford

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Maryann dugan

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 21-MAR-2018
 Biology Request Reviewed By: SWANSON_C On: 22-MAR-2018
 Sampling Kit Required: YES Ship on: 26-MAR-2018
 Sampling Kit Shipped: YES On: 26-MAR-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 02-APR-2018
 Received By: SHAIK_A On: 29-JUN-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Highlands Lakes

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 4	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H₂SO₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN IDAVOA (853) 402-6545
FL DEP SOUTH D
4344 GEORGE BLVD
SEBRING, FL 33875
UNITED STATES US

SHIP DATE: 26MAR18
ACTWGT: 35.00 LB
EPO: 100102058 HNE 13980

TO AMZAD SHAIK

FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD

TALLAHASSEE FL 32399


(850) 245-8085

INV:

PO

RMA:

DEPT:



FedEx
Express



FedEx

0221

7907 9736 9423

36 TLHA

DELIVERY MON-FRI


FRI - 29 JUN 10:30A

PRIORITY OVERNIGHT

32399

FL-US

TLH



FTD 577856 26JUN18 AVDA 546C1/4815/ECBA