

Chemical Analysis Report

SO-DIST-2018-04-25-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **BFWW**
Request ID: **RQ-2018-04-23-19**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901
Attn: Maryann Dugan


For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

This Report replaces the previous Report Serial Number: 0104249

Report Comment: Field IDs were initially erroneously assigned. This has been corrected.

Revision certified by: Colin Wright, Program Administrator

Date Certified: 16-MAY-2018 14:54



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ENRE 9 Harney River

Collection Date/Time: 04/24/2018 12:10

Field ID: G5SD0040

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1987125	EPA 180.1 Rev. 2.0	Turbidity	10		NTU	P344063	
	SM 2320 B-97	Total Alkalinity	219		mg CaCO3/L	P344176	RPD
	SM 2540 D-97	TSS	9	I	mg/L	P344680	
	SM 4500 F-C-97	Fluoride	1.1		mg F/L	P344179	
1987128	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P344190	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.94		mg N/L	P344571	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P344235	
	EPA 365.1 Rev. 2.0	Total-P	0.045		mg P/L	P344139	
	SM 5310 B-00	Organic Carbon	9.8		mg C/L	P344291	
1987131	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.007	I	mg P/L	P344052	

Sample Location: ENRE 12 Lostmans Bay

Collection Date/Time: 04/24/2018 13:23

Field ID: G5SD0078

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1987126	EPA 180.1 Rev. 2.0	Turbidity	8.3		NTU	P344063	
	SM 2320 B-97	Total Alkalinity	170		mg CaCO3/L	P344176	RPD
	SM 2540 D-97	TSS	5	I	mg/L	P344680	
	SM 4500 F-C-97	Fluoride	1.2		mg F/L	P344179	
1987129	EPA 350.1 Rev. 2.0	Ammonia-N	0.031		mg N/L	P344190	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.77		mg N/L	P344364	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.009	I	mg N/L	P344235	
	EPA 365.1 Rev. 2.0	Total-P	0.039		mg P/L	P344139	
	SM 5310 B-00	Organic Carbon	7.6		mg C/L	P344446	
1987132	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.012		mg P/L	P344052	

Sample Location: ENRE 9 Lostmans Bay

Collection Date/Time: 04/24/2018 13:15

Field ID: G5SD0041

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1987127	EPA 180.1 Rev. 2.0	Turbidity	8.1		NTU	P344063	
	SM 2320 B-97	Total Alkalinity	169	AJ	mg CaCO3/L	P344176	RPD
	SM 2540 D-97	TSS	13		mg/L	P344680	
	SM 4500 F-C-97	Fluoride	1.2		mg F/L	P344179	
1987130	EPA 350.1 Rev. 2.0	Ammonia-N	0.026		mg N/L	P344190	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.79		mg N/L	P344364	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P344235	
	EPA 365.1 Rev. 2.0	Total-P	0.041		mg P/L	P344139	
	SM 5310 B-00	Organic Carbon	7.6		mg C/L	P344446	
1987133	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.011		mg P/L	P344052	

Ref. Method and Comment:

SM 2320 B-97: Refer to the narrative for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P344063

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344190

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344364

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344571

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344235

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344139

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344052

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P344176

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-97
Batch ID: P344680

Component	Result	Code	Units
TSS	3	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 4500 F-C-97
Batch ID: P344179

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P344291

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P344446

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344190

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344364

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344571

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344235

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344139

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344052

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344052

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.2		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P344176

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P344179

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.7		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P344291

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.4		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P344446

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344190

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1986707	Ammonia-N	103	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344364

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987130	Kjeldahl Nitrogen	95.6	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344571

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987256	Kjeldahl Nitrogen	102	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344235

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344235

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987122	NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344139

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987130	Total-P	93.5	95.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344052

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987131	O-Phosphate-P	97.9	97.5	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P344179

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987127	Fluoride	92.4	92.4	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P344291

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1986430	Organic Carbon	93.6	94.0	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P344446

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1987129	Organic Carbon	94.1	95.1	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P344063

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987088	Turbidity	9.66	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344190

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1986707	Ammonia-N	0.530	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344364

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987130	Kjeldahl Nitrogen	6.84	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344571

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987256	Kjeldahl Nitrogen	0.760	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344235

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987122	NO2NO3-N	0.475	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344139

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987130	Total-P	1.67	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344052

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987131	O-Phosphate-P	0.384	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P344176

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987127	Total Alkalinity	1.73	Sample	F	0 - 1.6

Reference Method: SM 2540 D-97
Batch ID: P344680

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1986622	TSS	7.09	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P344179

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987127	Fluoride	0.0	Spike	P	0 - 3.5

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P344291

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1986430	Organic Carbon	0.318	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P344446

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1987129	Organic Carbon	0.924	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A83457
Included Lab Sample IDs: 1987131, 1987132, 1987133

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	98.9	P/P	90 - 110
O-Phosphate-P	99.9	98.9	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A83461
Included Lab Sample IDs: 1987125, 1987126, 1987127

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	98.5	P/P	95 - 105

Reference Method: SM 2320 B-97
Run ID: A83492
Included Lab Sample IDs: 1987125, 1987126, 1987127

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	99.3	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A83492
Included Lab Sample IDs: 1987125, 1987126, 1987127

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	99.5	P/P	90 - 110
Fluoride	99.1	99.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A83494
Included Lab Sample IDs: 1987128, 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A83494

Included Lab Sample IDs: 1987128, 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A83514

Included Lab Sample IDs: 1987128, 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.0	98.0	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A83539

Included Lab Sample IDs: 1987128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.8	98.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A83590

Included Lab Sample IDs: 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.2	97.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A83591

Included Lab Sample IDs: 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A83607

Included Lab Sample IDs: 1987128, 1987129, 1987130

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A83655

Included Lab Sample IDs: 1987128

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	93.1	95.8	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements. Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					9.66	
EPA 350.1 Rev. 2.0	Ammonia-N	103	103	103			0.530
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	106	95.6	105			6.84
	Kjeldahl Nitrogen	103	102	103			0.760
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	98.0	100	101			0.475
EPA 365.1 Rev. 2.0	Total-P	103	93.5	95.2			1.67
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.2	97.9	97.5			0.384
SM 2320 B-97	Total Alkalinity	102				1.73	
SM 2540 D-97	TSS					7.09	
SM 4500 F-C-97	Fluoride	95.7	92.4	92.4			0.0
SM 5310 B-00	Organic Carbon	96.4	93.6	94.0			0.318
	Organic Carbon	95.4	94.1	95.1			0.924

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1987125, 1987126, 1987127
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1987128, 1987129, 1987130
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1987128, 1987129, 1987130
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1987128, 1987129, 1987130
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1987128, 1987129, 1987130
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1987131, 1987132, 1987133
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1987125, 1987126, 1987127
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1987125, 1987126, 1987127
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1987125, 1987126, 1987127
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1987128, 1987129, 1987130

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	04/25/2018			04/25/2018 16:22	William L. Brown IV	1987125, 1987126, 1987127
EPA 350.1 Rev. 2.0	04/25/2018			04/25/2018 13:51	Ping Hua	1987128
	04/25/2018			04/25/2018 13:52	Ping Hua	1987129
	04/25/2018			04/25/2018 13:54	Ping Hua	1987130
EPA 351.2 Rev. 2.0	04/25/2018	05/01/2018 09:45	Adrian Shelby	05/02/2018 10:01	Joseph Suarez	1987129
	04/25/2018	05/01/2018 09:45	Adrian Shelby	05/02/2018 10:02	Joseph Suarez	1987130
	04/25/2018	05/03/2018 13:30	Adrian Shelby	05/04/2018 09:42	Joseph Suarez	1987128
EPA 353.2 Rev. 2.0	04/25/2018			04/27/2018 11:23	Lauren Bottorf	1987128
	04/25/2018			04/27/2018 11:24	Lauren Bottorf	1987129
	04/25/2018			04/27/2018 11:25	Lauren Bottorf	1987130
EPA 365.1 Rev. 2.0	04/25/2018	04/26/2018 12:50	Sima Feizi	05/01/2018 13:41	Beverly Y. Sanders	1987128
	04/25/2018	04/26/2018 12:50	Sima Feizi	05/01/2018 13:42	Beverly Y. Sanders	1987129
	04/25/2018	04/26/2018 12:50	Sima Feizi	05/01/2018 13:43	Beverly Y. Sanders	1987130
EPA 365.1 Rev. 2.0 dissolved	04/25/2018			04/25/2018 14:50	Megan Treadwell	1987131
	04/25/2018			04/25/2018 15:03	Megan Treadwell	1987132
	04/25/2018			04/25/2018 15:04	Megan Treadwell	1987133
SM 2320 B-97	04/25/2018			04/27/2018 05:35	Dale L. Simmons	1987127
	04/25/2018			04/27/2018 06:27	Dale L. Simmons	1987125
	04/25/2018			04/27/2018 06:37	Dale L. Simmons	1987126
SM 2540 D-97	04/25/2018			04/27/2018 16:08	Yijie Li	1987125, 1987126, 1987127
SM 4500 F-C-97	04/25/2018			04/27/2018 04:08	Dale L. Simmons	1987127
	04/25/2018			04/27/2018 05:07	Dale L. Simmons	1987125
	04/25/2018			04/27/2018 05:11	Dale L. Simmons	1987126
SM 5310 B-00	04/25/2018			04/28/2018 14:27	Julia Storbeck	1987128
	04/25/2018			05/01/2018 07:46	Megan Treadwell	1987129
	04/25/2018			05/01/2018 08:31	Megan Treadwell	1987130