Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2018- 05-07-44

Laboratory Submission #:

Project Run/Location:

Station ID	Surface Water Sample Matrix[2] (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray) E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL				Laboratory Sample #
Phillips Creek G35D0091	(F) / M / Grab	(E.coli) / Entero / F.coli		5/14/18	1015	
Matheny Creek G35D0092	(F) M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18	1045	
North Creek tidal G35D0089	F / (M) / Grab	E.coli / (Entero) / F.coli	Date & Time:	5/14/18	~~1130~~ 1115	
North Creek Oak G35D0064	(F) / M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18	1215	
South Creek G35D0090	(F) M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18	1130	
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:			

1 "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2 "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
3 "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4 Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Laboratory Sample Acceptability:
pH <2 : 0 BEAS Temperature: 5.6°C

Instructions:
1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collector: Gary Smrcek	Date: 5/14/18	Time: 1347	Received By: J Fuller		Date: 5/14/18	Time: 1347
2	Relinquished by:	Date:	Time:	Received By:		Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:		Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:		Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:		Date:	Time: