

RQ 2018-05-07-416

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 6-1-18/10:25

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Blue	0.5	19		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ☒ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ☒ If yes, is it intact? Yes ☒ No _____

**Caps on tight? Yes ☒ No _____ **Containers intact? Yes ☒ No _____

**Sufficient Sample Volume: Yes ☒ No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☒ No _____ Init: SR

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX		☒	W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No _____ NA _____ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No ☒ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR Date: 6-1-18

NCRs (Y/N)? N

Event ID: SD-ULST-2018-06-01-01

NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	033117L EXP:03/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Wilderness Waterway

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By:

Nicole Reistad

Project ID: SMP

Collected By:

Nicole Reistad, Maryann Dugan, Kirby Wolfe

Sampling Agency:

FDEP - SoROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 05/31/2018 Time 1140	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G5SD0026	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET	ENRE 11 at Huston Bay		Temp (C) 28.3	pH 7.6	Sample Depth 0.3	Sp. Conductance (umho/cm) 35311		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 22.2	Comments F. Coli & Entero @ Sanders			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 05/31/2018 Time 1300	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0090	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET	ENRE 9		Temp (C) 27.4	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 37991		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 24.0	Comments F. Coli & Entero @ Sanders			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 05/31/2018 Time 1305	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	BLANK_05302018	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 05/31/2018 Time 1302	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0090_DUP	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET	ENRE 9		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments F. Coli & Entero @ Sanders			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
N. Reistad	05/31/2018 1510	FedEx	1	SR	6-1-18/10:25

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-F W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W				
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC		H2SO4 SA8085170 EXP: 03/26/19		
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F				

Group: A SD-SND-ENT # of Bottles: 6 PRES: ICE # of Bottles : 0
 SD-SND-FC Sent to LAB (6 @ Sanders)

Group: A PCR-FILTER # of Bottles: 1 PRES: ICE # of Bottles : 1
 Sent to LAB

Group: A W-E8321-DI # of Bottles: 1 PRES: ICE # of Bottles : 1
 W-E8321-MS Sent to LAB

Date of Request: 17-APR-2018
 Created By: DUGAN_M On: 17-APR-2018
 Modified By: SWANSON_C On: 19-APR-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Wilderness Waterway

Send Coolers To:

Phone: 239-344-5610
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 19-APR-2018
 Sampling Kit Required: YES Ship on: 27-APR-2018
 Sampling Kit Shipped: YES On: 23-APR-2018
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 07-MAY-2018
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Kit B x 3
 (includes 1 blank)

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L



Do Not Lift Using This Tag

ORIGIN ID: TLHA (239) 344-5610
MARYANN DUGAN

2295 VICTORIA AVE SUITE 364

FORT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 23APR18
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3111

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 246-8077

REF:

INU:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK#
0221 4385 5028 6379

FRI - 01 JUN 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399

FL-US

TLH



#286779 05/31 552J2/782B/DCA5