

RQ- 2018-06-11-59

Log-in Checklist

Login Station ID: #2Shipping Method: FedEx | UPS | HD | Greyhound | _____Date/Time of Receipt: 6/14/18/10:15

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Red	3.0	5		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ☒ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ☒ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ☒ No _____ **Containers intact? Yes ☒ No _____

**Sufficient Sample Volume: Yes ☒ No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No _____ Init: _____

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX			W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH $\leq$ 2.0? Yes ☒ No _____ NA _____ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No ☒ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR Date: 6/14/18

NCRs (Y/N)? N

Event ID: SO-DIST-2018-06-14-01

NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	033117L EXP:03/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Drainage to Corkscrew

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By:

MARYANN DUGAN

Project ID: SMP

Collected By:

MARYANN DUGAN, NICOLE REISTAD, CHASE CONLEY

Sampling Agency:

FL DEP SROC

Location	Field ID/WIN ID		 G1SD0061		☐ Comp ☒ Grab	Collection (comp begin or grab)	☒ Eastern ☐ Central	Composite end	Bottle Group(s) (See pg 2) A	
Field ID	Location		 Drainage Ditch @ CR 850		Date	Time	Date	Time		
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Temp (C)	pH	Sample Depth	☐ ft ☒ m		Sp. Conductance (umho/cm)
					0.27	27.5	6.7	0.1	569	

Location	Field ID/WIN ID		☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)	
Field ID	Location				Date	Time	Date		Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Temp (C)	pH	Sample Depth		☐ ft ☐ m

Location	Field ID/WIN ID		☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)	
Field ID	Location				Date	Time	Date		Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Temp (C)	pH	Sample Depth		☐ ft ☐ m

Location	Field ID/WIN ID		☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)	
Field ID	Location				Date	Time	Date		Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Temp (C)	pH	Sample Depth		☐ ft ☐ m

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Maryann Dugan	06/13/2018	FEDEX	2	SR	6-14-18/10:15

Group: A

Bottle Type:

of Bottles: 0

Preservative:

Enter Number of Bottles Sent to Lab

4

ALKALINITY

CHLSUITE-W

SD-SND-ECQ → (1 @ sanders)

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-NH3

W-NO2NO3

W-PO4-F

W-S-A-TP

W-SO4-IC

W-TDS

W-TKN

W-TOC

W-TSS

Date of Request: 06-JUN-2018
 Created By: DUGAN_M On: 06-JUN-2018
 Modified By: SWANSON_C On: 06-JUN-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Drainage to Corkscrew

Send Coolers To:

Phone: 239-344-5610
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Maryann Dugan

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Maryann Dugan

Program Module Number:
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 06-JUN-2018
 Biology Request Reviewed By: SWANSON_C On: 06-JUN-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 11-JUN-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals ; E.Coli
 No bottles required.

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

SYCS: PRIORITY OVERNIGHT

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL-DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364
FORT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 23MAY18
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3111

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 246-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

T
O

TRK#
0221

4385 5029 7376

THU - 14 JUN 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399

FL-US

TLH



Part # 156148-434 RIT EXP 03/19 **

#5053606 06/13 552J2/93DF/DCA5