

Chemical Analysis Report

SO-DIST-2018-07-18-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Charlotte Gators**
Request ID: **RQ-2018-07-09-27**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Nicole Reistad

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 07-AUG-2018 14:08

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ClevelandCemeteryDitch

Collection Date/Time: 07/17/2018 10:00

Field ID: G3SD0076

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2008622	EPA 180.1 Rev. 2.0	Turbidity	1.1		NTU	P348695	
	SM 2320 B-97	Total Alkalinity	118		mg CaCO3/L	P348844	
	SM 2540 D-97	TSS	3	I	mg/L	P349279	
	SM 4500 F-C-97	Fluoride	0.12		mg F/L	P348850	
2008623	EPA 350.1 Rev. 2.0	Ammonia-N	0.039		mg N/L	P349072	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P348921	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.035		mg N/L	P348764	
	EPA 365.1 Rev. 2.0	Total-P	0.27		mg P/L	P348985	
	SM 5310 B-00	Organic Carbon	29		mg C/L	P348930	
2008624	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.23		mg P/L	P348688	
2008637	EPA 200.7 Rev. 4.4	Iron	540		ug/L	P348964	
		Zinc	7.4	I	ug/L	P348964	
	EPA 200.8 Rev. 5.4	Arsenic	8.77		ug/L	P348964	
		Cadmium	0.020	U	ug/L	P348964	
		Chromium	0.77	I	ug/L	P348964	
		Copper	0.71	I	ug/L	P348964	
		Lead	0.24		ug/L	P348964	
		Nickel	0.57	I	ug/L	P348964	
		Silver	0.010	U	ug/L	P348964	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: ClevelandCemeteryDitch

Collection Date/Time: 07/17/2018 10:05

Field ID: BLANK_07172018

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2008625	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P348695	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P348844	
	SM 2540 D-97	TSS	2	U	mg/L	P349279	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P348850	
2008626	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P349072	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P348921	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P348764	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P348985	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P349004	
2008627	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P348688	
2008638	EPA 200.7 Rev. 4.4	Iron	30	U	ug/L	P348964	
		Zinc	5.0	U	ug/L	P348964	
	EPA 200.8 Rev. 5.4	Arsenic	0.050	U	ug/L	P348964	
		Cadmium	0.020	U	ug/L	P348964	
		Chromium	0.40	U	ug/L	P348964	
		Copper	0.20	U	ug/L	P348964	
		Lead	0.050	U	ug/L	P348964	
		Nickel	0.20	U	ug/L	P348964	
		Silver	0.010	U	ug/L	P348964	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Alligator N@JonesLoopRd

Collection Date/Time: 07/17/2018 10:45

Field ID: G2SD0032

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2008613	EPA 180.1 Rev. 2.0	Turbidity	2.9	A	NTU	P348695	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P349063	
		Sulfate	17		mg SO4/L	P349066	
	SM 2120 B	Color (true)	120		PCU	P348715	
	SM 2320 B-97	Total Alkalinity	60		mg CaCO3/L	P348844	
	SM 2540 C-97	TDS	144		mg/L	P349272	
	SM 2540 D-97	TSS	4	I	mg/L	P349278	
	SM 4500 F-C-97	Fluoride	0.074	I	mg F/L	P348850	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.034		mg N/L	P349070	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P348920	
2008616	EPA 353.2 Rev. 2.0	NO2NO3-N	0.020		mg N/L	P348763	
	EPA 365.1 Rev. 2.0	Total-P	0.029		mg P/L	P348983	
	SM 5310 B-00	Organic Carbon	15		mg C/L	P348931	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.005	I	mg P/L	P348688	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Alligator S@JonesLoopRd

Collection Date/Time: 07/17/2018 11:20

Field ID: G2SD0033

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2008614	EPA 180.1 Rev. 2.0	Turbidity	1.4		NTU	P348695	
	EPA 300.0 Rev. 2.1	Chloride	8.6		mg Cl/L	P349063	
		Sulfate	0.85		mg SO4/L	P349066	
	SM 2120 B	Color (true)	140		PCU	P348716	
	SM 2320 B-97	Total Alkalinity	24		mg CaCO3/L	P348844	
	SM 2540 C-97	TDS	76		mg/L	P349272	
	SM 2540 D-97	TSS	3	I	mg/L	P349278	
	SM 4500 F-C-97	Fluoride	0.037	I	mg F/L	P348850	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.028		mg N/L	P349072	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.90		mg N/L	P348920	
2008617	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P348763	
	EPA 365.1 Rev. 2.0	Total-P	0.014		mg P/L	P348983	
	SM 5310 B-00	Organic Carbon	15		mg C/L	P348931	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P348688	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Alligator @ Burnt Store

Collection Date/Time: 07/17/2018 12:15

Field ID: G2SD0016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2008615	EPA 180.1 Rev. 2.0	Turbidity	5.5		NTU	P348695	
	EPA 300.0 Rev. 2.1	Chloride	20		mg Cl/L	P349063	
		Sulfate	5.1		mg SO4/L	P349066	
	SM 2120 B	Color (true)	190		PCU	P348716	
	SM 2320 B-97	Total Alkalinity	107	A	mg CaCO3/L	P348844	
	SM 2540 C-97	TDS	185		mg/L	P349272	
	SM 2540 D-97	TSS	6	I	mg/L	P349278	
	SM 4500 F-C-97	Fluoride	0.097	I	mg F/L	P348850	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P349072	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.97		mg N/L	P348921	
2008618	EPA 353.2 Rev. 2.0	NO2NO3-N	0.022		mg N/L	P348764	
	EPA 365.1 Rev. 2.0	Total-P	0.061		mg P/L	P348983	
	SM 5310 B-00	Organic Carbon	18		mg C/L	P348931	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.017		mg P/L	P348688	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P348695

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P348964

Component	Result	Code	Units
Iron	30	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P348964

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349063

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349066

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349070

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349072

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348920

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348921

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348763

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348764

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348983

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348985

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348688

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P348715

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P348716

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P348844

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-97
Batch ID: P349272

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P349278

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P349279

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P348850

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P348930

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P348931

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P349004

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P348964

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Iron	104		P	85 - 115
Zinc	99.7		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P348964

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	100		P	85 - 115
Cadmium	98.4		P	85 - 115
Chromium	96.7		P	85 - 115
Copper	96.4		P	85 - 115
Lead	94.6		P	85 - 115
Nickel	98.2		P	85 - 115
Silver	100		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349063

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349066

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349070

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349072

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348920

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348921

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	106		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348763

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348764

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348983

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348985

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	95.4		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348688

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.6		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P348715

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	105		P	85 - 115

Reference Method: SM 2120 B
Batch ID: P348716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	106		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P348844

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	105		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P348850

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.7		P	91 - 105

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P348930

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.2		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P348931

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.4		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P349004

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
 Batch ID: P348964

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2009018	Iron	102		P	80 - 120
2009018	Zinc	102		P	80 - 120
2009245	Iron	101	101	P/P	80 - 120
2009245	Zinc	99.2	98.5	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
 Batch ID: P348964

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2009018	Arsenic	98.4		P	80 - 120
2009018	Cadmium	96.9		P	80 - 120
2009018	Chromium	96.7		P	80 - 120
2009018	Copper	93.2		P	80 - 120
2009018	Lead	94.6		P	80 - 120
2009018	Nickel	96.7		P	80 - 120
2009018	Silver	98.6		P	80 - 120
2009245	Arsenic	94.2	100	P/P	80 - 120
2009245	Cadmium	94.2	100	P/P	80 - 120
2009245	Chromium	92.7	98.9	P/P	80 - 120
2009245	Copper	88.5	94.6	P/P	80 - 120
2009245	Lead	90.9	96.4	P/P	80 - 120
2009245	Nickel	90.0	96.8	P/P	80 - 120
2009245	Silver	97.5	102	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P349063

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008487	Chloride	105		P	90 - 110
2008502	Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P349066

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008487	Sulfate	105		P	90 - 110
2008502	Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P349070

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008616	Ammonia-N	106	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P349072

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008617	Ammonia-N	105	104	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348921

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008618	Kjeldahl Nitrogen	98.9	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348763

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008616	NO2NO3-N	98.4	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348764

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008618	NO2NO3-N	99.2	99.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348983

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008616	Total-P	97.2	96.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348985

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008681	Total-P	93.9	97.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348688

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008619	O-Phosphate-P	93.1	94.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P348850

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008615	Fluoride	97.2	97.8	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P348930

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008367	Organic Carbon	101		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P348931

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2008544	Organic Carbon	94.9	94.9	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P348695

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008613	Turbidity	6.61	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P348964

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2009245	Iron	0.208	Spike	P	0 - 20
2009245	Zinc	0.734	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P348964

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2009245	Arsenic	5.99	Spike	P	0 - 20
2009245	Cadmium	6.27	Spike	P	0 - 20
2009245	Chromium	6.55	Spike	P	0 - 20
2009245	Copper	6.35	Spike	P	0 - 20
2009245	Lead	5.91	Spike	P	0 - 20
2009245	Nickel	7.10	Spike	P	0 - 20
2009245	Silver	4.62	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349063

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008487	Chloride	5.84	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349066

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008487	Sulfate	6.71	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349070

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008616	Ammonia-N	1.85	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349072

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008617	Ammonia-N	0.238	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348920

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008589	Kjeldahl Nitrogen	0.920	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348921

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008618	Kjeldahl Nitrogen	0.678	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348763

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008616	NO2NO3-N	2.28	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348764

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008618	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348983

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008616	Total-P	0.263	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348985

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008681	Total-P	3.20	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348688

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008619	O-Phosphate-P	1.01	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P348715

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008403	Color (true)	2.02	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
 Batch ID: P348716

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008487	Color (true)	1.10	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P348844

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008615	Total Alkalinity	1.28	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
 Batch ID: P349272

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008586	TDS	2.68	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P348850

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008615	Fluoride	0.474	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
 Batch ID: P348930

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008367	Organic Carbon	0.274	Spike	P	0 - 20

Reference Method: SM 5310 B-00
 Batch ID: P348931

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008544	Organic Carbon	0.0	Spike	P	0 - 20

Reference Method: SM 5310 B-00
 Batch ID: P349004

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2008649	Organic Carbon	1.54	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A85316

Included Lab Sample IDs: 2008619, 2008620, 2008621, 2008624, 2008627

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	98.5	P/P	90 - 110
O-Phosphate-P	98.3	98.0	P/P	90 - 110
O-Phosphate-P	98.5	98.6	P/P	90 - 110
O-Phosphate-P	98.6	98.3	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A85317

Included Lab Sample IDs: 2008613, 2008614, 2008615, 2008622, 2008625

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	100	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A85321

Included Lab Sample IDs: 2008613, 2008614, 2008615

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	106	107	P/P	90 - 115
Color (true)	108	109	P/P	90 - 115
Color (true)	109	105	P/P	90 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A85343

Included Lab Sample IDs: 2008616, 2008617, 2008618, 2008623, 2008626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.5	98.5	P/P	90 - 110
NO2NO3-N	98.5	99.0	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A85366

Included Lab Sample IDs: 2008613, 2008614, 2008615, 2008622, 2008625

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A85366

Included Lab Sample IDs: 2008613, 2008614, 2008615, 2008622, 2008625

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A85392

Included Lab Sample IDs: 2008616, 2008617, 2008618, 2008623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.4	96.0	P/P	90 - 110
Organic Carbon	97.0	96.4	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A85417

Included Lab Sample IDs: 2008613, 2008614, 2008615

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	103	P/P	90 - 110
Sulfate	104	104	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A85418

Included Lab Sample IDs: 2008626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.6	97.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85419

Included Lab Sample IDs: 2008618, 2008623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.0	99.4	P/P	90 - 110
Total-P	98.0	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85424

Included Lab Sample IDs: 2008616, 2008617

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.6	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85425

Included Lab Sample IDs: 2008616, 2008617, 2008626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	99.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85426

Included Lab Sample IDs: 2008618, 2008623, 2008626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.6	108	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A85427

Included Lab Sample IDs: 2008616, 2008617, 2008618, 2008623, 2008626

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	104	P/P	90 - 110
Ammonia-N	104	106	P/P	90 - 110
Ammonia-N	105	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A85442

Included Lab Sample IDs: 2008637, 2008638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Iron	101	100	P/P	90 - 110
Iron	102	101	P/P	95 - 105
Zinc	100	101	P/P	95 - 105
Zinc	101	97.9	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A85598

Included Lab Sample IDs: 2008637, 2008638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	98.7	98.0	P/P	90 - 110
Arsenic	99.8	98.7	P/P	90 - 110
Cadmium	95.0	97.3	P/P	90 - 110
Cadmium	95.3	95.0	P/P	90 - 110
Chromium	97.2	97.5	P/P	90 - 110
Chromium	98.2	97.2	P/P	90 - 110
Copper	97.1	95.5	P/P	90 - 110
Copper	99.9	97.1	P/P	90 - 110
Lead	94.5	95.7	P/P	90 - 110
Lead	96.1	94.5	P/P	90 - 110
Nickel	97.5	96.5	P/P	90 - 110
Nickel	99.3	97.5	P/P	90 - 110
Silver	97.5	99.3	P/P	90 - 110
Silver	98.5	97.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					6.61	
EPA 200.7 Rev. 4.4	Iron	104	102	101	101		0.208
	Zinc	99.7	102	99.2	98.5		0.734
EPA 200.8 Rev. 5.4	Arsenic	100	98.4	94.2	100		5.99
	Cadmium	98.4	96.9	94.2	100		6.27
	Chromium	96.7	96.7	92.7	98.9		6.55
	Copper	96.4	93.2	88.5	94.6		6.35
	Lead	94.6	94.6	90.9	96.4		5.91
	Nickel	98.2	96.7	90.0	96.8		7.10
	Silver	100	98.6	97.5	102		4.62
EPA 300.0 Rev. 2.1	Chloride	101	105	103		5.84	
	Sulfate	100	100	105		6.71	
EPA 350.1 Rev. 2.0	Ammonia-N	103	106	103			1.85
	Ammonia-N	106	105	104			0.238
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104					0.920
	Kjeldahl Nitrogen	106	98.9	100			0.678
EPA 353.2 Rev. 2.0	NO2NO3-N	100	98.4	101			2.28
	NO2NO3-N	100	99.2	99.2			0.0
EPA 365.1 Rev. 2.0	Total-P	99.2	97.2	96.9			0.263
	Total-P	95.4	93.9	97.1			3.20
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.6	93.1	94.1			1.01
SM 2120 B	Color (true)	105				2.02	
	Color (true)	106				1.10	
SM 2320 B-97	Total Alkalinity	105				1.28	
SM 2540 C-97	TDS					2.68	
SM 4500 F-C-97	Fluoride	98.7	97.2	97.8			0.474
SM 5310 B-00	Organic Carbon	95.2	101				0.274
	Organic Carbon	96.4	94.9	94.9			0.0
	Organic Carbon	94.0					1.54

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2008613, 2008614, 2008615, 2008622, 2008625
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2008637, 2008638
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2008637, 2008638
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2008613, 2008614, 2008615
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2008613, 2008614, 2008615
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2008616, 2008617, 2008618, 2008623, 2008626
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2008616, 2008617, 2008618, 2008623, 2008626
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2008616, 2008617, 2008618, 2008623, 2008626
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2008616, 2008617, 2008618, 2008623, 2008626
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2008619, 2008620, 2008621, 2008624, 2008627
SM 2120 B / E31780	True Color measured at 450 nm	2008613, 2008614, 2008615

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2008613, 2008614, 2008615, 2008622, 2008625
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2008613, 2008614, 2008615
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2008613, 2008614, 2008615, 2008622, 2008625
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2008613, 2008614, 2008615, 2008622, 2008625
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2008616, 2008617, 2008618, 2008623, 2008626

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	07/18/2018			07/18/2018 16:18	William L. Brown IV	2008613, 2008614, 2008615, 2008622, 2008625
EPA 200.7 Rev. 4.4	07/18/2018	07/23/2018 14:40	Elliott D. Healy	07/24/2018 12:31	Betina Topolski	2008638
	07/18/2018	07/23/2018 14:40	Elliott D. Healy	07/24/2018 13:57	Betina Topolski	2008637
EPA 200.8 Rev. 5.4	07/18/2018	07/23/2018 14:40	Elliott D. Healy	07/31/2018 13:40	Robert K Palmer	2008638
	07/18/2018	07/23/2018 14:40	Elliott D. Healy	07/31/2018 15:33	Robert K Palmer	2008637
EPA 300.0 Rev. 2.1	07/18/2018			07/23/2018 22:45	Lipi Saha	2008613
	07/18/2018			07/23/2018 22:57	Lipi Saha	2008614
	07/18/2018			07/23/2018 23:09	Lipi Saha	2008615
EPA 350.1 Rev. 2.0	07/18/2018			07/24/2018 10:34	Ping Hua	2008616
	07/18/2018			07/24/2018 11:34	Ping Hua	2008617
	07/18/2018			07/24/2018 11:45	Ping Hua	2008618
	07/18/2018			07/24/2018 11:46	Ping Hua	2008623
	07/18/2018			07/24/2018 11:57	Ping Hua	2008626
EPA 351.2 Rev. 2.0	07/18/2018	07/23/2018 11:30	Adrian Shelby	07/24/2018 09:31	Joseph Suarez	2008616
	07/18/2018	07/23/2018 11:30	Adrian Shelby	07/24/2018 09:33	Joseph Suarez	2008617
	07/18/2018	07/23/2018 11:30	Adrian Shelby	07/24/2018 12:23	Joseph Suarez	2008618
	07/18/2018	07/23/2018 11:30	Adrian Shelby	07/24/2018 12:28	Joseph Suarez	2008623
	07/18/2018	07/23/2018 11:30	Adrian Shelby	07/24/2018 12:29	Joseph Suarez	2008626
EPA 353.2 Rev. 2.0	07/18/2018			07/19/2018 12:36	Lauren Bottorf	2008616
	07/18/2018			07/19/2018 12:51	Lauren Bottorf	2008617
	07/18/2018			07/19/2018 12:58	Lauren Bottorf	2008618
	07/18/2018			07/19/2018 13:04	Lauren Bottorf	2008626
	07/18/2018			07/19/2018 13:05	Lauren Bottorf	2008623
EPA 365.1 Rev. 2.0	07/18/2018	07/23/2018 12:25	Sima Feizi	07/24/2018 08:49	Beverly Y. Sanders	2008618
	07/18/2018	07/23/2018 12:25	Sima Feizi	07/24/2018 08:58	Beverly Y. Sanders	2008623
	07/18/2018	07/23/2018 12:25	Sima Feizi	07/24/2018 11:26	Beverly Y. Sanders	2008616
	07/18/2018	07/23/2018 12:25	Sima Feizi	07/24/2018 11:27	Beverly Y. Sanders	2008617
	07/18/2018	07/23/2018 12:25	Sima Feizi	07/24/2018 11:29	Beverly Y. Sanders	2008626
EPA 365.1 Rev. 2.0 dissolved	07/18/2018			07/18/2018 15:23	Julia Storbeck	2008619
	07/18/2018			07/18/2018 15:36	Julia Storbeck	2008627
	07/18/2018			07/18/2018 15:47	Julia Storbeck	2008624
	07/18/2018			07/18/2018 16:04	Julia Storbeck	2008620, 2008621
SM 2120 B	07/18/2018			07/18/2018 18:02	Tanya Welborn	2008613
	07/18/2018			07/18/2018 18:07	Tanya Welborn	2008614
	07/18/2018			07/18/2018 18:27	Tanya Welborn	2008615
SM 2320 B-97	07/18/2018			07/20/2018 07:06	Dale L. Simmons	2008615
	07/18/2018			07/20/2018 07:56	Dale L. Simmons	2008613
	07/18/2018			07/20/2018 08:07	Dale L. Simmons	2008614
	07/18/2018			07/20/2018 08:17	Dale L. Simmons	2008622

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-97	07/18/2018			07/20/2018 08:30	Dale L. Simmons	2008625
SM 2540 C-97	07/18/2018			07/20/2018 14:31	Yijie Li	2008613, 2008614, 2008615
SM 2540 D-97	07/18/2018			07/20/2018 14:31	Yijie Li	2008613, 2008614, 2008615, 2008622, 2008625
SM 4500 F-C-97	07/18/2018			07/20/2018 06:59	Dale L. Simmons	2008615
	07/18/2018			07/20/2018 07:56	Dale L. Simmons	2008613
	07/18/2018			07/20/2018 08:07	Dale L. Simmons	2008614
	07/18/2018			07/20/2018 08:17	Dale L. Simmons	2008622
	07/18/2018			07/20/2018 08:30	Dale L. Simmons	2008625
SM 5310 B-00	07/18/2018			07/20/2018 11:10	Megan Treadwell	2008623
	07/18/2018			07/20/2018 14:29	Megan Treadwell	2008616
	07/18/2018			07/20/2018 14:43	Megan Treadwell	2008617
	07/18/2018			07/20/2018 14:57	Megan Treadwell	2008618
	07/18/2018			07/23/2018 15:09	Megan Treadwell	2008626