

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave., Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2018-08-06-44
Project Run/Location: Gator all Ditch

Laboratory Submission #: S18080173

Station ID	Surface Water Sample Matrix* (Fresh / Marine)	Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
			E.coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	
Curry Creek G3SD00066	F / M / Grab	E.coli / Enteroc	8/8/18 1015	1
Hatchett Creek G3SD0103	F / M / Grab	E.coli / Enteroc	8/8/18 1050	2
Alligator @ Sawcanda G2SD0026	F / M / Grab	E.coli / Enteroc	8/8/18 1115	3
Alligator total G2SD0025	F / M / Grab	E.coli / Enteroc	8/8/18 1145	4
Woodmead Creek G2SD0027	F / M / Grab	E.coli / Enteroc	8/8/18 1220	5
Croftford Creek G2SD0028	F / M / Grab	E.coli / Enteroc	8/8/18 1315	6
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	
	F / M / Grab	E.coli / Enteroc	Date & Time:	

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

"Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), surface water (SW), fresh surface water (FSW), salt surface water (SSW), soil sediment (SDSMT), or sludge (SLDO).

"Container Type" is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in cool ice after collection. The maximum temperature during storage should be 4°C (41°F). Under "Preservative," list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: Date and time of collection, sample's name or initials, and any field number or ID.

3. All bottles and containing preservative may be used with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample outside form.

Laboratory Sample Acceptability:
pH < 10 BEAS Temperature: 5.0°C

1	Collector: Gary Swartz	Date: 8/8/18	Time: 1400	Received By:	Date:	Time:
2	Relinquished by: Gary Swartz	Date: 8/8/18	Time: 1400	Received By: Noley Wain	Date: 8/8/18	Time: 1400
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: