

Log-in Checklist

RQ- **2018-08-06-46**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: **08/03/2018 /10:30**

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	2.6C	8		X			
BLUE	1.9C	6		X			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes **X** No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No **X** Date _____

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes _____ No **X** If yes, is it intact? Yes _____ No _____

****Caps on tight?** Yes **X** No _____ ****Containers intact?** Yes **X** No _____

****Sufficient Sample Volume:** Yes **X** No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes **X** No _____ Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		X	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes **X** No _____ NA _____ Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes _____ No _____ NA **X** Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **08/03/2018** NCRs (Y/N)? **X**

Event ID: **SO-DIST-2018-08-03-02** NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	8062 EXP:2020/12

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Sarasota Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By: MARYANN DUGAN

Project ID: SMP

Collected By: MARYANN DUGAN, NICOLE REISTAD

Sampling Agency: SRC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/02/2018 Time 1020	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G3SD0091		Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 4.07 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	Phillippi Creek@Proctor			Temp (C) 27.3	pH 6.68	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 575	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.28	Comments E. coli @ BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/02/2018 Time 11:00	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0092		Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 3.18 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
WIN/STORET #	Matheny Creek @BenevaRd			Temp (C) 28.7	pH 6.98	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 658	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.32	Comments E. coli @ BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/02/2018 Time 1125	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0089		Matrix (type, e.g., Salt, Fresh, etc) SALT	Diss. Oxygen 0.93 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		AC
WIN/STORET #	North Creek(Tidal)@US41			Temp (C) 31.2	pH 7.30	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 19620	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 11.58	Comments Enterococcus @ BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/02/2018 Time 12:00	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0064		Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 3.43 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		BA
WIN/STORET #	North Creek byOaksCrkCt			Temp (C) 27.2	pH 7.32	Sample Depth 0.05 ☐ ft ☒ m	Sp. Conductance (umho/cm) 1626	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.81	Comments E. coli @ BENCHMARK			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Maryann Dugan	08/02/2018	Express	2	[Signature]	8-3-18/1630

Collection time from sample container: 8-3-18

Group: A	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
CHLSUITE-W				
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0 (2 @ sandies)</u> BENCHMARK
SD-BES-ECQ				
Group: A	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>2</u>
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC			H2SO4 LOT# SA8101020 EXP: 04/11/2019	
Group: A	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>2</u>
W-PO4-F				
Group: B	Bottle Type: QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
PCR-FILTER				
Group: B	Bottle Type: P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0 (2 @ sandies)</u> BENCHMARK
SD-BES-ECQ				
Group: B	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
W-E8321-DI W-E8321-MS				
Group: C	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
PCR-FILTER				
Group: C	Bottle Type: P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0 (1 @ BENCHMARK)</u>
SD-BES-ENT				

Sarasota Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By: MARYANN DUGAN

Project ID: SMP

Collected By: MARYANN DUGAN, NICOLE REISTAD

Sampling Agency: S ROL

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/02/2018 Time 1235	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s) (See pg 2)	
Field ID	Location	G3SD0090	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 4.85 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B	
WIN/STORET #	South Creek @ Honore Ave		Temp (C) 30.2	pH 7.16	Sample Depth 0.15 ☒ m ☐ ft	Sp. Conductance (umho/cm) 736			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.36	Comments E. coli @ Benchmark				
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Time	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)		
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
WIN/STORET #	Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments				
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Time	☐ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)		
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
WIN/STORET #	Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments				
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Time	☐ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)		
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
WIN/STORET #	Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Maryann Dugan	08/02/2018	FEDEX	2	ASB	8-3-18 11:30

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-BES-ECQ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-BES-ECQ					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI W-E8321-MS					
Group: C	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: C	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-BES-ENT					

Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
----------	--	----------	-----------------	---------------	-----	-------------------------------------

Date of Request: 20-JUL-2018
 Created By: REISTAD_N On: 20-JUL-2018
 Modified By: SWANSON_C On: 23-JUL-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Sarasota Streams

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-JUL-2018
 Biology Request Reviewed By: SWANSON_C On: 23-JUL-2018
 Sampling Kit Required: YES Ship on: 27-JUL-2018
 Sampling Kit Shipped: YES On: 24-JUL-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 06-AUG-2018
 Received By: SHAIK_A On: 03-AUG-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (North, Philippe) Kit A, E.Coli x 2
 Group B: (Matheny, South) E.coli, Markers, Tracers x 2
 Group C: (North Tidal) Entero, Markers, Tracers x 1

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Group B (Water) With 2 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ENT	Template: DEFAULT	(EPA 1600 (MF)) Enterococci by membrane filter method by Benchmark EA South
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Cooler Packing Worksheet for Request: RQ-2018-08-06-46

Sarasota Streams

Ship Cooler On: 7/27/2018

Customer/Project: SO-DIST/SMP

Assigned To: SHAIK_A

Requester: Nicole Reistad

Priority: 3

239-344-5718
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381

Attn: Nicole.Reistad

Please return
packing list with
sample submittal
forms.

Comments:

No preservatives needed.

Group A: (North, Philippe) Kit A, E.Coli x 2

Group B: (Matheny, South) E.coli, Markers, Tracers x 2

Group C: (North Tidal) Entero, Markers, Tracers x 1

Requested Analyses:

Bottle Group: A

of Sites: 2

Container ID: P-1L

Qty: 2 Preservation: ICE

Lot # 00071233

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 2 Preservation: ICE

Lot # 0003603

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WI-THI

Qty: 2 Preservation: ICE

Lot # L18005

Description: 250 ml Sterilized with tablet

Analysis

SD-BES-ECQ

Description

Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: P-500ML

Qty: 2 Preservation: ICE And H2SO4

Lot # 00071230

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 2 Preservation: FILTER-ICE

Lot # 00070880

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 2

Container ID: QPCR-P-500ML

Qty: 2 Preservation: ICE

Lot # 00070587

Description: 500ml Sterile Nalgene

Affix PCR Instruction Label to container

Analysis

PCR-FILTER

Description

Preparation of Samples by Filtration and held for qPCR Analysis

Container ID: P-250ML-WI-THI

Qty: 2 Preservation: ICE

Lot # L18005

Description: 250 ml Sterilized with tablet

Analysis

SD-BES-ECQ

Description

Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: BG-500ML

Qty: 2 Preservation: ICE

Lot # 00071432

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-E8321-DI

W-E8321-MS

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group: C

of Sites: 1

Container ID: QPCR-P-500ML

Qty: 1 Preservation: ICE

Lot # 00070587

Description: 500ml Sterile Nalgene

Affix PCR Instruction Label to container

Analysis

PCR-FILTER

Description

Preparation of Samples by Filtration and held for qPCR Analysis

Container ID: P-120ML-WC-THI

Qty: 1 Preservation: ICE

Lot # GH02

Description: 120 ml Sterilized White Cap with
tablet

Analysis

SD-BES-ENT

Description

Enterococci by membrane filter method by Benchmark EA South

Container ID: BG-500ML

Qty: 1 Preservation: ICE

Lot # 00071432

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-E8321-DI

W-E8321-MS

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Cooler Packed By: ABP Number of Coolers: 2 Date: 7-24-18

Kit must also include:

- ☒ Field Sheets
- ☐ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☐ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2018-08-06-46


INFLA: 4200 0001 0000

SHIP DATE: 24JUL18
ACTWGT: 30.00 LB MAN
CAD: 0446970/CAFE3210

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364
FORT MYERS, FL 33901
UNITED STATES US

JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD
TALLAHASSEE FL 32399

TALLAHASSEE FL 32399



RETURNS MON-FR
FRI - 03 AUG 10:30A
PRIORITY OVERNIGHT
32399
FL-US
TLH
XH TLHA
FedEx
TRK# 4385 5031 6662
0221

FTD 624696 02AUG18 POMA 546C1/3309/0C8A


ORIGIN: PRIORITY OVERN.

SHIP DATE: 24JUL18
ACTWGT: 30.00 LB MAN
CAD: 0446970/CAFE3210

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364
FORT MYERS, FL 33901
UNITED STATES US

JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD
TALLAHASSEE FL 32399

TALLAHASSEE FL 32399



FRI - 03 AUG 10:30A
PRIORITY OVERNIGHT
32399
FL-US
TLH
XH TLHA
FedEx
TRK# 4385 5031 6673
0221

FTD 524696 02AUG18 POMA 546C1/3309/0C8A