

Benchmark EnviroAnalytical, Inc.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP

Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399

Phone: (850) 245-8085

Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970
Project Name: RQ-2018- 68-20-11
Project Run/Location: P RIVER
Laboratory Submission #:
58090032

Station ID	Surface Water Sample Matrix* (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL			
G3SD0067 - River Creek	(F) / M / Grab	E.coli / Entero / F.coli	9/4/18 0950
G3SD0095 - Myer's Creek	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1115
G3SD0097 - Myer's Creek	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1145
G3SD0096 - Hog Bay	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1235
G3SD0111 - Hawthorn	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1305
G3SD0132 - River Creek	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1340
G3SD0131 - Bobcat	(F) / M / Grab	E.coli / Entero / F.coli	Date & Time: 9/4/18 1410
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

*Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

*Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

Laboratory Sample Acceptability:

pH < 8 BEAS Temperature: 21.9°C

1. Collector:	<u>Steve Caffrey</u>	Date:	<u>9/4/18</u>	Time:	<u>1430</u>	Received By:		Date:		Time:	
2. Relinquished by:	<u>Steve Caffrey</u>	Date:	<u>9/4/18</u>	Time:	<u>1430</u>	Received By:	<u>Melinda Merchant</u>	Date:	<u>9/4/18</u>	Time:	<u>1443</u>
3. Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
4. Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
5. Relinquished by:		Date:		Time:		Received By:		Date:		Time:	