

Log-in Checklist

RQ- 2018-09-24-05

Login Station ID: #2

Shipping Method: (FedEx) UPS | HD | Greyhound

Date/Time of Receipt: 11-8-18/10:00

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
0.8			7		✓			
0.1			11		✓			
0.8			8		✓			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ✓ No Init: SR

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		✓	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		✓	W-PCL-SQ-R		✓
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		✓
W-PAH (-R)			W-PSNP-TQ		✓

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes No NA ✓ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: SR

Coolers Unpacked/Checked by: SR Date: 11-8-18 NCRs (Y/N)? N

Event ID: Sarasota Gators
SO-DIST-2018-11-08-01 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	7226 EXP: 07/2020

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Sarasota Gators

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Loc	Field ID/WIN ID	G3SD0066	Curry(Tidal)@AlbeeFarm	☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 11/7/18	Time 1320	Eastern Central	Composite end	Date	Time	Bottle Group(s)
Fiel	Location	G3SD0066		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	5.55		☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		D
WIN	Field ID	G3SD0066		Temp (C)	26.59	pH	7.39	Sample Depth	0.3	☒ ft ☐ m	Sp. Conductance (umho/cm)	25870
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Comments: ETC ENTERO SENT TO BENCHMARK						
Location	Field ID	G3SD0103_DUP		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 11/7/18	Time 1355	Eastern Central	Composite end	Date	Time	Bottle Group(s)
Field ID	HatchettCrk@PinebrookRd			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	8.04		☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		B
WIN/ST	Field ID	G3SD0103		Temp (C)	27.46	pH	7.43	Sample Depth	0.05	☒ ft ☐ m	Sp. Conductance (umho/cm)	1168
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Comments: E. COLI SENT TO BENCHMARK						
Location	Field ID/WIN ID	G3SD0103		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 11/7/18	Time 1350	Eastern Central	Composite end	Date	Time	Bottle Group(s)
Field ID	HatchettCrk@PinebrookRd			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	8.04		☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		E
WIN/STOR	Field ID	G3SD0103		Temp (C)	27.46	pH	7.43	Sample Depth	0.05	☒ ft ☐ m	Sp. Conductance (umho/cm)	1168
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Comments: E. COLI SENT TO BENCHMARK						
Location	Field ID/WIN ID	G2SD0026		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 11/7/18	Time 1415	Eastern Central	Composite end	Date	Time	Bottle Group(s)
Field ID	Alligator @ Jacaranda			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	8.29		☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		A
WIN/STORET	Field ID	G2SD0026		Temp (C)	28.36	pH	7.62	Sample Depth	0.3	☒ ft ☐ m	Sp. Conductance (umho/cm)	1265
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)		Comments: E. COLI SENT TO BENCHMARK						

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
GARY SNORAK	11/7/18 1700	FEDEX	3	SPH	11-818/10:00

Group: A	Bottle Type: SD-BES-ECQ	P-250ML-WI-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> SENT TO BENCHMARK
Group: B	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: SD-BES-ECQ	P-250ML-WI-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> SENT TO BENCHMARK
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: SD-BES-ENT	P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> SENT TO BENCHMARK
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: D	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: D	Bottle Type: SD-BES-ENT	P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> SENT TO BENCHMARK
Group: D	Bottle Type: W-CARB-AA	BG-500ML	# of Bottles: 2	Preservative: CH ₂ ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab <u>2 2</u>
Group: D	Bottle Type: W-CT-CI-R W-PCL-SQ-R	BG-500ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6 6</u>
Group: D	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: D	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6</u>

Sarasota Gators

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By:

JOHN BARRINGTON

Project ID: SMP

Collected By: JOHN BARRINGTON, GARY SNOREK

Sampling Agency:

FDEP SOROC 8052

Location	Field ID/WIN ID	G2SD0025	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/7/18 Time 1425	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STOR	Alligator Tidal @ US 41		Temp (C) 26.96	pH 7.28	Sample Depth 6.3	☒ ft ☐ m	Sp. Conductance (umho/cm) 20299	D
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ENTERO SENT TO BENCHMARK			
Location	Field ID/WIN ID	G2SD0027	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/7/18 Time 1455	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STOR	Woodmere Creek@Heron Rd		Temp (C) 27.72	pH 7.17	Sample Depth 0.3	☒ ft ☐ m	Sp. Conductance (umho/cm) 1185	C
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ENTERO SENT TO BENCHMARK			
Location	Field ID/WIN ID	G2SD0028	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/7/18 Time 1520	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STOR	Gottfried@DeerCrkMobile		Temp (C) 27.99	pH 7.60	Sample Depth 0.3	☒ ft ☐ m	Sp. Conductance (umho/cm) 45745	C
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments ENTERO SENT TO BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STOR			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
GARY SNOREK	11/7/18 1700	FEDX	3	SR	11-8-18/10:00

Group: A	Bottle Type: P-250ML-WI-THI SD-BES-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>SENT TO BONCH</i>
Group: B	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-250ML-WI-THI SD-BES-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>SENT TO BONCH</i>
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: P-120ML-WC-THI SD-BES-ENT	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: P-120ML-WC-THI SD-BES-ENT	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: BG-500ML W-CARB-AA	# of Bottles: 2	Preservative: CH ₂ ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: BG-500ML W-CT-CI-R W-PCL-SQ-R	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: BG-1L W-PSNP-TQ	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab _____

Group: E	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	
----------	---------------------------	-----------------	-------------------	-------------------------------------	--

PCR-FILTER

Group: E	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	
----------	-----------------------	-----------------	-------------------	-------------------------------------	--

W-E8321-DI

W-E8321-MS

Printed: 11/8/2018 10:42:22 AM

Page 1 of 2

Date of Request: 23-JUL-2018
 Created By: REISTAD_N On: 23-JUL-2018
 Modified By: AYRES_J On: 02-OCT-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Sarasota Gators

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Program Module Number:

Priority: 3

Event Status: A

Criminal Investigation: NO

Chemistry Request Reviewed By: AYRES_J On: 02-OCT-2018

Biology Request Reviewed By: AYRES_J On: 02-OCT-2018

Sampling Kit Required: NO Ship on:

Sampling Kit Shipped: YES On: 10-SEP-2018

Sampling Kit Packed By: REAVES_S

Preservatives Needed: NO

Date to Receive Samples: 24-SEP-2018

Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: (2030A) E.coli x 1
 Group B: (2015A) E.coli, Markers, Tracers x 1
 Group C: (2042,2049) Enterococci, Markers, Tracers x 2
 Group D: (2009B,2030) Enterococci, Markers, Pesticides x 2
 Group E: Markers, Tracers DUPLICATE x 1

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE
 SD-BES-ECQ Template: DEFAULT (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Bottle Group B (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML Number of Bottles: 1 Preserved With: ICE
 PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
 Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE
 SD-BES-ECQ Template: DEFAULT (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port
 Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
 W-E8321-DI Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
 W-E8321-MS Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 2 Samples:

Bottle Type: QPCR-P-500ML Number of Bottles: 2 Preserved With: ICE
 PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
 Bottle Type: P-120ML-WC-THI Number of Bottles: 2 Preserved With: ICE
 SD-BES-ENT Template: DEFAULT (EPA 1600 (MF)) Enterococci by membrane filter method by Benchmark EA South
 Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE
 W-E8321-DI Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
 W-E8321-MS Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: CH2CICOOH Pre-Preserved
 W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
 Bottle Type: BG-500ML Number of Bottles: 6 Preserved With: ICE

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-500ML	Number of Bottles: 6	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ENT	Template: DEFAULT	(EPA 1600 (MF)) Enterococci by membrane filter method by Benchmark EA South

Bottle Group E (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

#313973 11/07 552J3/C3B2/DCA5



Do Not Lift Using This Tag

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 10SEP18
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3210

FORT MYERS, FL 33901
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077
TNU:
PG:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK# 4385 5033 4834
0221


THU - 08 NOV 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399

FL-US

TLH



#313973 11/07 552J3/C3B2/DCA5

551C1/T78C/104C

AN1100204204201111311

EXP 10/19



Do Not Lift Using This Tag

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 10SEP19
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3210

FORT MYERS, FL 33901
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

551CL/F78C/104C


TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx
TRK# 4385 5033 4823
0221

THU - 08 NOV 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US TLH

EXP 10/19



#313973 11/07 552J3/C3B2/DCA5