

Log-in Checklist

RQ- 2018-02-26-20

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 03-15-18/9:50

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.3C	9		/			
Red	2.8C	8		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		☒	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		☒	W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		☒
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: AP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init:

Coolers Unpacked/Checked by: A-BP Date: 3-15-18 NCRs (Y/N)?

Event ID: SMP BIOASSESSMENTS NCR #

NW-DIST-2018-03-15-01 (SMP)

Date Received: 15-MAR-2018 09:50

Log-in Checklist

... Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Shaik, Amzad

From: Ashton, Judy
Sent: Thursday, March 15, 2018 17:37
To: Shaik, Amzad; Horning, Dylan
Cc: Watts, John; Ayres, Joshua
Subject: RE: RQ-2018-03-12-11

Amzad,
Please see below. Please let me know if this addresses all the issues.
Sorry for the confusion.
Thanks,
Judy

From: Shaik, Amzad
Sent: Thursday, March 15, 2018 12:56 PM
To: Ashton, Judy <Judy.Ashton@dep.state.fl.us>; Horning, Dylan <Dylan.Horning@dep.state.fl.us>
Cc: Watts, John <John.Watts@dep.state.fl.us>; Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>
Subject: RQ-2018-03-12-11

3) RQ on the container RQ-2018-03-12-11 : Location : Cedar creek : Field ID:G5SW0129 / W-E8321-DI, E8321-MS / Time :09:45 (GOOD)

1)RQ on the container RQ-2018-01-15-53 :Location : Snug Harbor-TP 428 : Field ID: G1SW0099 / W-PCR-FILTER / Time :09:45 Label on bottle is incorrect. Should be RQ-2018-03-12-11 Field ID G5SW0129 Cedar Creek @ Pinehurst

2) RQ on the container RQ-2018-02-19-13 : dep packing label / No label RQ-2018-03-12-11 Label should be
Cedar Creek @ Pinehurst Field ID G5SW0129 PCR-FILTER/ Time :09:45

Please verify the attachments email the correct information Bottle containers not match with submittal form.

Thanks.

Amzad Shaik
FLORIDA DEP LABS
Scientific Support Section
Office: 850-245-8081
Direct: 58081
Amzad.shaik@dep.state.fl.us

SMP BIOASSESSMENTS

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: James PINS

Project ID: SMP

Collected By: James PINS

Sampling Agency: 21 FL PNS

Location	Field/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/14/18 Time 1050	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)	
Field ID	Location:	G3NW0112	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 10.06	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/S			Temp (C) 11.55	pH 5.12	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 22	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.01	Comments			A/B1
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)			
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)			
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)			
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)			
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By: James PINS	Date/Time 3/14/18 1600	Shipping Method Fed Ex	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time 3-15-18 1950
-----------------------------	------------------------	------------------------	------------------------------	--------------------------	------------------------

Group: A	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W					
Group: A	Bottle Type: TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
NW-UWF-ECQ					
Group: A	Bottle Type: BG-1L	# of Bottles: 1	Preservative: CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
W-CARB-AA					
Group: A	Bottle Type: BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
W-CT-CI-R W-PCL-SQ-R					
Group: A	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
W-E8321-DI W-E8321-MS					
Group: A	Bottle Type: P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
W-ICP W-ICPMS					
Group: A	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					

Group: A	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
Group: B	Bottle Type: ALGAL_ID	PT-50ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: B	Bottle Type: MI-FW-QLDC	PJ-2L	# of Bottles: 2	Preservative: Formalin	Enter Number of Bottles Sent to Lab	3
Group: C	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: ALGAL_ID	PT-50ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: MI-FW-QLDC	PJ-2L	# of Bottles: 2	Preservative: Formalin	Enter Number of Bottles Sent to Lab	0

Document Reference # 05.1.0

Project: FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials :

Method of transport: Drop off on ice by automobile

Page _1_ of _1_

Samples delivered by: J. P. H. S. of **FDEP**

Date/Time: 3/14/18 , 1435

Sample received by: Desimposec of WRL

Date/Time: 03/14/2018 11435

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments sample container lot# #18005

RQ-2018-02-26-20

Contact organization FDEP

Contact name Nathan Mulkey

Phone: (850) 595-8300

Address 160 W Governmental Street, suite 208, Pensacola, FL 32502

Sampler's name: Nathan Mulkey

¹Matrix SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X = SW

²Type codes: G = grab, C = composite, X = G

³ Recorded using IRT-2

Date of Request: 24-JAN-2018
 Created By: KING_M On: 24-JAN-2018
 Modified By: SWANSON_C On: 12-FEB-2018
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: SMP BIOASSESSMENTS

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Program Module Number:

Priority: 3

Event Status: R

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 09-FEB-2018

Biology Request Reviewed By: SWANSON_C On: 12-FEB-2018

Sampling Kit Required: YES Ship on: 16-FEB-2018

Sampling Kit Shipped: YES On: 14-FEB-2018

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 26-FEB-2018

Received By: SHAIK_A On: 15-MAR-2018

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: (WBID 567) Freshwater Kit With Metals, Pesticides, Contract Lab Bacteria

Group B: (WBID 567) Biology

Group C: (WBID 646) Freshwater Kit, Contract Lab Bacteria

Group D: (WBID 646) Biology

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Collert 18 Quanti-Tray method by UWF Overflow Laboratory for NWD
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: CH ₂ CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PT-50ML	Number of Bottles: 1	Preserved With: ICE
ALGAL_ID	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts
Bottle Type: PJ-2L	Number of Bottles: 2	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Overflow Laboratory for NWD
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Biological) With 1 Samples:

Bottle Type: PT-50ML Number of Bottles: 1 Preserved With: ICE
ALGAL_ID Template: DEFAULT (SOP-AB05) Qualitative assessment of algal taxa present without counts
Bottle Type: PJ-2L Number of Bottles: 2 Preserved With: Formalin
MI-FW-QLDC Template: DEFAULT (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: PNSA (850) 595-0673
MICHAEL KING
160 GOVERNMENT CENTER SUITE 208 A
PENSACOLA, FL 32502
UNITED STATES US

SHIP DATE: 14FEB18
ACTWGT: 35.00 LB
CAD: 100182098/NET3980

ORIGIN ID: PNSA (850) 595-0673
MICHAEL KING
160 GOVERNMENT CENTER SUITE 208 A
PENSACOLA, FL 32502
UNITED STATES US

SHIP DATE: 14FEB18
ACTWGT: 35.00 LB
CAD: 100182098/NET3980

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399


(850) 245-8085

REF:

INV:
PO:

DEPT:

RMA:



FedEx
Express



552111220100AS

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399


(850) 245-8085

REF:

INV:
PO:

DEPT:

RMA:



FedEx
Express



FedEx
TRK#
0221 7907 7902 2120

THU - 15 MAR 10:30A
PRIORITY OVERNIGHT

32399
FL-US
TLH

XH TLHA




FID 974582 14MAR18 PNSA 545C1/07F5/8C8A

FedEx
TRK#
0221 7907 7902 2141

THU - 15 MAR 10:30A
PRIORITY OVERNIGHT

32399
FL-US
TLH

XH TLHA



FID 974582 14MAR18 PNSA 545C1/07F5/8C8A