

Log-in Checklist

RQ- 2018-03-05-57

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 3/7/18 9:45

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
KEO	4.3°C	16		✓			
LEO	2.8°C	15		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No ✓

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: J.2

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: J.2

Coolers Unpacked/Checked by: J.2 Date: 3/7/18 NCRs (Y/N)?

Event ID: NW-DIST-2018-03-07-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

NW RUN

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: W. Bretana

Project ID: SMP

Collected By: J. Pitts

Sampling Agency: 21FLPNS

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/6/18 Time 905	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field/WIN ID G4NW0420	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.76	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Location: Little Pine Barren Creek ABOVE CR 99	Temp (C) 17.5	pH 6.80	Sample Depth 0.3	Sp. Conductance (umho/cm) 46	
Latitude ☐ dms	Salinity (ppt) 0.02	Comments: ★ E. coli ★			
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/6/18 Time 930	Eastern Central	Composite end Date Time	Bottle Group(s)
Field/WIN ID G4NW0116	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 9.18	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Location: Mitchell Creek upstream of HWY 29	Temp (C) 15.86	pH 6.40	Sample Depth 0.3	Sp. Conductance (umho/cm) 20	
Latitude ☐ dms	Salinity (ppt) 0.01	Comments: ★ E. coli ★			
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/6/18 Time 1005	Eastern Central	Composite end Date Time	Bottle Group(s)
Field/WIN ID G4NW0163	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.65	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Location: Wiggins Branch below Hwy 29	Temp (C) 16.59	pH 7.15	Sample Depth 0.1	Sp. Conductance (umho/cm) 44	
Latitude ☐ dms	Salinity (ppt) 0.02	Comments: ★ E. coli ★			
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/6/18 Time 1030	Eastern Central	Composite end Date Time	Bottle Group(s)
Field/WIN ID G4NW0421	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 9.01	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Location: Big Escambia River downstream of Fannie Rd	Temp (C) 16.77	pH 7.49	Sample Depth 0.3	Sp. Conductance (umho/cm) 33	
Latitude ☐ dms	Salinity (ppt) 0.01	Comments: ★ E. coli ★			

Relinquished By:	Date/Time 3/6/18 1600	Shipping Method FEDEX	Number of Coolers Shipped: 2	Received By: J.D.	Date/Time 3/7/18 9:45
------------------	--------------------------	--------------------------	---------------------------------	----------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ECOLI-18QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

NW RUN

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: W Bretana

Project ID: SMP

Collected By: J Pitts

Sampling Agency: 21 FL PNS

Location	Field/WIN ID	Barcode	G4NW0320	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
				Date	3/6/18	Time	1100	Central
	Location:			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	8.76	mg/L
	McCostill Mill Creek West Ebenezer Rd			Temp (C)	18.82	pH	6.25	Total Res. Chlorine (mg/L)
				Salinity (ppt)	0.02	Sample Depth	0.1	Sp. Conductance (umho/cm)
				Comments	★ E. coli ★			
								B
Location	Field/WIN ID	Barcode	G4NW0355	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
				Date	3/6/18	Time	1135	Central
	Location:			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	8.84	mg/L
	Moore Creek above Chamuckla Springs Road			Temp (C)	18.37	pH	7.28	Total Res. Chlorine (mg/L)
				Salinity (ppt)	0.02	Sample Depth	0.2	Sp. Conductance (umho/cm)
				Comments	★ E. coli ★			
								B
Location	Field ID	WIN/STORET #	Latitude	Longitude	Salinity (ppt)	Comments		
Location	Field ID	WIN/STORET #	Latitude	Longitude	Salinity (ppt)	Comments		
Location	Field ID	WIN/STORET #	Latitude	Longitude	Salinity (ppt)	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	3/6/18 1600	FEDEX	2		3/7/18 9:45

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ECOLI-18QT					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP					
	W-ICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					

Group: B	Bottle Type:	BP-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
CHLSUITE-W						

Group: B	Bottle Type:	P-250ML-WO-THI	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
ECOLI-18QT						

Group: B	Bottle Type:	P-500ML	# of Bottles: 5	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
W-NH3						
W-NO2NO3						
W-S-A-TP						
W-TKN						
W-TOC						

Group: B	Bottle Type:	P-125ML	# of Bottles: 5	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
W-PO4-F						

Date of Request: 14-FEB-2018
 Created By: KING_M On: 14-FEB-2018
 Modified By: SWANSON_C On: 06-MAR-2018
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: NW RUN

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Program Module Number: 1306
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-MAR-2018
 Biology Request Reviewed By: SWANSON_C On: 06-MAR-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 23-FEB-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 05-MAR-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 71) Freshwater Kit With Metals, Contract Lab Bacteria
 Group B: (WBID 111, 118, 25, 10,87) Freshwater Kit, Contract Lab Bacteria

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic Cadmium Copper Lead Silver		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 5 Samples:

Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 5	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Date of Request: 12-FEB-2018
 Created By: FREDERIC_N On: 12-FEB-2018
 Modified By: SWANSON_C On: 20-FEB-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Nassau West_2018

Send Coolers To:

Phone: 904-256-1541
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Send Final Report To:

8800 Baymeadows Way
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 20-FEB-2018
 Sampling Kit Required: YES Ship on: 02-MAR-2018
 Sampling Kit Shipped: YES On: 26-FEB-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 14-MAR-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals; Bacteria-AEL

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 4	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: PNSA (850) 595-8300
MIKE KING
FL DEP NORTHWEST DISTRICT
160 GOVERNMENT CENTER
SUITE 208A
PENSACOLA FL 32502
UNITED STATES US


SHIP DATE: 22 FEB 18
ACTWGT: 35.00 LB
CAD: 100182099/NET3980

0 **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-6085
INV: REF:
PO: DEPT:

55211122010045

RMA:



RETURNS MON-FRI
PRIORITY OVERNIGHT


RK# 221 **7907 8240 5720**

WED - 07 MAR 10:30A
PRIORITY OVERNIGHT

dEx.
7907 8240 5720

H TLHA

32399
FL-US
TLH



Do Not Lift Using This Tag

ORIGIN ID: PNSA (850)
MIKE KING
FL DEP NORTHWEST DISTRICT
160 GOVERNMENT CENTER
SUITE 208A
PENSACOLA, FL 32502
UNITED STATES US

RT 856

1 10:30 B
5731 3980
03.07


FZ

0 AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

55211122070045

(850) 245-8085 REF:
INV: DEPT:
PO:

RMA:



RETURNS MON-FRI

PRIORITY OVERNIGHT

TRK# 7907 8240 5731


WED - 07 MAR 10:30A
PRIORITY OVERNIGHT

19

FedEx
K# 7907 8240 5731

32399
FL-US
TLH

TLHA



FID 228606 06MAR18 PNSA 546C1/07F5/0C8A