

Date of Request: 11-APR-2018
 Created By: KING_M On: 11-APR-2018
 Modified By: SWANSON_C On: 19-APR-2018
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: DEAD RIVER RUN

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 19-APR-2018
 Sampling Kit Required: YES Ship on: 27-APR-2018
 Sampling Kit Shipped: YES On: 23-APR-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 08-MAY-2018
 Received By: GREENWOO_J On: 09-MAY-2018

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 30C, 429) Freshwater Kit, Contract Lab Bacteria

Group B: (Blank) Freshwater Kit no/chlorophyll

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 3	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Laboratory in Pensacola

Bottle Group A (Water) With 3 Samples:

Bottle Type: TEST HAS NO NW-UWF-ECQ	Template: DEFAULT	Number of Bottles: 3 (SM 9223 B Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method by UWF Laboratory in Pensacola
Escherichia Coli-Quanti-Tray			
Bottle Type: P-500ML W-NH3	Template: DEFAULT	Number of Bottles: 3 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H2SO4 Ammonia in aqueous matrices as mg N/L
Ammonia-N			
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N			
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
Total-P			
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen			
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon			
Bottle Type: P-125ML W-PO4-F	Template: DEFAULT	Number of Bottles: 3 (EPA 365.1 Rev. 2.0)	Preserved With: FILTER-ICE Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P			

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L ALKALINITY	Template: DEFAULT	Number of Bottles: 1 (SM 2320 B-97)	Preserved With: ICE Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity			
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
Turbidity			
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
Chloride			
W-COLOR	Template: DEFAULT	(SM 2120 B)	True Color measured at 450 nm
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride			
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
Sulfate			
W-TDS	Template: DEFAULT	(SM 2540 C-97)	Total Dissolved Solids in aqueous matrices
TDS			
W-TSS	Template: DEFAULT	(SM 2540 D-97)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS			
Bottle Type: P-500ML W-NH3	Template: DEFAULT	Number of Bottles: 1 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H2SO4 Ammonia in aqueous matrices as mg N/L
Ammonia-N			
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N			
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
Total-P			
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen			
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon			
Bottle Type: P-125ML W-PO4-F	Template: DEFAULT	Number of Bottles: 1 (EPA 365.1 Rev. 2.0)	Preserved With: FILTER-ICE Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P			