

Log-in Checklist

RQ- 2018-05-07-42

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 5/11/18 10:10

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		*Intact?		Tracking # (fill out only if waybill copy is damaged)
			Present?		Yes	No	
<u>KED</u>	<u>5.0°C</u>	<u>12</u>	Yes	No		<u>✓</u>	
<u>KED</u>	<u>5.6°C</u>	<u>12</u>	Yes	No		<u>✓</u>	

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ✓ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: 9/2

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No ✓ NA ✓ Init: 9/2

Coolers Unpacked/Checked by: 9/2 Date: 5/11/18 NCRs (Y/N)? _____

Event ID: UW-DIST-2018-05-11-01 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:08/15/2019
Chlorine Test Strips Lot #	033117L EXP:03/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Customer: NW-DIST
Project ID: SMP

Requester: Michael King
Collected By: S. Pitts, F. Butler

Field Report Prepared By: DGP-NW DOE
Sampling Agency: F. Butler

Location	Field/WIN ID		☐ Comp		Collection (comp begin or grab)	☐ Grab		Date	5/10/18	Time	11:50	Eastern	Composite end	Time	Bottle Group(s)
	G4NW0308		☐ Grab		Matrix (type, e.g., Salt, Fresh, etc)	Fresh		Dis. Oxygen	8.74	☐ % sat	Total Res. Chlorine				(See pg 2)
Field ID	G4NW0308		Temp		20.43	pH	6.49	Sample Depth	0.2	☐ ft	Sp. Conductance	22			A
WIN/STORET	Location: Long Creek upstream of Long Road		Salinity		ppm	Comments									
Latitude	☐ dms		☐ dms												
Location	Field/WIN ID		☐ Comp		Collection (comp begin or grab)	☐ Grab		Date	5/10/2018	Time	12:44	Eastern	Composite end	Time	Bottle Group(s)
	G4NW0349		☐ Grab		Matrix (type, e.g., Salt, Fresh, etc)	Fresh water		Dis. Oxygen	8.67	☐ % sat	Total Res. Chlorine				A
Field ID	G4NW0349		Temp		21.86	pH	6.44	Sample Depth	0.2	☐ ft	Sp. Conductance	32			
WIN/STORET	Location: Pond Creek in McCloud Bay upstream of Hwy 393		Salinity		ppm	Comments									
Latitude	☐ dms		☐ dms												
Location	Field ID		☐ Comp		Collection (comp begin or grab)	☐ Grab		Date		Time		Eastern	Composite end	Time	Bottle Group(s)
			☐ Grab		Matrix (type, e.g., Salt, Fresh, etc)			Dis. Oxygen		☐ % sat	Total Res. Chlorine				
Field ID			Temp		(C)	pH		Sample Depth		☐ ft	Sp. Conductance				
WIN/STORET			Salinity		(ppm)	Comments									
Latitude	☐ dd		☐ dd												
Longitude	☐ dms		☐ dms												
Location	Field ID		☐ Comp		Collection (comp begin or grab)	☐ Grab		Date		Time		Eastern	Composite end	Time	Bottle Group(s)
			☐ Grab		Matrix (type, e.g., Salt, Fresh, etc)			Dis. Oxygen		☐ % sat	Total Res. Chlorine				
Field ID			Temp		(C)	pH		Sample Depth		☐ ft	Sp. Conductance				
WIN/STORET			Salinity		(ppm)	Comments									
Latitude	☐ dd		☐ dd												
Longitude	☐ dms		☐ dms												
Location	Field ID		☐ Comp		Collection (comp begin or grab)	☐ Grab		Date		Time		Eastern	Composite end	Time	Bottle Group(s)
			☐ Grab		Matrix (type, e.g., Salt, Fresh, etc)			Dis. Oxygen		☐ % sat	Total Res. Chlorine				
Field ID			Temp		(C)	pH		Sample Depth		☐ ft	Sp. Conductance				
WIN/STORET			Salinity		(ppm)	Comments									
Latitude	☐ dd		☐ dd												
Longitude	☐ dms		☐ dms												

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
S. Pitts	05/10/2018	FEDEX	2	FB	5/11/2018

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: A	Bottle Type: NW-JWVF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab

Customer: NW-DIST
Project ID: SMP

Requester: Michael King
Collected By: Simon Pitts Frank Butera

Field Report Prepared By: F. Butera
Sampling Agency: DEP-NWRP

Location	Field/WIN ID	Barcode	Location	Field/WIN ID	Barcode	Location	Field/WIN ID	Barcode	
Field ID			Field ID			Field ID			
WIN/STORE			WIN/STORE			WIN/STORE			
Latitude			Latitude			Latitude			
Location	Field/WIN ID			Field/WIN ID			Field/WIN ID		
Field ID	G4NW0409			G4NW0208			G4NW0315		
WIN/STORE	Turkey Creek above Williams Rd			East Branch Pine Log Creek above Bear Bay Flats Road			Pine Log Creek upstream of Long Road		
Latitude									
Location	Field/WIN ID			Field/WIN ID			Field/WIN ID		
Field ID	G4NW0330			G4NW0315			G4NW0315		
WIN/STORE	Beech Tree Creek above un-named road			Pine Log Creek upstream of Long Road			Pine Log Creek upstream of Long Road		
Latitude									
Location	Field/WIN ID			Field/WIN ID			Field/WIN ID		
Field ID	G4NW0330			G4NW0315			G4NW0315		
WIN/STORE	Beech Tree Creek above un-named road			Pine Log Creek upstream of Long Road			Pine Log Creek upstream of Long Road		
Latitude									

Field/WIN ID	Barcode	Location	Field/WIN ID	Barcode	Location	Field/WIN ID	Barcode	Location	
Field ID			Field ID			Field ID			
WIN/STORE			WIN/STORE			WIN/STORE			
Latitude			Latitude			Latitude			
Location	Field/WIN ID			Field/WIN ID			Field/WIN ID		
Field ID	G4NW0330			G4NW0315			G4NW0315		
WIN/STORE	Beech Tree Creek above un-named road			Pine Log Creek upstream of Long Road			Pine Log Creek upstream of Long Road		
Latitude									
Location	Field/WIN ID			Field/WIN ID			Field/WIN ID		
Field ID	G4NW0330			G4NW0315			G4NW0315		
WIN/STORE	Beech Tree Creek above un-named road			Pine Log Creek upstream of Long Road			Pine Log Creek upstream of Long Road		
Latitude									

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Simon Pitts Frank Butera	05/10/2018	Fed Ex	2	FD	5/11/18 10:10

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	6
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	6
Group: A	Bottle Type: NW-UWV-ECQ	TEST HAS NO BOTTLE	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	6
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	6
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	6

Date of Request: 11-APR-2018
 Created By: KING_M On: 11-APR-2018
 Modified By: SWANSON_C On: 19-APR-2018
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: Laurel Hill West

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 19-APR-2018
 Sampling Kit Required: YES Ship on: 27-APR-2018
 Sampling Kit Shipped: YES On: 23-APR-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 10-MAY-2018
 Received By:

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 101, 196, 35A, 76, 92, 117) Freshwater Kit, Contract Lab Bacteria

Bottle Group A (Water) With 6 Samples:

Bottle Type: P-1L	Number of Bottles: 6	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 6	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Overflow Laboratory for NWD
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Do Not Lift Using This Tag

Ref:

Date: 23APR18
Mgt: 10.00 LBS

DV:

SHIPPING:
SPECIAL:
HANDLING:
TOTAL:

0.00
0.00
0.00
0.00

Service: PRIORITY OVERNIGHT
Master: 4385 5028 7066
TRK: 4385 5028 7066

ORIGIN ID: TLHA (450) 595-0673
MICHAEL KING
160 GOVERNMENT CENTER SUITE 208 A
PENSACOLA, FL 325025794
UNITED STATES US

SHIP DATE: 23APR18
ACTWT: 10.00 LB
CND: 0446970/CAFE3111

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(950) 246-8077

REF:

RMA: III III III

REP:



RETURNING MAIL: FBI

FRI - 11 MAY 10:30A

PRIORITY OVERNIGHT


32399

FL-US

TLH

FedEx
TRK: 4385 5028 7066
0221

XH TLHA



FTD 514514 10MAY18 PMSA 546C2/7828/0C8A

Do Not

ef: Date: 23APR18
sp: Wgt: 10.00 LBS

DV:

0.00 TOTAL:

SPECIAL:
HANDLING:

0.00
0.00
0.00

From: PRIORITY OVERNIGHT Mailer: 4385 5028 7066
TRK#: 4385 5028 7077

ORIGIN ID: TLHA (850) 595-0673
MICHAEL KING

SHIP DATE: 23APR18
ACTWGT: 10.00 LB MAN
CAD: 0446970/CFFE3111

160 GOVERNMENT CENTER SUITE 208 A
PENSACOLA, FL 325025794
UNITED STATES US

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD



TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RM#:



FedEx
Express

TRK# 4385 5028 7077
0021

RETURNS MON - FRI
PRIORITY OVERNIGHT

FRI - 11 MAY 10:30A


PRIORITY OVERNIGHT 19

FedEx
TRK# 4385 5028 7077
0021

32399
FL-US

TLH

XH TLHA



FTD 514514 10MAY18 PNSA 546C2/7828/0C8A

