

Date of Request: 16-MAY-2018
 Created By: KING_M On: 16-MAY-2018
 Modified By: SWANSON_C On: 07-JUN-2018
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: South SR County Run

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-JUN-2018
 Biology Request Reviewed By: SWANSON_C On: 07-JUN-2018
 Sampling Kit Required: YES Ship on: 15-JUN-2018
 Sampling Kit Shipped: YES On: 11-JUN-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: YES
 Date to Receive Samples: 25-JUN-2018
 Received By: REYNOLDS_T On: 26-JUN-2018

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 517,534, 683, 833) Freshwater Kit, Contract Lab Bacteria - E Coli
 Group B: (WBID 537) Saltwater Kit, Contract Lab Bacteria - Enterococci
 4 - cases of sulfuric acid
 8 - sets of sulfuric acid labels

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY Template: DEFAULT	(SM 2320 B-97)	Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
Turbidity		
W-CL-IC Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
Chloride		
W-COLOR Template: DEFAULT	(SM 2120 B)	True Color measured at 450 nm
Color (true)		
W-F Template: DEFAULT	(SM 4500 F-C-97)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
Sulfate		
W-TDS Template: DEFAULT	(SM 2540 C-97)	Total Dissolved Solids in aqueous matrices
TDS		
W-TSS Template: DEFAULT	(SM 2540 D-97)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W Template: DEFAULT	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		

Bottle Group A (Water) With 4 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ECQ Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Laboratory in Pensacola	
Escherichia Coli-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
Ammonia-N		
W-NO2NO3 Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
NO2NO3-N		
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
Total-P		
W-TKN Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
Kjeldahl Nitrogen		
W-TOC Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	
O-Phosphate-P		

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	
O-Phosphate-P		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
Total Alkalinity		
TURBIDITY Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
Turbidity		
W-F Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
Fluoride		
W-TSS Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ENQ Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by UWF Laboratory in Pensacola	
Enterococci-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
Ammonia-N		
W-NO2NO3 Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
NO2NO3-N		
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
Total-P		
W-TKN Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
Kjeldahl Nitrogen		
W-TOC Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Organic Carbon		