

Chemical Analysis Report

NW-DIST-2018-08-21-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Choctawhatchee South run**
Request ID: **RQ-2018-08-20-16**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 05-SEP-2018 12:48

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

**Sample Location: CHOCTAWHATCHEE RIVER ABOVE
SMOKEHOUSE LAKE**

Collection Date/Time: 08/20/2018 11:15

Field ID: G3NW0073

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018508	EPA 180.1 Rev. 2.0	Turbidity	13	A	NTU	P350633	
	EPA 300.0 Rev. 2.1	Chloride	4.6		mg Cl/L	P350843	
		Sulfate	1.5		mg SO4/L	P350846	
	SM 2120 B	Color (true)	83	A	PCU	P350541	
	SM 2320 B-97	Total Alkalinity	38		mg CaCO3/L	P350792	
	SM 2540 C-97	TDS	79		mg/L	P350818	
	SM 2540 D-97	TSS	8	I	mg/L	P350809	
	SM 4500 F-C-97	Fluoride	0.043	I	mg F/L	P350795	
2018510	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P350662	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.40		mg N/L	P350686	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.25		mg N/L	P350667	
	EPA 365.1 Rev. 2.0	Total-P	0.036		mg P/L	P350710	
	SM 5310 B-00	Organic Carbon	6.2		mg C/L	P350673	
2018512	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.013		mg P/L	P350533	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: SISTER RIVER MOUTH

Collection Date/Time: 08/20/2018 11:35

Field ID: G3NW0154

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018509	EPA 180.1 Rev. 2.0	Turbidity	8.0		NTU	P350633	
	EPA 300.0 Rev. 2.1	Chloride	5.7		mg Cl/L	P350843	
		Sulfate	1.3		mg SO4/L	P350846	
	SM 2120 B	Color (true)	160		PCU	P350541	
	SM 2320 B-97	Total Alkalinity	24		mg CaCO3/L	P350792	
	SM 2540 C-97	TDS	78		mg/L	P350818	
	SM 2540 D-97	TSS	4	I	mg/L	P350809	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P350795	
2018511	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P350662	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.50		mg N/L	P350686	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.078		mg N/L	P350667	
	EPA 365.1 Rev. 2.0	Total-P	0.028		mg P/L	P350710	
	SM 5310 B-00	Organic Carbon	11		mg C/L	P350673	
2018513	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.009	I	mg P/L	P350533	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: BASIN BAYOU AT INLET

Collection Date/Time: 08/20/2018 12:45

Field ID: G3NW0101

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018505	EPA 180.1 Rev. 2.0	Turbidity	1.5		NTU	P350632	
	SM 2320 B-97	Total Alkalinity	2.1	I	mg CaCO3/L	P350791	
	SM 2540 D-97	TSS	3	I	mg/L	P350810	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P350794	
2018506	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P350662	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.28		mg N/L	P350686	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P350667	
	EPA 365.1 Rev. 2.0	Total-P	0.014		mg P/L	P350710	
	SM 5310 B-00	Organic Carbon	5.7		mg C/L	P350673	
2018507	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P350533	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350632

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350633

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350843

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350846

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350662

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350686

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350667

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350710

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350533

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2120 B
Batch ID: P350541

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P350791

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-97
Batch ID: P350792

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P350818

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P350809

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P350810

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P350794

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P350673

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350843

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350846

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350662

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350686

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350667

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350710

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.9		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350533

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.3		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P350541

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P350791

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	98 - 107

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P350792

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P350794

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.2		P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.6		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P350673

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350843

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018025	Chloride	94.4		P	90 - 110
2018329	Chloride	99.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350846

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018025	Sulfate	98.4		P	90 - 110
2018329	Sulfate	99.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350686

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018546	Kjeldahl Nitrogen	108	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350667

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018510	NO2NO3-N	98.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350710

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018510	Total-P	97.8	98.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350533

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018320	O-Phosphate-P	98.5	97.7	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P350794

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018411	Fluoride	97.3	98.5	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018523	Fluoride	99.1	98.6	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P350673

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018333	Organic Carbon	96.0	97.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350632

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018452	Turbidity	4.32	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350633

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018508	Turbidity	2.33	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350843

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018025	Chloride	2.49	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350846

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018025	Sulfate	2.75	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350662

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018412	Ammonia-N	3.10	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350686

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018546	Kjeldahl Nitrogen	0.356	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350667

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018510	NO2NO3-N	0.667	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350710

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018510	Total-P	0.348	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350533

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018320	O-Phosphate-P	0.488	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P350541

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018508	Color (true)	0.540	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P350791

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018411	Total Alkalinity	0.243	Sample	P	0 - 1.6

Reference Method: SM 2320 B-97
Batch ID: P350792

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018523	Total Alkalinity	0.207	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P350818

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018411	TDS	2.82	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P350794

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018411	Fluoride	1.01	Spike	P	0 - 3.5

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018523	Fluoride	0.484	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
Batch ID: P350673

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018333	Organic Carbon	1.16	Spike	P	0 - 20

Quality Assurance Report

Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A86033

Included Lab Sample IDs: 2018507, 2018512, 2018513

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A86034

Included Lab Sample IDs: 2018508, 2018509

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	101	P/P	90 - 115
Color (true)	99.9	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A86035

Included Lab Sample IDs: 2018505, 2018508, 2018509

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	102	103	P/P	95 - 105
Turbidity	103	102	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A86049

Included Lab Sample IDs: 2018508, 2018509

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	102	P/P	90 - 110
Sulfate	103	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A86083

Included Lab Sample IDs: 2018506, 2018510, 2018511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.5	97.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A86085

Included Lab Sample IDs: 2018506, 2018510, 2018511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A86088

Included Lab Sample IDs: 2018506, 2018510, 2018511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.4	96.3	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A86122

Included Lab Sample IDs: 2018506, 2018510, 2018511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	99.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A86124

Included Lab Sample IDs: 2018506, 2018510, 2018511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	105	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A86129

Included Lab Sample IDs: 2018505, 2018508, 2018509

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110
Total Alkalinity	103	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A86129

Included Lab Sample IDs: 2018505, 2018508, 2018509

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.0	P/P	90 - 110
Fluoride	99.0	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					4.32	
	Turbidity					2.33	
EPA 300.0 Rev. 2.1	Chloride	101	94.4	99.2		2.49	
	Sulfate	99.4	98.4	99.3		2.75	
EPA 350.1 Rev. 2.0	Ammonia-N	100					3.10
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	108	108	108			0.356
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	98.8				0.667
EPA 365.1 Rev. 2.0	Total-P	97.9	97.8	98.2			0.348
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.3	98.5	97.7			0.488
SM 2120 B	Color (true)	101				0.540	
SM 2320 B-97	Total Alkalinity	104				0.243	
	Total Alkalinity	103				0.207	
SM 2540 C-97	TDS					2.82	
SM 4500 F-C-97	Fluoride	97.2	97.3	98.5			1.01
	Fluoride	99.6	99.1	98.6			0.484
SM 5310 B-00	Organic Carbon	96.4	96.0	97.8			1.16

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2018505, 2018508, 2018509
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2018508, 2018509
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2018508, 2018509
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2018506, 2018510, 2018511
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2018506, 2018510, 2018511
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2018506, 2018510, 2018511
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2018506, 2018510, 2018511
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2018507, 2018512, 2018513
SM 2120 B / E31780	True Color measured at 450 nm	2018508, 2018509
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2018505, 2018508, 2018509
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2018508, 2018509
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2018505, 2018508, 2018509
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2018505, 2018508, 2018509
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2018506, 2018510, 2018511

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/21/2018			08/21/2018 16:11	Megan Treadwell	2018505, 2018508, 2018509
EPA 300.0 Rev. 2.1	08/21/2018			08/23/2018 19:35	Lipi Saha	2018508
	08/21/2018			08/23/2018 19:47	Lipi Saha	2018509
EPA 350.1 Rev. 2.0	08/21/2018			08/23/2018 12:49	Adrian Shelby	2018506
	08/21/2018			08/23/2018 12:50	Adrian Shelby	2018510
	08/21/2018			08/23/2018 12:52	Adrian Shelby	2018511
EPA 351.2 Rev. 2.0	08/21/2018	08/24/2018 11:15	Adrian Shelby	08/27/2018 12:06	Joseph Suarez	2018506
	08/21/2018	08/24/2018 11:15	Adrian Shelby	08/27/2018 12:07	Joseph Suarez	2018510
	08/21/2018	08/24/2018 11:15	Adrian Shelby	08/27/2018 12:09	Joseph Suarez	2018511
EPA 353.2 Rev. 2.0	08/21/2018			08/23/2018 13:01	Lauren Bottorf	2018510
	08/21/2018			08/23/2018 13:12	Lauren Bottorf	2018506
	08/21/2018			08/23/2018 13:14	Lauren Bottorf	2018511
EPA 365.1 Rev. 2.0	08/21/2018	08/24/2018 12:31	Sima Feizi	08/27/2018 11:48	Beverly Y. Sanders	2018506
	08/21/2018	08/24/2018 12:31	Sima Feizi	08/27/2018 11:49	Beverly Y. Sanders	2018510
	08/21/2018	08/24/2018 12:31	Sima Feizi	08/27/2018 11:50	Beverly Y. Sanders	2018511
EPA 365.1 Rev. 2.0 dissolved	08/21/2018			08/21/2018 15:04	Virginia P. Brown	2018507, 2018512
	08/21/2018			08/21/2018 15:05	Virginia P. Brown	2018513
SM 2120 B	08/21/2018			08/21/2018 16:27	William L. Brown IV	2018508
	08/21/2018			08/21/2018 16:47	William L. Brown IV	2018509
SM 2320 B-97	08/21/2018			08/25/2018 01:28	Dale L. Simmons	2018505
	08/21/2018			08/25/2018 02:47	Dale L. Simmons	2018508
	08/21/2018			08/25/2018 03:27	Dale L. Simmons	2018509
SM 2540 C-97	08/21/2018			08/22/2018 15:33	Yijie Li	2018508, 2018509
SM 2540 D-97	08/21/2018			08/22/2018 15:33	Yijie Li	2018505, 2018508, 2018509
SM 4500 F-C-97	08/21/2018			08/25/2018 01:28	Dale L. Simmons	2018505
	08/21/2018			08/25/2018 02:47	Dale L. Simmons	2018508
	08/21/2018			08/25/2018 03:27	Dale L. Simmons	2018509
SM 5310 B-00	08/21/2018			08/23/2018 01:57	Megan Treadwell	2018506
	08/21/2018			08/23/2018 02:13	Megan Treadwell	2018510
	08/21/2018			08/23/2018 02:28	Megan Treadwell	2018511