

Chemical Analysis Report

NW-DIST-2018-11-30-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Eglin Run East**
Request ID: **RQ-2018-11-26-16**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 19-DEC-2018 14:11



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Open branch above Eglin 374

Collection Date/Time: 11/29/2018 11:15

Field ID: G3NW0105

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2045194	EPA 180.1 Rev. 2.0	Turbidity	0.85		NTU	P355419	
	EPA 300.0 Rev. 2.1	Chloride	1.5		mg Cl/L	P355698	
		Sulfate	0.62		mg SO4/L	P355700	
	SM 2120 B	Color (true)	7.6		PCU	P355431	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P355706	
	SM 2540 C-97	TDS	15	U	mg/L	P355923	
	SM 2540 D-97	TSS	2	I	mg/L	P355656	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P355709	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P355545	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P355494	
2045199	EPA 353.2 Rev. 2.0	NO2NO3-N	0.039		mg N/L	P355547	
	EPA 365.1 Rev. 2.0	Total-P	0.005	I	mg P/L	P355497	
	SM 5310 B-00	Organic Carbon	0.85	I	mg C/L	P355581	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P355433	
	dissolved						
2045204	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P355433	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Rocky Creek @ 200/201

Collection Date/Time: 11/29/2018 11:30

Field ID: G3NW0059

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2045195	EPA 180.1 Rev. 2.0	Turbidity	0.90		NTU	P355419	
	EPA 300.0 Rev. 2.1	Chloride	2.0		mg Cl/L	P355698	
		Sulfate	0.67		mg SO4/L	P355700	
	SM 2120 B	Color (true)	13		PCU	P355431	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P355706	
	SM 2540 C-97	TDS	15	U	mg/L	P355923	
	SM 2540 D-97	TSS	2	I	mg/L	P355656	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P355709	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P355545	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.094	I	mg N/L	P355494	
2045200	EPA 353.2 Rev. 2.0	NO2NO3-N	0.087		mg N/L	P355547	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P355497	
	SM 5310 B-00	Organic Carbon	1.1		mg C/L	P355581	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P355433	
2045205	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P355433	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Deer Moss Creek below College Blvd

Collection Date/Time: 11/29/2018 12:00

Field ID: G3NW0138

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2045196	EPA 180.1 Rev. 2.0	Turbidity	1.0		NTU	P355419	
	EPA 300.0 Rev. 2.1	Chloride	15		mg Cl/L	P355698	
		Sulfate	11		mg SO4/L	P355700	
		Color (true)	8.1		PCU	P355431	
	SM 2320 B-97	Total Alkalinity	25		mg CaCO3/L	P355706	
	SM 2540 C-97	TDS	77		mg/L	P355923	
	SM 2540 D-97	TSS	2	I	mg/L	P355656	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P355709	
2045201	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P355545	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.21		mg N/L	P355494	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.6		mg N/L	P355547	
	EPA 365.1 Rev. 2.0	Total-P	0.049		mg P/L	P355497	
	SM 5310 B-00	Organic Carbon	1.4		mg C/L	P355581	
2045206	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.043		mg P/L	P355433	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Mill Creek upstream of Bayshore Dr

Collection Date/Time: 11/29/2018 12:20

Field ID: G3NW0141

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2045197	EPA 180.1 Rev. 2.0	Turbidity	0.75		NTU	P355419	
	EPA 300.0 Rev. 2.1	Chloride	4.8		mg Cl/L	P355798	
		Sulfate	6.3		mg SO4/L	P355800	
	SM 2120 B	Color (true)	20		PCU	P355431	
	SM 2320 B-97	Total Alkalinity	13		mg CaCO3/L	P355706	
	SM 2540 C-97	TDS	34		mg/L	P355923	
	SM 2540 D-97	TSS	2	I	mg/L	P355656	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P355709	
2045202	EPA 350.1 Rev. 2.0	Ammonia-N	0.025		mg N/L	P355545	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.38		mg N/L	P355494	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.37		mg N/L	P355548	
	EPA 365.1 Rev. 2.0	Total-P	0.007		mg P/L	P355497	
	SM 5310 B-00	Organic Carbon	2.7		mg C/L	P355581	
2045207	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P355433	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Direct Runoff to Choctawhatchee Bay below Oregon Drive

Collection Date/Time: 11/29/2018 12:55

Field ID: G3NW0001

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2045198	EPA 180.1 Rev. 2.0	Turbidity	6.8	A	NTU	P355419	
	EPA 300.0 Rev. 2.1	Chloride	13	A	mg Cl/L	P355798	
		Sulfate	7.1	A	mg SO4/L	P355800	
		Color (true)	69	A	PCU	P355431	
	SM 2320 B-97	Total Alkalinity	56		mg CaCO3/L	P355706	
	SM 2540 C-97	TDS	102	A	mg/L	P355923	
	SM 2540 D-97	TSS	3	IA	mg/L	P355656	
	SM 4500 F-C-97	Fluoride	0.075	I	mg F/L	P355709	
2045203	EPA 350.1 Rev. 2.0	Ammonia-N	0.030		mg N/L	P355545	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.42		mg N/L	P355494	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.14		mg N/L	P355548	
	EPA 365.1 Rev. 2.0	Total-P	0.032		mg P/L	P355497	
	SM 5310 B-00	Organic Carbon	7.1		mg C/L	P355581	
2045208	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P355433	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P355419

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355698

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355700

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355798

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355800

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P355545

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P355494

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355547

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355548

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P355497

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P355433

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P355431

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P355706

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P355923

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P355656

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P355709

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P355581

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355698

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355700

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355798

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355800

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P355545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P355494

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355547

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355548

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P355497

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P355433

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.6		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P355431

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	105		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P355706

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.4		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P355709

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.8		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P355581

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.3		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355698

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045067	Chloride	98.5		P	90 - 110
2045119	Chloride	95.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355700

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045067	Sulfate	97.1		P	90 - 110
2045119	Sulfate	96.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355798

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045198	Chloride	97.1		P	90 - 110
2045351	Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045198	Sulfate	97.4		P	90 - 110
2045351	Sulfate	97.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P355545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045202	Ammonia-N	98.9	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P355494

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045199	Kjeldahl Nitrogen	110	109	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355547

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045117	NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355548

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045202	NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P355497

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P355497

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045199	Total-P	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P355433

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045205	O-Phosphate-P	97.1	97.9	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P355709

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045102	Fluoride	98.4	98.4	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P355581

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2045105	Organic Carbon	101	99.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P355419

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045198	Turbidity	0.293	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355698

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045067	Chloride	0.483	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355700

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045067	Sulfate	1.54	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355798

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045198	Chloride	1.04	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P355800

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045198	Sulfate	0.899	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P355545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045202	Ammonia-N	1.73	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P355494

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045199	Kjeldahl Nitrogen	0.479	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355547

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045117	NO2NO3-N	0.355	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P355548

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045202	NO2NO3-N	0.349	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P355497

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045199	Total-P	0.547	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P355433

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045205	O-Phosphate-P	0.821	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P355431

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045198	Color (true)	3.57	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P355706

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045102	Total Alkalinity	0.693	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P355923

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045198	TDS	2.93	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P355709

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045102	Fluoride	0.0	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
Batch ID: P355581

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2045105	Organic Carbon	1.11	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A88066

Included Lab Sample IDs: 2045194, 2045195, 2045196, 2045197, 2045198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A88072

Included Lab Sample IDs: 2045194, 2045195, 2045196, 2045197, 2045198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	105	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A88073

Included Lab Sample IDs: 2045204, 2045205, 2045206, 2045207, 2045208

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.3	98.9	P/P	90 - 110
O-Phosphate-P	99.9	99.3	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A88126

Included Lab Sample IDs: 2045199, 2045200, 2045201, 2045202, 2045203

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A88128

Included Lab Sample IDs: 2045199, 2045200, 2045201, 2045202, 2045203

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A88137

Included Lab Sample IDs: 2045199, 2045200, 2045201, 2045202, 2045203

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.9	99.1	P/P	90 - 110
Kjeldahl Nitrogen	99.1	94.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A88141

Included Lab Sample IDs: 2045199, 2045200, 2045201, 2045202, 2045203

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.0	96.4	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A88160

Included Lab Sample IDs: 2045199, 2045200, 2045201, 2045202, 2045203

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	97.8	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A88191

Included Lab Sample IDs: 2045194, 2045195, 2045196, 2045197, 2045198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	98.3	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A88191

Included Lab Sample IDs: 2045194, 2045195, 2045196, 2045197, 2045198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	101	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A88194

Included Lab Sample IDs: 2045194, 2045195, 2045196, 2045197, 2045198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	98.4	98.5	P/P	90 - 110
Chloride	99.8	101	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110
Sulfate	99.4	98.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				0.293	
EPA 300.0 Rev. 2.1	Chloride	97.7	98.5	95.9	0.483	
	Chloride	97.0	97.1	97.7	1.04	
	Sulfate	99.2	97.1	96.4	1.54	
	Sulfate	97.0	97.4	97.7	0.899	
	Ammonia-N	101	98.9	101		1.73
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	110	109		0.479
EPA 353.2 Rev. 2.0	NO2NO3-N	100	101	101		0.355
	NO2NO3-N	102	100			0.349
EPA 365.1 Rev. 2.0	Total-P	104	105	105		0.547
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.6	97.1	97.9		0.821
SM 2120 B	Color (true)	105			3.57	
SM 2320 B-97	Total Alkalinity	99.4			0.693	
SM 2540 C-97	TDS				2.93	
SM 4500 F-C-97	Fluoride	97.8	98.4	98.4		0.0
SM 5310 B-00	Organic Carbon	99.3	101	99.4		1.11

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2045194, 2045195, 2045196, 2045197, 2045198
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2045194, 2045195, 2045196, 2045197, 2045198
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2045194, 2045195, 2045196, 2045197, 2045198
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2045199, 2045200, 2045201, 2045202, 2045203
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2045199, 2045200, 2045201, 2045202, 2045203
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2045199, 2045200, 2045201, 2045202, 2045203
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2045199, 2045200, 2045201, 2045202, 2045203
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2045204, 2045205, 2045206, 2045207, 2045208
SM 2120 B / E31780	True Color measured at 450 nm	2045194, 2045195, 2045196, 2045197, 2045198
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2045194, 2045195, 2045196, 2045197, 2045198
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2045194, 2045195, 2045196, 2045197, 2045198
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2045194, 2045195, 2045196, 2045197, 2045198
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2045194, 2045195, 2045196, 2045197, 2045198
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2045199, 2045200, 2045201, 2045202, 2045203

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/30/2018			11/30/2018 16:07	Megan Treadwell	2045194, 2045195, 2045196, 2045197, 2045198
EPA 300.0 Rev. 2.1	11/30/2018			12/06/2018 08:13	Lipi Saha	2045194
	11/30/2018			12/06/2018 08:25	Lipi Saha	2045195
	11/30/2018			12/06/2018 08:37	Lipi Saha	2045196
	11/30/2018			12/06/2018 14:26	Lipi Saha	2045198
	11/30/2018			12/06/2018 15:14	Lipi Saha	2045197
EPA 350.1 Rev. 2.0	11/30/2018			12/04/2018 12:47	Adrian Shelby	2045199
	11/30/2018			12/04/2018 12:48	Adrian Shelby	2045200
	11/30/2018			12/04/2018 12:50	Adrian Shelby	2045201
	11/30/2018			12/04/2018 12:51	Adrian Shelby	2045202
	11/30/2018			12/04/2018 12:56	Adrian Shelby	2045203
EPA 351.2 Rev. 2.0	11/30/2018	12/03/2018 17:15	Adrian Shelby	12/04/2018 15:03	Joseph Suarez	2045199
	11/30/2018	12/03/2018 17:15	Adrian Shelby	12/04/2018 15:08	Joseph Suarez	2045200
	11/30/2018	12/03/2018 17:15	Adrian Shelby	12/04/2018 15:12	Joseph Suarez	2045201
	11/30/2018	12/03/2018 17:15	Adrian Shelby	12/04/2018 15:14	Joseph Suarez	2045202
	11/30/2018	12/03/2018 17:15	Adrian Shelby	12/04/2018 15:15	Joseph Suarez	2045203
EPA 353.2 Rev. 2.0	11/30/2018			12/04/2018 13:38	Lauren Bottorf	2045199
	11/30/2018			12/04/2018 13:39	Lauren Bottorf	2045200
	11/30/2018			12/04/2018 13:41	Lauren Bottorf	2045201
	11/30/2018			12/04/2018 13:48	Lauren Bottorf	2045202
	11/30/2018			12/04/2018 13:56	Lauren Bottorf	2045203
EPA 365.1 Rev. 2.0	11/30/2018	12/03/2018 15:45	Adrian Shelby	12/05/2018 12:38	Beverly Y. Sanders	2045199
	11/30/2018	12/03/2018 15:45	Adrian Shelby	12/05/2018 12:39	Beverly Y. Sanders	2045200
	11/30/2018	12/03/2018 15:45	Adrian Shelby	12/05/2018 12:40	Beverly Y. Sanders	2045201
	11/30/2018	12/03/2018 15:45	Adrian Shelby	12/05/2018 12:41	Beverly Y. Sanders	2045202
	11/30/2018	12/03/2018 15:45	Adrian Shelby	12/05/2018 12:42	Beverly Y. Sanders	2045203
EPA 365.1 Rev. 2.0 dissolved	11/30/2018			11/30/2018 16:13	Jhamieka S. Greenwood	2045205
	11/30/2018			11/30/2018 16:28	Jhamieka S. Greenwood	2045208
	11/30/2018			11/30/2018 16:29	Jhamieka S. Greenwood	2045206
	11/30/2018			11/30/2018 16:30	Jhamieka S. Greenwood	2045207
	11/30/2018			11/30/2018 16:32	Jhamieka S. Greenwood	2045204
SM 2120 B	11/30/2018			11/30/2018 16:04	Chelsea Hernandez	2045194
	11/30/2018			11/30/2018 16:05	Chelsea Hernandez	2045195
	11/30/2018			11/30/2018 16:06	Chelsea Hernandez	2045196
	11/30/2018			11/30/2018 16:07	Chelsea Hernandez	2045197
	11/30/2018			11/30/2018 16:08	Chelsea Hernandez	2045198
SM 2320 B-97	11/30/2018			12/05/2018 03:31	Dale L. Simmons	2045194
	11/30/2018			12/05/2018 03:44	Dale L. Simmons	2045195
	11/30/2018			12/05/2018 03:54	Dale L. Simmons	2045196

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-97	11/30/2018			12/05/2018 04:04	Dale L. Simmons	2045197
	11/30/2018			12/05/2018 04:15	Dale L. Simmons	2045198
SM 2540 C-97	11/30/2018			12/04/2018 13:26	Yijie Li	2045194, 2045195, 2045196, 2045197, 2045198
SM 2540 D-97	11/30/2018			12/04/2018 13:26	Yijie Li	2045194, 2045195, 2045196, 2045197, 2045198
SM 4500 F-C-97	11/30/2018			12/05/2018 03:31	Dale L. Simmons	2045194
	11/30/2018			12/05/2018 03:44	Dale L. Simmons	2045195
	11/30/2018			12/05/2018 03:54	Dale L. Simmons	2045196
	11/30/2018			12/05/2018 04:04	Dale L. Simmons	2045197
	11/30/2018			12/05/2018 04:15	Dale L. Simmons	2045198
SM 5310 B-00	11/30/2018			12/04/2018 05:17	Megan Treadwell	2045199
	11/30/2018			12/04/2018 05:31	Megan Treadwell	2045200
	11/30/2018			12/04/2018 05:44	Megan Treadwell	2045201
	11/30/2018			12/04/2018 05:56	Megan Treadwell	2045202
	11/30/2018			12/04/2018 06:08	Megan Treadwell	2045203