



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

Owl Creek

WIN Station Name:

Date: 6/4/2018

(mm/dd/yyyy)

WIN ID/ Field ID G1TLHR0010

WBID: 3574

Latitude: 29.9232

(Decimal Degrees)

County: Lafayette

ORG ID: 21FTLHR

Longitude: 83.27118

(Decimal Degrees)

Receiving Body of Water: Steinhatchee River

RQ - 2018-05-14-31

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Duplicate Collection	Blank Collection
Chris Green		☒	☒	☒	☒	☒	☒	☒
Jade Burtchett		☒	☒	☒	☒	☒	☒	☒

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with: <u>Secchi</u>		
Equipment ID: <u>#2</u>		

Collection Method		
☒ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low/ Normal/ High/ Flooded		Meter ID# PRO DSS 153484	Matrix: <u>Fresh</u> / Marine / DI
Photos: <u>Yes</u> / No	Flow: No Flow / Intestinal / Flowing/ NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High <u> </u> Low <u> </u>

Field Sample

(Bracket Sample Time)

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Sp COND (umhos/cm)	Temp. (C°)
EST	12:35	0.2	0.1	0.25	5.28	64.8	7.03	0.07	152.4	25.8
CEN										

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4	SAR085170	3/26/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHL SUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

QA/QC Sample Information Duplicate

Time Zone: <u>EST</u> CEN		Time: <u>12:40</u>		Field ID: <u>G1TLHR0010DUP</u>	
(WIN ID + DUP)					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Chec
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	<u>SA8085170</u>	<u>3/26/19</u>	☒ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ < 2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			
Place Preservative Sticker(s) Here (If Available)					

Blank

Time Zone: <u>EST</u> CEN		Time: <u>12:30</u>		Field ID: <u>BLANK_06042018</u>	
(BLANK_DDMMYYYY)					
DI Source: <u>Carboy 2</u>		Location: <u>Owl Creek</u>			
☒ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank		Equipment ID: _____			
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Chec
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	<u>SA8085170</u>	<u>3/26/19</u>	☒ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ < 2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			
Place Preservative Sticker(s) Here (If Available)					

Notes:

Place Label Here

Signature: Ch 3

Date: 6-4-2018

Enter Field Parameters, Verify Station ID In LIMS DMT: Ch 7-9-18
(Initials/Date)

QC Station ID, Field Parameters In LIMS DMT: _____
(Initials/Date)

Scan/Save Field Sheets Ch 7-9-18 Migrate Data to WIN: _____ Verify Data In WIN: _____

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter ID: ProD55

RQ-

Project: SMP 2018

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 4/17

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Burtchett	6/4/18	7:57	22.9	860	860	100	-	1.09	P/F	L/F
ICV			8:07	22.5	866	867	100	-	-	P/F	L/F
CCV	Chris Green	6/4/18	15:12	26.1	-	8.13	100.4	-	-	P/F	L/F
CCV										P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	J. Burtchett	6/4/18	7:59	180403A	04/19	1000	1000	P/F	L/F
ICV			8:09	2802833	01/20	100	100	P/F	L/F
CCV	Chris Green	6/4/18	15:09	17063013	7/18	500	498	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Burtchett	6/4/18	8:01	171121A	04/19	7.0	7.0	-22.1	P/F	L/F
Calibr.			8:03	180116D	01/19	4.0	4.0	137.6	P/F	L/F
Calibr.			8:05	180221E	09/19	10.0	10.0	-178.2	P/F	L/F
ICV			8:11	180221E	09/19	10.0	10.0	179.4	P/F	L/F
CCV	Chris Green	6/4/18	15:06	171121A	06/19	7.0	7.0	7.0	P/F	L/F
CCV							7.19		P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 , slope from 4 to 7 (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? Yes / No If yes, list date of last quarterly depth verification 4/17

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value meters	Pass / Fail	Lab / Field
Pressure mode in air						P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

8034

8034

Relinquished By: <i>C. Leonard</i>	Date/Time <i>6/4/10 -</i>	Shipping Method <i>Hand</i>	Number of Coolers Shipped: <i>1</i>	Received By: <i>[Signature]</i>	Date/Time <i>6/4/18</i>
---------------------------------------	------------------------------	--------------------------------	--	------------------------------------	----------------------------

Date/Time 6/4/11

1500

