



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

October 2017

Qualified Data

YES

Location/STORET Station Name: Polk Creek @ End of Merry Robin Rd Date: 1/9/2018

STORET # G1TLHR0055 WBID: 496 Latitude: 30.4307722

County: Leon RQ - 2018-01-06-21 ORG ID: 21FLTLHR Longitude: 84.5148575

Receiving Body of Water: Lake Talquin Field ID: G1TLHR0055

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
Jon Woods Jennie Tolbert					☒	☒	☒	☒	☒	☒ Sample Container	☐ Van Dorn	☐ Pole
										☐ Carboy	☒ Syringe	☐ Other
										Equipment ID		
										Collection Method		
										☒ Wading	☐ Canoe/Kayak	
										☐ From Shore	☐ Electric Motor	
										☐ Other	☐ Gasoline Motor	

Water Level: Dry / Low / Normal / Above Normal / Flooded Meter ID# 1146157 Matrix: Fresh / Marine / DI

Photos: Yes / No Flow: No Flow / Intestinal / Flowing / NA Tide: Rising / Falling / Slack / NA Tide Times: High Low

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Secchi Disk (m)	Sp COND (umhos/cm)	Temp. (C°)
EST	1010	0.1	0.2	10.20	95.7	4.50	0.01	0.2	26	12.26
CEN								S		

Biological Samples Collected: None ☒ HA ☒ SC ☒ RPS ☒ Algae ID ☒ LVI Other

SBIO ID Numbers: SBIO-ID: 32072 HA-ID: 14993 RPS-ID: 8894 Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	7875010	10/2/18	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☒ Ice			
Tracers	☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
	☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Other			

Notes: SOLCH visible on bottom
SC1 @ 1020


WBID 896 Field ID↑ STORET↓
Polk Creek @ End of Merry Robin Rd
G1TLHR0055

Signature: [Signature] Date: 1/9/18

Field Parameters Entered into LIMS: [Signature] 1-31-18 Field Parameters QC in LIMS: [Signature] 1/31/18

Date Migrated to STORET: [Signature] (Initials/Date) Field Sheets Scanned/Saved: [Signature] (Initials/Date)

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: GATHEROOS
 Date: 1/9/18
 Sampler: Woods/10/16/18

100 m: Latitude _____
 Longitude _____
 0 m: Latitude _____
 Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☐ S Snags 0.133
☐ R Roots/undercut banks 0.25
☐ L Leaf Packs (or mats) 3.67
☐ A Aquatic Macrophytes _____
☐ K ROCK _____
☐ Pools total # observed = _____
 # range expected = _____

Average width 3 m
 Average depth 0.2 m

Velocity measured at 50 meter mark.

WQ & chemistry taken at 50 meter mark.

Habitat Smothering:
 Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
 Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
 Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

0.75 R
4.0 S
11.0 L

Length of grid represents 100 m of stream (not linear meters).
 (Horizontal scale is double vertical scale, draw proportionately).

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>8034</u>		STORET STATION NUMBER: <u>GITHROOSS</u>	DATE (MM/DD/YY): <u>1/9/18</u>	RECEIVING BODY OF WATER: <u>Lake Talquin</u>
REMARKS:	COUNTY: <u>Leon</u>	LOCATION: <u>Polk creek</u> <u>GITHROOSS</u> messy Robin		FIELD ID/NAME:

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock]	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>8</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>5</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>20</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>17</u> ----- Primary Score <u>50</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>18</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>8</u> Left Bank <u>8</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>10</u> Left Bank <u>9</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>10</u> Left Bank <u>16</u> ----- Secondary Score <u>73</u>	10 9	8 7 6	5 4	3 2 1

123

TOTAL SCORE

Date: <u>1/9/18</u>	Analyst: <u>Woods/Tolbert</u>	Signature: <u>[Signature]</u>
---------------------	-------------------------------	-------------------------------

SBD2: JTR 1-31-18

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID _____ ORG ID 6034 LATITUDE _____
 COUNTY Leon STORET # GITHR0055 LONGITUDE _____
 DATE 1/9/18 TIME 1010 SAMPLING AGENCY _____
 SITE NAME polk creek @ End of Merry Robin Rd
 FIELD ID/NAME GITHR0055 RECEIVING BODY OF WATER Lake Talquin

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural <u>30</u> Silviculture <u>40</u> Field/Pasture <u> </u> Agricultural <u> </u> Residential <u>30</u> Commercial <u> </u> Industry <u> </u> Other (Specify) <u> </u>							Landscape Development Intensity Index (LDI) <u> </u>
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect <u>3</u> m wide <u>0.33</u> m/s <u>0.33</u> m/s <u>0.33</u> m/s <u>0.2</u> m deep <u>0.2</u> m deep <u>0.2</u> m deep			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: <u>6-12</u> Right Bank: <u>7-8</u>		Hydrologic Modification Score (per FT 3101) <u> </u>		High Water Mark: <u>0.4</u> + <u>0.2</u> = <u>0.6</u> (m) (above present water level) (present depth) (above bed)			
Artificially Impounded ☐ Yes ☒ No		Artificially Channelized: ☒ No ☐ Mostly recovered, more sinuous ☐ Some recovery ☐ Recent, severe					
Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)				Artificially Channelized: ☐ Some recovery ☐ Recent, severe			

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse		Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify): <u> </u>		Smothering of Substrates Sand Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐	
SUBSTRATE TYPE Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon			WATER QUALITY Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: <u>0.1</u> <u>12.28</u> <u>4.50</u> <u>10.20</u> <u>95.7</u> <u>26</u> <u>0.01</u> <u>0.2</u> Mid: <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> Bottom: <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> Meter ID: <u>116157</u> TOTAL DEPTH: <u>0.2</u>		
Woody Debris (Snags) <u>1.33</u> <u>7</u> <u> </u> Undercut Banks / Roots <u>0.25</u> <u>2</u> <u> </u> Leaf Packs or Mat <u>3.67</u> <u>7</u> <u> </u> Aquatic Vegetation <u>0</u> <u> </u> <u> </u> Rock or Shell Rubble.. <u>0</u> <u> </u> <u> </u> Sand..... <u>94.75</u> <u>4</u> <u> </u> Mud / Muck / Silt <u> </u> <u> </u> <u> </u> Other <u> </u> <u> </u> <u> </u> Other <u> </u> <u> </u> <u> </u>		Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐ Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: <u>7275010</u> Exp: <u>10/2/16</u>			
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☒ ☒ ☐ ☐ Fish: ☒ ☐ ☐ ☐ Aquatic Plants: ☒ ☐ ☐ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐		Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐ Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify) ☐ Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐			
System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify) ☐			AMBIENT FIELD CONDITIONS / NOTES: <u>SCI @ 1020</u> ☒ The antecedent hydrologic conditions have been met to my best knowledge.		

SAMPLING TEAM

Woods / Tolbert

SIGNATURE:

[Signature]

DATE

1/9/18

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>GITLHROOSS</u>					County: <u>Leon</u>		Date: <u>1/9/18</u>		Investigators: <u>Woods/Tolbert</u>	
					STORET Station Number: <u>GITLHROOSS</u>					

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	
0	1	N	N		60	1	N	N		
	2					2				
	3					3				
	4					4				
	5			96		5			96	
	6					6				
	7					7				
	8					8				
	9					9				
10	1				70	1				
	2					2				
	3					3				
	4					4				
	5			96		5			96	
	6					6				
	7					7				
	8					8				
	9					9				
20	1				80	1				
	2					2				
	3					3				
	4					4				
	5			96		5			96	
	6					6				
	7					7				
	8					8				
	9					9				
30	1				90	1				
	2					2				
	3					3				
	4					4				
	5			96		5			96	
	6					6				
	7					7				
	8					8				
	9					9				
40	1				100	1				
	2					2				
	3					3				
	4					4				
	5			96		5			96	
	6					6				
	7					7				
	8					8				
	9					9				
50	1					1				
	2					2				
	3					3				
	4					4				
	5			96		5				
	6					6				
	7					7				
	8					8				
	9					9				

Secchi depth	<u>0.2</u>
Estimated?	<u>N</u>

# points ranked 4-6	<u>0</u>
total points assessed	
% points ranked 4-6	

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	<u>X</u>
Habitat Assessment	<u>X</u>
SCI/Biorecon	<u>X</u>
Water sample	<u>X</u>
RQ-2018-01-04-21	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

SBI: 1-31-18

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET			
Waterbody: Polk Creek @ Merry Rob's	Date: 1/9/13	County: Leary	Storet Number: G-174R0058

Analyst: Woods/Tolbert Signature: [Signature]

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

62-160.800, F.A.C. page 1 of 2 Revision Date: March 1, 2014

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: TLH-ROC

Requester: Chris Green

Field Report Prepared By: Woods

Project ID: SMP

Collected By: Woods / TolbertSampling Agency: 6034

Location		G1TLHR0055		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	WBID 896	Field ID	STORET	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)	(See pg 2)	
WIN/STORE	Polk Creek @ End of Merry Robin Rd	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)			
Latitude	dd Longitude dms	Temp (C)	12.26	pH	4.50	Sample Depth	0.1	Sp. Conductance (umho/cm)	
		Salinity (ppt)	0.01	Comments	Add SCI				
Location		G1TLHR0052		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	WBID 757	Field ID	STORET	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)	(See pg 2)	
WIN/STORE	Bear Creek @ SR 267	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)			
Latitude	dd Longitude dms	Temp (C)	13.67	pH	6.23	Sample Depth	0.15	Sp. Conductance (umho/cm)	
		Salinity (ppt)	0.01	Comments	32				
Location		G1TLHR0082		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	WBID 896	Field ID	STORET	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)	(See pg 2)	
WIN/STORE	Polk Creek @ End of Merry Robin Rd	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	mg/L	Total Res. Chlorine (mg/L)			
Latitude	dd Longitude dms	Temp (C)	12.26	pH	4.50	Sample Depth	0.1	Sp. Conductance (umho/cm)	
		Salinity (ppt)	0.01	Comments	Add SCI				

Relinquished By: <u>Woods</u>	Date/Time: <u>1/9/18 1512</u>	Shipping Method: <u>HD</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>ADD</u>	Date/Time: <u>1-9-18 15:12</u>
-------------------------------	-------------------------------	----------------------------	-------------------------------------	-------------------------	--------------------------------

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter ID:

118157

RQ:

Project:

GI SMP 1601

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

10/17

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Jon Woods	1/9/18	811	14.6		10.13	100	—	1.01	P/F	L/F
ICV	"	"	826	19.3	9.220	9.25	100	—	—	P/F	L/F
CCV	"	"	1405	19.8	9.129	9.29	101	—	—	P/F	L/F
CCV										P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Jon Woods	1/9/18	816	171121D	12/18	1000	1000	P/F	L/F
ICV	"	"	825	2710761	9/19	100	99	P/F	L/F
CCV	"	"	1406	171031B	11/18	1000	990	P/F	L/F
CCV	"	"	1406	2710761	9/19	100	100	P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Jon Woods	1/9/18	819	171121A	6/19	7.0	7.0	-50.6	P/F	L/F
Calibr.	"	"	820	171121C	12/18	4.0	4.0	118	P/F	L/F
Calibr.	"	"	821	171121B	6/19	10.0	10.0	-220	P/F	L/F
ICV	"	"	823	"	"	10.0	10.0	-223	P/F	L/F
CCV	"	"	1410	170926B	10/18	4.0	4.1	115	P/F	L/F
CCV									P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 169.4, slope from 4 to 7 166.6 (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? Yes / No If yes, list date of last quarterly depth verification

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value meters	Pass / Fail	Lab / Field
Pressure mode in air						P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: