

Chemical Analysis Report

TLH-ROC-2018-01-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **kit A w/ bacteria**
Request ID: **RQ-2018-01-01-24**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 01-FEB-2018 11:17

A handwritten signature in black ink, appearing to read "Colin Wright", is written on a light-colored rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: BIG CYPRESS BRANCH@NE CR67

Collection Date/Time: 01/10/2018 10:20

Field ID: G1TLHR0085

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1958557	EPA 180.1 Rev. 2.0	Turbidity	6.8		NTU	P338121	
	EPA 300.0 Rev. 2.1	Chloride	28		mg Cl/L	P338248	
		Sulfate	85		mg SO4/L	P338418	
	SM 2120 B	Color (true)	46	A	PCU	P338107	
	SM 2320 B-97	Total Alkalinity	107		mg CaCO3/L	P338317	
	SM 2540 C-97	TDS	306	A	mg/L	P338390	
	SM 2540 D-97	TSS	7	IA	mg/L	P338549	
	SM 4500 F-C-97	Fluoride	0.16		mg F/L	P338319	
1958559	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P338306	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.39		mg N/L	P338329	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.01	I	mg N/L	P338177	
	EPA 365.1 Rev. 2.0	Total-P	0.070		mg P/L	P338171	
	SM 5310 B-00	Organic Carbon	7.9		mg C/L	P338323	
1958561	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.032		mg P/L	P338137	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: ROCKY COMFORT CREEK

Collection Date/Time: 01/10/2018 14:00

Field ID: G1TLHR0086

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1958558	EPA 180.1 Rev. 2.0	Turbidity	6.0		NTU	P338121	
	EPA 300.0 Rev. 2.1	Chloride	6.5		mg Cl/L	P338248	
		Sulfate	0.78		mg SO4/L	P338250	
	SM 2120 B	Color (true)	40		PCU	P338107	
	SM 2320 B-97	Total Alkalinity	22		mg CaCO3/L	P338673	
	SM 2540 C-97	TDS	31		mg/L	P338390	
	SM 2540 D-97	TSS	5	I	mg/L	P338549	
	SM 4500 F-C-97	Fluoride	0.078	I	mg F/L	P338677	
1958560	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P338306	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.29		mg N/L	P338329	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.44		mg N/L	P338177	
	EPA 365.1 Rev. 2.0	Total-P	0.082		mg P/L	P338171	
	SM 5310 B-00	Organic Carbon	3.0		mg C/L	P338323	
1958562	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.036		mg P/L	P338137	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P338121

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338248

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338250

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338418

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P338306

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P338329

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P338177

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P338171

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P338137

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P338107

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P338317

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-97
Batch ID: P338673

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P338390

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P338549

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P338319

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P338677

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P338323

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338248

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	108		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338250

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338250

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	108		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338418

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P338306

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P338329

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P338177

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P338171

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.6		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P338137

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.2		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P338317

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	95 - 108

Reference Method: SM 2320 B-97
Batch ID: P338673

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.8		P	95 - 108

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P338319

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.0		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P338677

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.6		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P338323

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338248

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958469	Chloride	107		P	90 - 110
1958470	Chloride	107		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338250

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958469	Sulfate	107		P	90 - 110
1958470	Sulfate	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338418

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958884	Sulfate	91.4		P	90 - 110
1959125	Sulfate	92.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P338306

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958475	Ammonia-N	105	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P338329

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958628	Kjeldahl Nitrogen	96.1	100	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P338177

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958479	NO2NO3-N	101	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P338171

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958559	Total-P	98.0	93.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P338137

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958481	O-Phosphate-P	98.0	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P338319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958892	Fluoride	93.6	92.9	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P338677

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1959526	Fluoride	95.7	95.7	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P338323

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1958475	Organic Carbon	94.0	94.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P338121

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958637	Turbidity	1.08	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338248

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958469	Chloride	0.313	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338250

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958469	Sulfate	0.746	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P338418

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1959125	Sulfate	1.41	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P338306

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958475	Ammonia-N	1.66	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P338329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958628	Kjeldahl Nitrogen	3.11	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P338177

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958479	NO2NO3-N	3.02	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P338171

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958559	Total-P	4.36	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P338137

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958481	O-Phosphate-P	2.08	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P338107

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958557	Color (true)	1.75	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P338317

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958892	Total Alkalinity	0.130	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P338673

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1959526	Total Alkalinity	0.728	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P338390

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958557	TDS	5.55	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P338319

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958892	Fluoride	0.490	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P338677

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1959526	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P338323

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1958475	Organic Carbon	0.338	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A81397
Included Lab Sample IDs: 1958557, 1958558

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	101	P/P	90 - 110
Sulfate	102	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A81418

Included Lab Sample IDs: 1958557, 1958558

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	102	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A81425

Included Lab Sample IDs: 1958557, 1958558

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A81428

Included Lab Sample IDs: 1958561, 1958562

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.0	98.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A81440

Included Lab Sample IDs: 1958559, 1958560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.0	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A81458

Included Lab Sample IDs: 1958559, 1958560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A81474

Included Lab Sample IDs: 1958559, 1958560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	106	107	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A81475

Included Lab Sample IDs: 1958557

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.1	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A81475

Included Lab Sample IDs: 1958557

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	97.2	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-00

Run ID: A81480

Included Lab Sample IDs: 1958559, 1958560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	93.4	92.4	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A81524

Included Lab Sample IDs: 1958557

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sulfate	103	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A81550

Included Lab Sample IDs: 1958559, 1958560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A81614

Included Lab Sample IDs: 1958558

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.9	97.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A81614

Included Lab Sample IDs: 1958558

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.1	99.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.08	
EPA 300.0 Rev. 2.1	Chloride	108	107	107	0.313	
	Sulfate	108	107	105	0.746	
	Sulfate	94.0	92.7	91.4	1.41	
EPA 350.1 Rev. 2.0	Ammonia-N	106	105	102		1.66
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	108	96.1	100		3.11
EPA 353.2 Rev. 2.0	NO2NO3-N	102	101	98.0		3.02
EPA 365.1 Rev. 2.0	Total-P	98.6	98.0	93.0		4.36
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.2	98.0	101		2.08
SM 2120 B	Color (true)				1.75	
SM 2320 B-97	Total Alkalinity	101			0.130	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
SM 2320 B-97	Total Alkalinity	98.8				0.728	
SM 2540 C-97	TDS					5.55	
SM 4500 F-C-97	Fluoride	96.0	93.6	92.9			0.490
	Fluoride	94.6	95.7	95.7			0.0
SM 5310 B-00	Organic Carbon	94.4	94.0	94.4			0.338

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1958557, 1958558
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1958557, 1958558
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1958557, 1958558
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1958559, 1958560
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1958559, 1958560
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1958559, 1958560
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1958559, 1958560
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1958561, 1958562
SM 2120 B / E31780	True Color measured at 450 nm	1958557, 1958558
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1958557, 1958558
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1958557, 1958558
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1958557, 1958558
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1958557, 1958558
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1958559, 1958560

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	01/10/2018			01/11/2018 14:38	DeAsia Armster	1958557, 1958558
EPA 300.0 Rev. 2.1	01/10/2018			01/13/2018	Julia Storbeck	1958557, 1958558
	01/10/2018			01/17/2018	Julia Storbeck	1958557
EPA 350.1 Rev. 2.0	01/10/2018			01/16/2018	Sofia Elnemr	1958559, 1958560
EPA 351.2 Rev. 2.0	01/10/2018	01/17/2018	Adrian Shelby	01/19/2018	Joseph Suarez	1958559, 1958560
EPA 353.2 Rev. 2.0	01/10/2018			01/12/2018	Lauren Bottorf	1958559, 1958560
EPA 365.1 Rev. 2.0	01/10/2018	01/12/2018	Sima Feizi	01/16/2018	Lipi Saha	1958559, 1958560
EPA 365.1 Rev. 2.0 dissolved	01/10/2018			01/11/2018 13:08	Megan Treadwell	1958561
	01/10/2018			01/11/2018 13:09	Megan Treadwell	1958562
SM 2120 B	01/10/2018			01/11/2018 15:15	Tanya Welborn	1958557
	01/10/2018			01/11/2018 15:16	Tanya Welborn	1958558
SM 2320 B-97	01/10/2018			01/17/2018	Dale L. Simmons	1958557
	01/10/2018			01/23/2018	Dale L. Simmons	1958558
SM 2540 C-97	01/10/2018			01/13/2018	Yijie Li	1958557, 1958558
SM 2540 D-97	01/10/2018			01/13/2018	Yijie Li	1958557, 1958558
SM 4500 F-C-97	01/10/2018			01/17/2018	Dale L. Simmons	1958557
	01/10/2018			01/23/2018	Dale L. Simmons	1958558
SM 5310 B-00	01/10/2018			01/16/2018	Megan Treadwell	1958559, 1958560