

Log-in Checklist

RQ- 2018-01-01-24

Shipping Method: HD

Date/Time of Receipt: 2-12-18 / 15:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	3.9C	10		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☐ No ☐

**Sufficient Sample Volume: Yes ☐ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: AD

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: AD

Coolers Unpacked/Checked by: AD Date: 2-12-18 NCRs (Y/N)? ☐

Event ID: kit A w/ bacteria NCR #

TLH-ROC-2018-02-12-01 (SMP)
Date Received: 12-FEB-2018 15:30

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection

Central Laboratory Submittal Form

kit A w/ bacteria

last revised Apr 7, 2016

Customer: TLH-ROC

Requester: Chris Green

Field Report Prepared By: J. Burtchett

Project ID: SMP

Collected By: J. Burtchett, J. Tolbert

Sampling Agency: 8034

Location	Field/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/12/18 Time 1050	Eastern Central	Composite end Date - Time -	Bottle Group(s) (See pg 2)
Field ID	Location	G1TLHR0004	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET			Temp (C) 19.69	pH 7.24	Sample Depth 0.15	Sp. Conductance (umho/cm) 268	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.13	Comments		
Location	Field/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/12/18 Time 1140	Eastern Central	Composite end Date - Time -	Bottle Group(s)
Field ID	Location	G1TLHR0060	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET			Temp (C) 20.07	pH 7.59	Sample Depth 0.3	Sp. Conductance (umho/cm) 367	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.19	Comments		
Location	Field ID	STORET #	☐ Comp ☐ Grab	Collection (comp begin or grab) Date - Time -	Eastern Central	Composite end Date - Time -	Bottle Group(s)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Field ID	STORET #	☐ Comp ☐ Grab	Collection (comp begin or grab) Date - Time -	Eastern Central	Composite end Date - Time -	Bottle Group(s)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: JB, JT	Date/Time: 2/12/18:1526	Shipping Method: HD	Number of Coolers Shipped: 1	Received By: Tylor	Date/Time: 02/12/18 3:30p
-------------------------	-------------------------	---------------------	------------------------------	--------------------	---------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>232</u>
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>232</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>232</u>
	ECOLI-18QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 20	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>232</u>
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 20	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>32</u>
	W-PO4-F						
Group: B	Bottle Type:	PJ-2L	# of Bottles: 30	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	<u>0</u>
	MI-FW-QLDC						

Date of Request: 11-DEC-2017
 Created By: GREEN_C On: 11-DEC-2017
 Modified By: SWANSON_C On: 12-DEC-2017
 Customer: TLH-ROC
 Project: SMP
 Division:
 District: Not Applicable
 Sampling Event: kit A w/ bacteria

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Chris Green

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 12-DEC-2017
 Biology Request Reviewed By: SWANSON_C On: 12-DEC-2017
 Sampling Kit Required: YES Ship on: 28-DEC-2017
 Sampling Kit Shipped: YES On: 28-DEC-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 01-JAN-2018
 Received By: REYNOLDS_T On: 12-FEB-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: no FedEx bills
 no zip ties
 it will take us the whole month of Jan. to collect all of the SCI's

Bottle Group A (Water) With 20 Samples:

Bottle Type: P-1L	Number of Bottles: 20	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 20	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 20	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 20	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 20	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 15 Samples:

Bottle Type: PJ-2L Number of Bottles: 30 Preserved With: Formalin

Bottle Group B (Biological) With 15 Samples:

Bottle Type: PJ-2L Number of Bottles: 30 Preserved With: Formalin
MI-FW-QLDC Template: DEFAULT (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.