

RQ-2018-02-28-64 (39)

Log-in Checklist

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 02/28/18 @ 3:53p

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
KEO	3.0°C	13		✓			
KEO	0.8°C	13		✓			
KEO	1.5°C	16		✓			
KEO	0.4°C	16		✓			
KEO	2.6°C	13		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ☒ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ☒ No _____ **Containers intact? Yes ☒ No _____

**Sufficient Sample Volume: Yes _____ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		☒	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		☒	W-PCL-SQ-R		☒
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		☒
W-PAH (-R)			W-PSNP-TQ		☒

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No _____ NA _____ Init: J.D.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ☒ Init: J.D.

Coolers Unpacked/Checked by: J.D. Date: 2/28/18 NCRs (Y/N)? _____

Event ID: A-b/t/m
TLH-ROC-2018-02-28-01 (SMP)
 Date Received: 28-FEB-2018 15:5
RFF-4-5-2

NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes ☐ No ☐

If no, were samples shipped on dry ice? Yes ☐ No ☐

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes ☐ No ☐

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: TLH-ROC

Project ID: SMP

Requester: Chris Green

Collected By:

J. Burtchett, C. Green

Field Report Prepared By:

J. Burtchett

Sampling Agency:

8034

Location	Field ID	Field/WIN ID	Location	WIN/STORE	Latitude	☐ Comp ☒ Grab Collection (comp begin or grab) Date <u>2/28/18</u> Time <u>935</u>	☒ Eastern ☐ Central Composite end Date <u>-</u> Time <u>-</u>	Diss. Oxygen <u>8.81</u> mg/L ☐ % sat Total Res. Chlorine <u>-</u> (mg/L)	Temp (C) <u>16.65</u> pH <u>6.46</u> Sample Depth <u>0.15</u>	Sp. Conductance <u>88</u> (umho/cm)	Bottle Group(s) (See pg 2) <u>A</u>
Lexington Creek @ John Hancock Dr						Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>			Salinity (ppt) <u>0.04</u> ☐ dms	Comments	
Location	Field ID	Field/WIN ID	Location	WIN/STORE	Latitude	☐ Comp ☒ Grab Collection (comp begin or grab) Date <u>2/28/18</u> Time <u>1005</u>	☒ Eastern ☐ Central Composite end Date <u>-</u> Time <u>-</u>	Diss. Oxygen <u>6.53</u> mg/L ☐ % sat Total Res. Chlorine <u>-</u> (mg/L)	Temp (C) <u>16.86</u> pH <u>6.85</u> Sample Depth <u>0.15</u>	Sp. Conductance <u>183</u> (umho/cm)	Bottle Group(s) <u>A</u>
Lake Overstreet Drain @ N Meridian Rd						Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>			Salinity (ppt) <u>0.09</u> ☐ dd ☐ dms	Comments	
Location	Field ID	Field/WIN ID	Location	WIN/STORE	Latitude	☐ Comp ☒ Grab Collection (comp begin or grab) Date <u>2/28/18</u> Time <u>1055</u>	☒ Eastern ☐ Central Composite end Date <u>-</u> Time <u>-</u>	Diss. Oxygen <u>9.38</u> mg/L ☐ % sat Total Res. Chlorine <u>-</u> (mg/L)	Temp (C) <u>17.42</u> pH <u>6.00</u> Sample Depth <u>0.15</u>	Sp. Conductance <u>32</u> (umho/cm)	Bottle Group(s) <u>A</u>
BEAR CREEK @ SR267						Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>			Salinity (ppt) <u>0.01</u> ☐ dd ☐ dms	Comments	
Location	Field ID	Field/WIN ID	Location	WIN/STORE	Latitude	☐ Comp ☒ Grab Collection (comp begin or grab) Date <u>2/28/18</u> Time <u>1115</u>	☒ Eastern ☐ Central Composite end Date <u>-</u> Time <u>-</u>	Diss. Oxygen <u>8.97</u> mg/L ☐ % sat Total Res. Chlorine <u>-</u> (mg/L)	Temp (C) <u>17.51</u> pH <u>4.48</u> Sample Depth <u>0.3</u>	Sp. Conductance <u>21</u> (umho/cm)	Bottle Group(s) <u>A</u>
OCKLAWAHA CREEK @ SR267						Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>			Salinity (ppt) <u>0.01</u> ☐ dd ☐ dms	Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
<u>JB, CG</u>	<u>2/28/18 0:1550</u>	<u>HD</u>	<u>2</u>	<u>Tyler R</u>	<u>02/28/18 @ 3:57p</u>

Group: A	Bottle Type: P-1L	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
CHLSUITE-W					
Group: A	Bottle Type: P-120ML-OC	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
FCOLI-MF					
Group: A	Bottle Type: QPCR-P-250ML	# of Bottles: 30	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
PCR-FILTER					
Group: A	Bottle Type: BG-500ML	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
W-E8321-DI W-E8321-MS					
Group: A	Bottle Type: P-500ML	# of Bottles: 15	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 15	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	4
W-PO4-F					

Date of Request: 13-FEB-2018
 Created By: GREEN_C On: 13-FEB-2018
 Modified By: SWANSON_C On: 13-FEB-2018
 Customer: TLH-ROC
 Project: SMP
 Division:
 District: Not Applicable
 Sampling Event: A-b/t/m

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Chris Green

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 13-FEB-2018
 Sampling Kit Required: YES Ship on: 23-FEB-2018
 Sampling Kit Shipped: YES On: 23-FEB-2018
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 26-FEB-2018
 Received By:

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: no FedEx bills, zip ties

Bottle Group A (Water) With 15 Samples:

Bottle Type: P-1L	Number of Bottles: 15	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 15	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-OC	Number of Bottles: 15	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
Bottle Type: QPCR-P-250ML	Number of Bottles: 30	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 15	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 15	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 15	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.