

Date of Request: 22-MAR-2018  
 Created By: GREEN\_C On: 22-MAR-2018  
 Modified By: SWANSON\_C On: 27-MAR-2018  
 Customer: TLH-ROC  
 Project: SMP  
 Division:  
 District: Not Applicable  
 Sampling Event: kit A w/ bacteria

**Send Coolers To:**

Phone: 850-245-8453  
 2600 Blair Stone Rd  
  
 Tallahassee, FL 32399  
 Attn: Chris Green

**Send Final Report To:**

2600 Blair Stone Rd  
  
 Tallahassee, FL 32399  
 Attn: Michael Eckles

Program Module Number:  
 Priority: 3  
 Event Status: S  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 23-MAR-2018  
 Biology Request Reviewed By: SWANSON\_C On: 27-MAR-2018  
 Sampling Kit Required: YES Ship on: 05-APR-2018  
 Sampling Kit Shipped: YES On: 02-APR-2018  
 Sampling Kit Packed By: REYNOLDS\_T  
 Preservatives Needed: YES  
 Date to Receive Samples: 09-APR-2018  
 Received By:

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: no FedEx bills  
 no zip ties  
 1 - case of sulfuric acid

**Bottle Group A (Water) With 25 Samples:**

|                              |                       |                                                                                                              |
|------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L            | Number of Bottles: 25 | Preserved With: ICE                                                                                          |
| ALKALINITY                   | Template: DEFAULT     | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| Total Alkalinity             |                       |                                                                                                              |
| TURBIDITY                    | Template: DEFAULT     | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                    |                       |                                                                                                              |
| W-CL-IC                      | Template: DEFAULT     | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| Chloride                     |                       |                                                                                                              |
| W-COLOR                      | Template: DEFAULT     | (SM 2120 B) True Color measured at 450 nm                                                                    |
| Color (true)                 |                       |                                                                                                              |
| W-F                          | Template: DEFAULT     | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| Fluoride                     |                       |                                                                                                              |
| W-SO4-IC                     | Template: DEFAULT     | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| Sulfate                      |                       |                                                                                                              |
| W-TDS                        | Template: DEFAULT     | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                    |
| TDS                          |                       |                                                                                                              |
| W-TSS                        | Template: DEFAULT     | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| TSS                          |                       |                                                                                                              |
| Bottle Type: BP-1L           | Number of Bottles: 25 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                   | Template: DEFAULT     | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected     |                       |                                                                                                              |
| Chlorophyll-a, Uncorrected   |                       |                                                                                                              |
| Phaeophytin-a                |                       |                                                                                                              |
| Bottle Type:                 | Number of Bottles: 25 | Preserved With: ICE                                                                                          |
| ECOLI-18QT                   | Template: DEFAULT     | (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems     |
| Escherichia Coli-Quanti-Tray |                       |                                                                                                              |

**Bottle Group A (Water) With 25 Samples:**

|                      |                       |                                                                                          |
|----------------------|-----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 25 | Preserved With: ICE And H2SO4                                                            |
| W-NH3                | Template: DEFAULT     | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                               |
| Ammonia-N            |                       |                                                                                          |
| W-NO2NO3             | Template: DEFAULT     | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| NO2NO3-N             |                       |                                                                                          |
| W-S-A-TP             | Template: DEFAULT     | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                       |                                                                                          |
| W-TKN                | Template: DEFAULT     | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                       |                                                                                          |
| W-TOC                | Template: DEFAULT     | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Organic Carbon       |                       |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 25 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT     | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                       |                                                                                          |