

Date of Request: 29-MAR-2018
 Created By: GREEN_C On: 29-MAR-2018
 Modified By: GREEN_C On: 29-MAR-2018
 Customer: TLH-ROC
 Project: SMP
 Division:
 District: Not Applicable
 Sampling Event: kit D-b (WBID 1274 Apalachicola Bay)

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

Tallahassee, FL 32399
 Attn: Chris Green

Program Module Number:
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 16-APR-2018
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 30-APR-2018
 Received By:

Send Final Report To:

2600 Blair Stone Rd

Tallahassee, FL 32399
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 4 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
CHLSUITE-W Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
ENT-24-QT Enterococci-Quanti-Tray	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
FCOLI-MF Fecal Coliforms-Membrane Filter	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F Fluoride	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-ICP Chromium Iron Zinc	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
W-ICPMS Arsenic Cadmium Copper Lead Nickel Silver	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group A (Water) With 4 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices