

Chemical Analysis Report

TLH-ROC-2018-09-27-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **kit A w/ bacteria**
Request ID: **RQ-2018-05-14-54**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 22-OCT-2018 14:04



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Fort Gadsden Creek near SR65

Collection Date/Time: 09/27/2018 13:25

Field ID: G2TLHR0012

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2029426	EPA 180.1 Rev. 2.0	Turbidity	13		NTU	P352506	
	EPA 300.0 Rev. 2.1	Chloride	3.1		mg Cl/L	P352816	
		Sulfate	0.34	I	mg SO4/L	P352818	
		Color (true)	370		PCU	P352438	
	SM 2320 B-97	Total Alkalinity	0.83	I	mg CaCO3/L	P352911	
	SM 2540 C-97	TDS	44		mg/L	P353179	
	SM 2540 D-97	TSS	16		mg/L	P353077	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P352725	
2029427	EPA 350.1 Rev. 2.0	Ammonia-N	0.14		mg N/L	P353015	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P353080	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P352704	
	EPA 365.1 Rev. 2.0	Total-P	0.033		mg P/L	P352531	
	SM 5310 B-00	Organic Carbon	25		mg C/L	P352733	
2029428	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P352437	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P352506

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352816

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352818

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353015

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P353080

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352704

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352531

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352437

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P352438

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P352911

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P353179

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P353077

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P352725

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P352733

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352816

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352818

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353015

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P353080

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	107		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352704

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352531

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352437

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.9		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P352438

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	96.1		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P352911

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	98 - 107

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P352725

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P352733

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	93.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352816

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029320	Chloride	96.3		P	90 - 110
2029490	Chloride	96.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352818

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029320	Sulfate	94.4		P	90 - 110
2029490	Sulfate	94.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353015

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029405	Ammonia-N	96.7	98.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P353080

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029405	Kjeldahl Nitrogen	99.1	99.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352704

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029406	NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352531

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029485	Total-P	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352437

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029492	O-Phosphate-P	95.1	96.4	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P352725

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029525	Fluoride	101	99.1	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P352733

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029236	Organic Carbon	99.0		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P352506

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029404	Turbidity	0.0	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352816

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029320	Chloride	0.675	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P352818

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029320	Sulfate	2.17	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353015

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029405	Ammonia-N	1.09	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P353080

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029405	Kjeldahl Nitrogen	0.522	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352704

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029406	NO2NO3-N	0.204	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352531

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029485	Total-P	0.230	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352437

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029492	O-Phosphate-P	1.36	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P352438

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029493	Color (true)	1.14	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P352911

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029525	Total Alkalinity	0.466	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P353179

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029321	TDS	0.454	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P352725

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029525	Fluoride	1.93	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P352733

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029236	Organic Carbon	0.871	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A86768

Included Lab Sample IDs: 2029428

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.7	97.1	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A86771

Included Lab Sample IDs: 2029426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.9	98.2	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A86805

Included Lab Sample IDs: 2029426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	102	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A86839

Included Lab Sample IDs: 2029426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	100	P/P	90 - 110
Sulfate	99.2	99.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A86851

Included Lab Sample IDs: 2029427

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A86890

Included Lab Sample IDs: 2029427

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A86892

Included Lab Sample IDs: 2029426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	105	102	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A86895

Included Lab Sample IDs: 2029427

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.4	94.7	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-97
Run ID: A86962
Included Lab Sample IDs: 2029426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A87010
Included Lab Sample IDs: 2029427

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A87102
Included Lab Sample IDs: 2029427

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	99.0	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					0.0	
EPA 300.0 Rev. 2.1	Chloride	97.9	96.3	96.7		0.675	
	Sulfate	96.3	94.4	94.8		2.17	
EPA 350.1 Rev. 2.0	Ammonia-N	101	96.7	98.5			1.09
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	107	99.1	99.8			0.522
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	101				0.204
EPA 365.1 Rev. 2.0	Total-P	103	105	105			0.230
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.9	95.1	96.4			1.36
SM 2120 B	Color (true)	96.1				1.14	
SM 2320 B-97	Total Alkalinity	104				0.466	
SM 2540 C-97	TDS					0.454	
SM 4500 F-C-97	Fluoride	102	101	99.1			1.93
SM 5310 B-00	Organic Carbon	93.6	99.0				0.871

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2029426
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2029426
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2029426
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2029427
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2029427
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2029427
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2029427
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2029428
SM 2120 B / E31780	True Color measured at 450 nm	2029426
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2029426
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2029426
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2029426
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2029426
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2029427

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/27/2018			09/28/2018 16:35	Megan Treadwell	2029426
EPA 300.0 Rev. 2.1	09/27/2018			10/04/2018 19:47	Lipi Saha	2029426
EPA 350.1 Rev. 2.0	09/27/2018			10/03/2018 13:49	Ping Hua	2029427
EPA 351.2 Rev. 2.0	09/27/2018	10/16/2018 11:00	Adrian Shelby	10/17/2018 13:49	Joseph Suarez	2029427
EPA 353.2 Rev. 2.0	09/27/2018			10/03/2018 13:58	Lauren Bottorf	2029427
EPA 365.1 Rev. 2.0	09/27/2018	10/01/2018 12:40	Sima Feizi	10/02/2018 13:48	Beverly Y. Sanders	2029427
EPA 365.1 Rev. 2.0 dissolved	09/27/2018			09/28/2018 11:32	Julia Storbeck	2029428
SM 2120 B	09/27/2018			09/28/2018 11:09	DeAsia Armster	2029426
SM 2320 B-97	09/27/2018			10/08/2018 06:32	Dale L. Simmons	2029426
SM 2540 C-97	09/27/2018			10/01/2018 11:35	DeAsia Armster	2029426
SM 2540 D-97	09/27/2018			10/01/2018 11:35	DeAsia Armster	2029426
SM 4500 F-C-97	09/27/2018			10/03/2018 13:04	Dale L. Simmons	2029426
SM 5310 B-00	09/27/2018			10/03/2018 06:22	Megan Treadwell	2029427