

Log-in Checklist

RQ- 2018-06-18-50

Login Station ID: #5

Shipping Method: FedEx | UPS HD Greyhound

Date/Time of Receipt: 08/29/18 @ 10:10 am

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
2.2°C			6		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: nr

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: nr

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: nr

Coolers Unpacked/Checked by: Tyler R. Date: 08/29/18 NCRs (Y/N)? ~

Event ID: Run 2
TLH-ROC-2018-08-29-03 (SMP)
 Date Received: 29-AUG-2018 14:53
 Hand Delivered BIOLOGY

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_05_2018
pH Paper 0.0 – 3.0 Lot #	230515EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: TLH-ROC

Requester: Michael Eckles


Field Report Prepared By: C. Green

Project ID: SMP

Collected By: Chris Green/Paul Blair

Sampling Agency: 8034

Location	Field/WIN ID →  G1TLHR0015		☐ Comp ☒ Grab		Collection (comp begin or grab)	☒ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID	Location ↓ 		Date 8-29-2018		Time 11:30		Date	Time
WIN/STC	FISH BONE CREEK		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude	☐ dd ☐ dms		Temp (C) 22.18		pH 7.37	Sample Depth 0.3	Sp. Conductance (umho/cm) 300	
			☐ dd ☐ dms		Salinity (ppt) 0.14	Comments		
Location	Field/WIN ID →  G1TLHR0015		☐ Comp ☒ Grab		Collection (comp begin or grab)	☒ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID	Location ↓ 		Date 8-29-2018		Time 11:45		Date	Time
WIN/STO	FISH BONE CREEK		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms		Salinity (ppt)	Comments SCL		
Location	Field/WIN ID →  G1TLHR0015		☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID	Location ↓ 		Date		Time		Date	Time
WIN/STORET #	FISH BONE CREEK		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms		Salinity (ppt)	Comments		
Location	Field/WIN ID →  G1TLHR0015		☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID	Location ↓ 		Date		Time		Date	Time
WIN/STORET #	FISH BONE CREEK		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms		Salinity (ppt)	Comments		

Relinquished By: C. Green	Date/Time: 8-29-18/15:50	Shipping Method: Hand	Number of Coolers Shipped: 1	Received By: 	Date/Time: 8/29/18 1453
---------------------------	--------------------------	-----------------------	------------------------------	--	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 9	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 9	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 9	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ECOLI-18QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 9	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 9	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						

Group B MI-FW-QLDC

Sent to Lab 1

Date of Request: 05-JUN-2018
 Created By: ECKLES_M On: 05-JUN-2018
 Modified By: SWANSON_C On: 07-JUN-2018
 Customer: TLH-ROC
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Not Applicable
 Sampling Event: Run 2

Send Coolers To:

Phone: 850-245-7586
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Program Module Number: 0100
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-JUN-2018
 Biology Request Reviewed By: SWANSON_C On: 07-JUN-2018
 Sampling Kit Required: YES Ship on: 14-JUN-2018
 Sampling Kit Shipped: YES On: 08-JUN-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 18-JUN-2018
 Received By: SHAIK_A On: 19-JUL-2018

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A freshwater nutrients w/bacteria

 WBID 3556, 3573A 3573B 3573Z 3574 3577 3603 3674

 No fedex labels

Bottle Group A (Water) With 9 Samples:

Bottle Type: P-1L	Number of Bottles: 9	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 9	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI	Number of Bottles: 9	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 9	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

