

Log-in Checklist

RQ- **2018-07-09-61**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: **07/19/2018 / 14:04**

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	3.9C	7		X			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes **X** No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No **X** Date _____

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes _____ No **X** If yes, is it intact? Yes _____ No _____

****Caps on tight?** Yes **X** No _____ ****Containers intact?** Yes **X** No _____

****Sufficient Sample Volume:** Yes **X** No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes **X** No _____ Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		X	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes **X** No _____ NA _____ Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes _____ No _____ NA **X** Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **07/19/2018** NCRs (Y/N)? _____

Event ID: **TLH-ROC-2018-07-19-01** NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	8062 EXP:2020/12

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Central Laboratory Submittal Form

Customer: TLH-ROC

Requester: Chris Green

Field Report Prepared By: J. Burdett, C. Green

Project ID: SMP

Collected By: C. Green

Sampling Agency: 8034

Location	Field/WIN ID → Location ↓	 G1TLHR0091	☒ Comp ☒ Grab	Collection (comp begin or grab) Date 7/19/18 Time 1300	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)	
Field ID	WIN/STORET	 AUCILLA RIVER @ MOUTH	Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 4.90	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A0	
Latitude	☐ dd ☐ dms	Longitude	Temp (C) 29.26	pH 7.53	Sample Depth 0.3	Sp. Conductance (umho/cm) 2756		
Location	☐ dd ☐ dms	Longitude	Salinity (ppt) 16.92	Comments				Bottle Group(s)
Field ID	WIN/STORET #	Latitude	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Location	☐ dd ☐ dms	Longitude	Salinity (ppt)	Comments				Bottle Group(s)
Field ID	WIN/STORET #	Latitude	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Location	☐ dd ☐ dms	Longitude	Salinity (ppt)	Comments				Bottle Group(s)
Field ID	WIN/STORET #	Latitude	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Location	☐ dd ☐ dms	Longitude	Salinity (ppt)	Comments				Bottle Group(s)
Field ID	WIN/STORET #	Latitude	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Location	☐ dd ☐ dms	Longitude	Salinity (ppt)	Comments				Bottle Group(s)
Field ID	WIN/STORET #	Latitude	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		

Relinquished By: JB, CG

Date/Time

7/19/18: 1404

Shipping Method

HD

Number of Coolers Shipped:

1

Received By: ABB

Date/Time

7-19-18/14:04

Group: A	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY TURBIDITY W-F W-TSS					
Group: A	Bottle Type: BG-4L	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
BSY-AD-FCD					
Group: A	Bottle Type: BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W					
Group: A	Bottle Type: QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
PCR-FILTER					
Group: A	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
W-E8321-DI W-E8321-MS					
Group: A	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC			H2SO4 LOT# SA9085170 EXP: 03/26/19		
Group: A	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					
Group: B	Bottle Type: P-120ML-OC	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
FCOLI-MF					

Date of Request: 29-JUN-2018
 Created By: GREEN_C On: 29-JUN-2018
 Modified By: SWANSON_C On: 03-JUL-2018
 Customer: TLH-ROC
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Not Applicable
 Sampling Event: kit B-b/t/m (WBID 3310A)

Send Coolers To:

Phone: 850-245-8413
 2600 Blair Stone Rd
 Tallahassee, FL 32399
 Attn: Chris Green

Send Final Report To:

2600 Blair Stone Rd
 Tallahassee, FL 32399
 Attn: Michael Eckles

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 02-JUL-2018
 Biology Request Reviewed By: SWANSON_C On: 03-JUL-2018
 Sampling Kit Required: YES Ship on: 06-JUL-2018
 Sampling Kit Shipped: YES On: 09-JUL-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 09-JUL-2018
 Received By: SHAIK_A On: 19-JUL-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: no FedEx bills or zip ties

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BG-4L	Number of Bottles: 8	Preserved With: ICE
BSY-AD-FCD	Template: DEFAULT	(EPA-821-R-02-012) Definitive acute toxicity test, FW--water flea.
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-120ML-OC	Number of Bottles: 3	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems

