





☐	<u>Gainesville:</u> 4985 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	<u>Miramar:</u> 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	<u>Tampa:</u> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.8616 • Fax 813.630.4327

Client Name:		FDEP SW Dist.		Project Name:		SMP																					
Address:		13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number:		AF315E																					
Phone:		813-470-5770		Project Address:																							
Contact:		Judy Ashton 813-470-5772		Special Instructions:		EVENT # 2 RQ-2018-03-19-04																					
Sampled By:				Turn Around Time:		☒ STANDARD ☐ RUSH																					
Page:		1 of 1		☐ ADaPT ☐ EQUIS ☐ Other																							
SAMPLE ID	SAMPLE DESCRIPTION			Grab Comp	SAMPLING DATE TIME	MATRIX	NO. COUNT	BOTTLE SIZE & TYPE	Analysis Required											LABORATORY I.D. #							
Field ID/WIN	G1SW0020				3-29-18 1100	SW	1		E.Coli																		
Site Name:	Lake Wastena				3-29-18 1020	"	1																				
Field ID/WIN	G1SW0009				3-29-18 0955	"	1																				
Site Name:	Little Lake Wilson South																										
Field ID/WIN	G1SW0006																										
Site Name:	Little Lake Wilson Center																										
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge														Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)													
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐														Where required, pH checked ☐ Temperature when received _____ (in degrees celsius)													
CN: AD-051 Form last revised 04/30/2015														Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V													
Relinquished by: _____ Date: _____ Time: _____														Received by: _____ Date: _____ Time: _____													
FOR DRINKING WATER USE:														PWS ID:													

Kit A North Lakes

2012

Customer: SW-DIST

Project ID: SMP

Florida Department of Environmental Protection Central Laboratory Submittal Form

Requester: ¹ Judy Ashton

Collected By:

Field Report Prepared By:

Sampling Agency:

last revised Jan 25, 2018

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-29-18 Time 1100		☒ Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)			
Field ID/WIN G1SW0020		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 9.02		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A			
Site Name: Lake Wastena		Temp (C) 12.33		pH 7.20		Sample Depth 0.3		☐ ft ☒ m				Sp. Conductance (umho/cm) 143	
Latitude		☐ dd ☐ dms		Salinity (ppt) 0.07		Comments E. COLI ABOVE 1000 MPN							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-29-18 Time 1020		☒ Eastern Central		Composite end Date Time		Bottle Group(s)			
Field ID/WIN G1SW0009		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.52		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A			
Site Name: Little Lake Wilson South		Temp (C) 22.29		pH 6.89		Sample Depth 0.3		☐ ft ☒ m				Sp. Conductance (umho/cm) 318	
Latitude		☐ dd ☐ dms		Salinity (ppt) 0.15		Comments E. COLI ABOVE 1000 MPN							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-29-18 Time 0955		☒ Eastern Central		Composite end Date Time		Bottle Group(s)			
Field ID/WIN G1SW0006		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 103.4		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A			
Site Name: Little Lake Wilson Center		Temp (C) 22.52		pH 6.57		Sample Depth 0.3		☐ ft ☒ m				Sp. Conductance (umho/cm) 319	
Latitude		☐ dd ☐ dms		Salinity (ppt) 0.15		Comments E. COLI ABOVE 1000 MPN							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date Time		☒ Eastern Central		Composite end Date Time		Bottle Group(s)			
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L)					
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☒ m				Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)				Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	3/29/18 4am	Fed EX	1		

Group: A	Bottle Type: P-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W					
Group: A	Bottle Type: P-120ML-WC-THI	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
SWD-AEL-EC <i>DROPPED AT 2 AEL</i>					
Group: A	Bottle Type: P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 5	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F					