



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes ☒ No ☐WIN Station Name: Little Lake Wilson SouthWIN/ Field ID: G1SW0009WBID: 1463MLatitude: 28.1456County: HillsboroughORG ID: 21FLTPALongitude: -82.4929Receiving Body of Water: The Floridan AquiferRQ-2018- 02-19-07Date: 2-19-18
(mm/dd/yyyy)

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
Ben Paswater				☒	☒	☒	☒	☒	☒ Sample Container	☐ Van Dorn	☐ Pole	
Judy Ashton				☒	☒	☒	☒	☒	☐ Carboy	☐ Syringe		
				☒	☒	☒	☒	☒	☐ Dipper	☐ Other		
									Depth Measured with _____			
									Equipment ID _____			
Collection Method												
☐ Wading				☒ Canoe/Kayak								
☐ From Shore				☐ Electric Motor								
☐ Other				☐ Gasoline Motor								
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded												
Photos: Yes ☒ No ☐ Flow: <u>No Flow</u> / Intestinal / Flowing / NA												
Meter ID# <u>LIL JDN</u> Matrix: <u>Fresh</u>												
Tide: Rising/ Falling/ Slack <u>NA</u> Tide Times: High _____ Low _____												
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)		
EST	<u>1333</u>	<u>3.0</u>	<u>0.3</u>	<u>1.1</u>	<u>8.7</u>	<u>104</u>	<u>7.5</u>	<u>/</u>	<u>299</u>	<u>33.9</u>		
	<u>1323</u>		<u>2.5</u>		<u>2.5</u>	<u>27</u>	<u>7.2</u>		<u>291</u>	<u>18.3</u>		
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:												
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:												
Parameter Suite		Parameter Methods				Preservation		Lot#		Expiration pH Check		
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4				☒ <2		
Metals		☐ W-ICPMS ☐ W-ICP				☐ Ice ☐ HNO3				☐ <2		
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice		9841668				
Chlorophyll		☒ CHLSUITE-W				☒ Ice						
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice						
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice						
Macroinvertebrates		☐ MI-FW-QLDC				☐ Formalin						
Periphyton		☐ ALGAE-ID				☐ Ice						
Microbiology		☒ E Coli ☐ F Coli ☒ Enterococci				☒ Ice						
Molecular		☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice						
Tracers		☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA				☐ Ice						
Pesticides		☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R				☐ Ice ☐ Other						

Contains: 1:1 Sulfuric Acid
Lot No.: SA7275010
Expires: 10/02/18
See Safety Data Sheet (SDS)

Place Preser

Notes: WBID needs 5 A Kits plus E-Coli and 1 LVI

Field ID: G1SW0009Site Name: Little Lake Wilson SouthSignature: Ben PaswaterDate: 2/19/2018Enter Field Parameters, Verify Station ID in LIMS DMT: SM 04/03/2018QC Station ID, Field Parameters in LIMS DMT: SM 04/10/2018 SM 01/25/2018Scan/Save Field Sheets SM 06/25/2018
(Initials/Date)Migrate Data to WIN: SM 04/25/2018
(Initials/Date)Verify Data in WIN: SM 06/25/2018
(Initials/Date)

Request Number: RQ-2018-02-19-07

Kit A North Lakes

Florida Department of Environmental Protection Central Laboratory Submittal Form

3 of 3

Page 1 of 2

last revised Jan 25, 2018

Customer: SW-DIST

Project ID: SMP

Requester: Judy Ashton

Field Report Prepared By: J. Ashton

Collected By: J. Ashton, B. P. [unclear]

Sampling Agency: FDEP

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 2/12/18 Time 1303		Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID: G1SW0009				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.7		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Site Name: Little Lake Wilson South				Temp (C) 33.9		pH 7.5		Sample Depth 0.3		Sp. Conductance (umho/cm) 299	
☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt)		Comments: Mounds off E. side of All					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 2/19/18 Time 1315		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID: G1SW0006				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.7		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Site Name: Little Lake Wilson Ctr				Temp (C) 23.4		pH 7.5		Sample Depth 0.3		Sp. Conductance (umho/cm) 301	
☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt)		Comments: Mounds off E. side of All					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Relinquished By: [Signature]		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time	

Group: A	Bottle Type: P-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
	ALKALINITY				
	TURBIDITY				
	W-CL-IC				
	W-COLOR				
	W-F				
	W-SO4-IC				
	W-TDS				
	W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
	CHLSUITE-W				
Group: A	Bottle Type: P-120ML-WC-THI	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
	SWD-AEL-EC	RECAPS OFF 2 ALL			
Group: A	Bottle Type: P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				
Group: A	Bottle Type: P-125ML	# of Bottles: 5	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	5
	W-PO4-F				



☐	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
☐	Gainesville: 4865 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP-SW DIST		Project Name: SMP		Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327															
Address: 13051 N Telecom Pkwy		P.O. Number or Project Number: AF315E		BOTTLE SIZE & TYPE															
Phone: 813-470-5770		FDEP Facility No:		ANALYSIS REQUIRED															
FAX:		Project Address:		E. COLI															
Contact: Judy Ashton 813-470-5772		Special Instructions:		LABORATORY I.D. NUMBER															
Sampled By:		RQ2018-02-19-07																	
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQuIS ☐ Other																	
Page: of																			
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRESERVATION												
			DATE	TIME															
GISW0006	LITTLE LAKE WILSON CTR		2-19-18	1315	SW	1	✓												
GISW0009	LITTLE LAKE WILSON SOUTH		2-19-18	1323	SW	1	✓												
GISW0059	LAKE MADDALENE CTR		2-19-18	1000	SW	1	✓												
GISW0030	LAKE ADEMISTEAD CTR		2-19-18	1125	SW	1	✓												
GISW0020	LAKE WASSIENA		2-19-18	1205	SW	1	✓												
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge																			
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked																			
Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																			
N: AD-051 Form last revised 04/30/2015																			
Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																			
Temperature when received (in degrees celsius)																			
FOR DRINKING WATER USE																			
PWS ID:																			
Contact Person:																			
Supplier of Water:																			
Phone:																			
Reinforced by: Date: Time: Received by: Date: Time:																			
JUDY ASHTON 2-19-18 14:19																			