



Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP-SW DIST		Project Name: SMP		BOTTLE SIZE & TYPE														LABORATORY I.D. NUMBER							
Address: 13051 N. Telecom Pkwy		P.O. Number or Project Number: AF315E		ANALYSIS REQUIRED																					
Phone: 813-470-5770		FDEP Facility No:																							
FAX:		Project Address:																							
Contact: Judy Ashton 813-470-5772		Special Instructions:																							
Sampled By:		Turn Around Time: ☒ STANDARD ☐ RUSH		RQ2018-02-12-27																					
Page: of		☐ ADaPT ☐ EQUIS ☐ Other																							
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE TIME		MATRIX	NO. COUNT	PRESERVATION																		
G5SWD129	CEDAR CRK. @ PINEHURST	W/A	2/12/18	940	SW	1	ICE																		
G1SWD062	ALLIGATOR CRK. @ OLD COACHMAN		2/12/18	1020	SW	1																			
G1SWD057	ALLIGATOR CRK @ GLEN DAK		2/12/18	1040	SW	1																			
G1SWD097	LONGBRANCH @ MICHIGAN		2/12/18	1120	SW	1																			
G1SWD098	LONGBRANCH @ HPT. WALKWAY		2/12/18	1120	SW	1																			
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																									
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked														Temperature when received (in degrees celsius)											
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																									
Relinquished by: J. Ashton Date: 2-12-18 Time: 1300 Received by: [Signature] Date: 2-12-18 Time: 1215																									
FOR DRINKING WATER USE:																									
PWS ID: _____																									
Contact Person: _____ Phone: _____																									
Supplier of Water: _____																									
Site Address: _____																									

Request Number: RQ-2018-02-12-27

Florida Department of Environmental Protection

1 of 3

Page 1 of 2

Pinellas WBIDS By June

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: JA

Project ID: SMP

Collected By: Ben Paswater, Judy Ashton

Sampling Agency: FDEP SWROC

Location		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-12-18	Time 940	Eastern	Composite end	Bottle Group(s)
Field ID WIN/Field ID:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.81		mg/L		Total Res. Chlorine	A/B* 1/C
WIN/STC		Temp (C) 21.61		pH 7.13		Sample Depth 0.3		Sp. Conductance 770	
Latitude Cedar Creek @ Pinehurst		Salinity (ppt) 0.38		Comments E. COLI DROPPES NHD AEL * B-LESS PCR-FILTER					
Location		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-12-18	Time 1020	Eastern	Composite end	Bottle Group(s)
Field ID WIN/Field ID:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.78		mg/L		Total Res. Chlorine	B
WIN/STORE		Temp (C) 22.73		pH 7.53		Sample Depth 0.3		Sp. Conductance 580	
Latitude Alligator @ Old Coachman		Salinity (ppt) 0.28		Comments E. COLI DROPPES NHD AEL					
Location		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-12-18	Time 1040	Eastern	Composite end	Bottle Group(s)
Field ID WIN/Field ID:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.16		mg/L		Total Res. Chlorine	B
WIN/STORE		Temp (C) 23.46		pH 7.42		Sample Depth 0.3		Sp. Conductance 350	
Latitude Alligator @ Glen Oak		Salinity (ppt) 0.17		Comments E. COLI DROPPES NHD AEL					
Location		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-12-18	Time 1120	Eastern	Composite end	Bottle Group(s)
Field ID WIN/Field ID:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.49		mg/L		Total Res. Chlorine	B
WIN/STORE #		Temp (C) 22.79		pH 7.13		Sample Depth 0.3		Sp. Conductance 652	
Latitude Long Branch @ Michigan		Salinity (ppt) 0.32		Comments E. COLI DROPPES NHD AEL					

Relinquished By: Ben Paswater	Date/Time: 2/12/18 4pm	Shipping Method: Fed Ex	Number of Coolers Shipped: 2	Received By:	Date/Time:
-------------------------------	------------------------	-------------------------	------------------------------	--------------	------------

Request Number: RQ-2018-02-12-27

Pinellas WBIDS By June

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Page 4 of 2

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-12-18</u> Time <u>1135</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID	WIN/Field ID:  G1SW0098	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>6.9</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STOR		Temp (C) <u>22.87</u>	pH <u>7.32</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>634</u>
Latitude	Long Branch @ Appt. walkway	☐ dd ☐ dms	Salinity (ppt) <u>0.31</u>	Comments <u>E. LOW PROFILES AND AEL</u>		
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
------------------	-----------	-----------------	----------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	SWD-AEL-EC						

PRODAPES HER 2 AEL

Group B

W-UHERB-AA

SENT

5

W-AHERB-AA

W-SUC-AA-R

Group B

PCR-FILTER

SENT

8

Group C

PCR-H# 183

SENT

2