



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

WIN Station Name: Cedar Creek @ Pinehurst

Date: 3-14-18
(mm/dd/yyyy)

WIN/ Field ID: G5SW0129

WBID: 1556A

Latitude: 28.034

(Decimal Degrees)

County: Pinellas

ORG ID: 21FLTPA

Longitude: -82.7718

(Decimal Degrees)

Receiving Body of Water: St. Joseph's Sound

RQ-2018- 03-12-11

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Judy Ashton					X	X			
Ben Paswater						X	X	X	
RYLAN HOANING									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with Secchi		
Equipment ID <u>Secchi #1</u>		
Collection Method		
☒ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# LIC JOL Matrix: fresh / Marine / DI

Photos: Yes / No Flow: No Flow / Interstitial / Flowing / NA Tide: Rising/ Falling/ Slack/ NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
<u>EST</u>	<u>0945</u>	<u>0.3</u>	<u>0.3</u>	<u>0.3</u>	<u>5.40</u>	<u>52.6</u>	<u>8.13</u>	<u>0.38</u>	<u>772</u>	<u>13.80</u>
				<u>"S"</u>						

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-P	☒ Ice ☒ H2SO4	SA7275010	10/2/2018	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☒ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice	9841668		
Chlorophyll	☒ W-HLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ M-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☒ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers	☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes: A-KIT, TRACERS, MACROIDS, E. COLI

Field ID/WIN: G5SW0129

Site Name: Cedar Creek @ Pinehurst

Signature: Judy 2 Date: 3-14-18

Enter Field Parameters/Verify Station ID In LIMS DMT: SM 04/04/2018 QC Station ID, Field Parameters In LIMS DMT: SM 04/09/2018 SM 04/26/2018

Scan/Save Field Sheets SM 06/06/2018 Migrate Data to WIN: SM 06/06/2018 5369 Verify Data In WIN: _____

Request Number: RQ-2018-03-12-11

Pinellas WBIDS By June

Florida Department of Environmental Protection

Central Laboratory Submittal Form

last revised Jan 25, 2018

1 of 3

Page 1 of 2

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Field Report Prepared By:

J. ASHTON

Collected By:

J. ASHTON, D. HOLNINE

Sampling Agency:

FDEP

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-14-18 Time 0945		Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID/WIN G5SW0129				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.40		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN Site Name: Cedar Creek @ Pinehurst		Temp (C) 13.80		pH 8.13		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 772	
Latitude ☐ dms		☐ dd ☐ dms		Salinity (ppt) 0.38		Comments E. COLI DROPPED OUT 2 ALL					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-14-18 Time 1055		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID/WIN G1SW0097				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.66		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/S Site Name: Long Branch @ Michigan		Temp (C) 15.68		pH 7.11		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 862	
Latitude ☐ dms		☐ dd ☐ dms		Salinity (ppt) 0.43		Comments E. COLI DROPPED OUT 2 ALL					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3-14-18 Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID/WIN G1SW0098				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.30		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN Site Name: Long Branch @ @ Appt. Walkway		Temp (C) 14.59		pH 7.30		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 906	
Latitude ☐ dms		☐ dd ☐ dms		Salinity (ppt) 0.45		Comments E. COLI DROPPED OUT 2 ALL					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By:

J. ASHTON

Date/Time

3-14-18

Shipping Method

FED EX

Number of Coolers Shipped:

Received By:

Date/Time

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-250ML	# of Bottles: 2 16	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	PCR-FILTER, PER-HA183 (2)						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	W-E8321-DI W-E8321-MS						
Group: C	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	SWD-AEL-EC DROPPED AND 2 AEL						



☐	<u>Gainesville:</u> 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	<u>Miramar:</u> 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	<u>Tampa:</u> 9810 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name:		FDEP SW Dist.	Project Name:		SMP													
Address:		13051 N. Telecom Pkwy. Temple Terrace FL 33637	P.O. Number:		AF315E													
Phone:		813-470-5770	Project Address:															
Contact:		Judy Ashton 813-470-5772	Special Instructions:															
Sampled By:			RQ-2018-03-12-11															
Turn Around Time:		☒ STANDARD ☐ RUSH																
Page:		1 of 1	☐ ADaPT ☐ EQuIS ☐ Other															
SAMPLE ID		SAMPLE DESCRIPTION		Grab Comp	SAMPLING DATE TIME	MATRIX	NO. COUNT	PRES ER-VATI ON	BOTTLE SIZE & TYPE	LABORATORY I.D. #								
Field ID/WIN		G5SW0129			3-14-18 0945	SW	1		E. COLI									
Site Name:		Cedar Creek @ Pinehurst																
Field ID/WIN		G1SW0097			3-14-18 1055	"	1											
Site Name:		Long Branch @ Michigan																
Field ID/WIN		G1SW0098			3-14-18 1110	"	1											
Site Name:		Long Branch @ @ Appt. Walkway																
Field ID/WIN		G1SW0062			3-14-18 1040	"	1											
Site Name:		Alligator Creek @ Old Coachman																
Field ID/WIN		G1SW0057			3-14-18 1020	"	1											
Site Name:		Alligator Creek @ Glen Oak																
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																		
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)																		
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																		
Relinquished by Date Time Received by Date Time																		
FOR DRINKING WATER USE:																		
PWS ID:																		