



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

DO
Failed

WIN Station Name: Spartman Branch @ US 92

Date: 07/24/2018
(mm/dd/yyyy)

WIN/ Field ID: G2SW0013

WBID: 1561

Latitude: 28.0209

(Decimal Degrees)

County: Hillsborough

ORG ID: 21FLTPA

Longitude: -82.18365

(Decimal Degrees)

Receiving Body of Water: Hillsborough River

RQ-2018-07-23-02

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Judy Ashton						X		X	X
Ben Paswater Sarah Meyer					X		X		

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with Secchi		
Equipment ID Secchi #1		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☒ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry / Pooled / Low / Normal / (High) / Flooded
Photos: Yes / (No) / Flow: No Flow / Interstitial / (Flowing) / NA
Meter ID# Leica
Matrix: (Fresh) Marine / DI
Tide: Rising / Falling / Slack (NA)
Tide Times: High / Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
(EST)	11:30	1.0	0.3	0.3	3.615	44.45	5.91	0.06	122.5	25.9

Biological Samples Collected: (None) HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHL-SUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☒ Ice			
Tracers	☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes: WBID needs 10 EColi +MT

0.5 m/s flow

Field ID/WIN

G2SW0013



Site Name: Spartman Branch @ US 92

Signature:

Sarah Meyer

Date:

07/24/2018

Enter Field Parameters, Verify Station ID in LIMS DMT: SM 08/27/2018

QC Station ID, Field Parameters in LIMS DMT: SM 11/8/2018

Scan/Save Field Sheets SM 11/28/2018
(Initials/Date)

Migrate Data to WIN: SM 11/8/2018
(Initials/Date)

Verify Data in WIN: SM 11/28/2018
(Initials/Date)

last revised Jan 25, 2018

Field Report Prepared By: S Meyer

Sampling Agency: FDEP SW ROC

Relinquished By: <i>Samuel Meyer</i>	Date/Time 16 30 07/24/2018	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By:	Date/Time
---	----------------------------------	--------------------------	---------------------------------	--------------	-----------

Ref:	Date: 16Jul18	SHIPPING:	0.00
Dep:	Wgt: 20.00 LBS	SPECIAL:	0.00
		HANDLING:	0.00
		TOTAL:	0.00
	DV:		0.00

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: SWD-AEL-EC	P-120ML-WC-THI	# of Bottles: 7	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>5</u>
Group: C	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6</u>
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6</u>



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6839
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6272 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE							LABORATORY I.D. #
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B370AE									
Phone: 813-470-5770		Project Address:									
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-07-23-02			Analysis Required	E. Coli					
Sampled By: J Ashton & S Meyer											
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQUIS ☐ Other									
Page: 1 of 1											

SAMPLE ID	SAMPLE DESCRIPTION	Grab	SAMPLING		MATRIX	NO. COUNT	PRE-SERVATION					
			DATE	TIME								
Field ID/WIN G2SW0067			7/24/18	11 20	SW	1						
Site Name: Spartman Branch @Harvey Tew Rd												
Field ID/WIN G2SW0013			7/24/18	11 30	SW	1						
Site Name: Spartman Branch @ US 92												
Field ID/WIN G2SW0004			7/24/18	10 27	SW	1						
Site Name: Flint Creek @ SR301 TP39												
Field ID/WIN G2SW0066			7/24/18	10 45	SW	1						
Site Name: Flint Creek @ Knights Griffin Rd												
Field ID/WIN G1SW0060			7/24/18	12 05	SW	1						
Site Name: Bellows Lake Outlet												

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = Ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 0A A: 3A M: 3A S: 1V

Relinquished by		Date		Time		Received by		Date		Time	
1 [Signature]		7/24/18		12 20		[Signature]		7/24/18		12 20	

FOR DRINKING WATER USE:
 PWS ID: