



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes ☒ No ☐

WIN Station Name: Spartman Branch @ US 92

Date: 10/18/2018
(mm/dd/yyyy)

WIN/ Field ID: G2SW0013

WBID: 1561

Latitude: 28.0209

(Decimal Degrees)

County: Hillsborough

ORG ID: 21FLTPA

Longitude: -82.18365

(Decimal Degrees)

Receiving Body of Water: Hillsborough River

RQ-2018- 10-06-28

Sampling Team Members						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment				
Judy Ashton											☒ Sample Container	☐ Van Dorn	☐ Pole		
Ben Paswater											☐ Carboy	☐ Syringe			
Sarah Meyer											☐ Dipper	☐ Other			
Water Level: Dry/ Pooled/ Low / (Normal) / High / Flooded						Meter ID# Chain					Matrix: (Fresh) Marine / DI				
Photos: Yes / (No)						Flow: No Flow / Interstitial / (Flowing) / NA					Tide: Rising/ Falling/ Slack (NA)			Tide Times: High Low	
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)					
EST	11:11	0.5	0.3	0.55	3.92	39.6	6.35	0.07 6.35	159.2	25.0					
Biological Samples Collected: (None) HA SCI RPS Algae ID LVS LVI Other:															
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:															
Parameter Suite		Parameter Methods					Preservation		Lot#	Expiration	pH Check				
Preserved Nutrients		☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					☐ Ice ☐ H2SO4				☐ <2				
Metals		☐ W-ICPMS ☐ W-ICP					☐ Ice ☐ HNO3				☐ <2				
Filtered Nutrients		☐ W-PO4-F ☐ Field Filtered 0.45 um Filter					☐ Ice								
Chlorophyll		☐ CHLSUITE-W					☐ Ice								
Physical/Aggregate (Fresh)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS					☐ Ice								
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY					☐ Ice								
Macroinvertebrates		☐ MI-PW-QLDC					☐ Formalin								
Periphyton		☐ ALGAE-ID					☐ Ice								
Microbiology		☒ Coli ☐ F Coli ☐ Enterococci					☒ Ice								
Molecular		☒ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD					☒ Ice								
Tracers		☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA					☒ Ice								
Pesticides		☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R					☐ Ice ☐ Other								

Notes:

WBID needs 10 EColi +MT

WIN/Field ID:

G2SW0013

Spartman Branch @ US 92

Signature:

Judy Ashton

Date:

10-18-18

Enter Field Parameters Verify Station ID In LIMS DMT: SM 11/6/2018

QC Station ID, Field Parameters In LIMS DMT: SM 12/27/2018

Scan/Save Field Sheets SM 1/9/2019

Migrate Data to WIN: 9/29 SM 12/27/2018

Verify Data In WIN: SM 1/9/2019

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Spartman, Bellows, Flint, Baker

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

J. ASHTON B. PASWATER, S. MEYER

Sampling Agency:

FDEP

Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID/WIN G2SW0004		☒ Grab	Date 10-18-18 Time 940	Central	Date _____ Time _____	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.43 ☒ mg/L	Total Res. Chlorine (mg/L)	B
WIN				30.6 ☒ % sat		
Site Name:	Flint Creek @ SR301, TP39	Temp (C) 27.0	pH 6.27	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 181.1	
Lati	☐ dms	☐ dd Salinity (ppt) 0.08	Comments E. COLI DROPPED OFF @ AEL			

Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0066		☒ Grab	Date 10-18-18 Time 1030	Central	Date _____ Time _____	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.10 ☒ mg/L	Total Res. Chlorine (mg/L)	B
WIN				26.9 ☒ % sat		
Site Name:	Flint Creek @ Knights Griffin Rd	Temp (C) 27.1	pH 6.53	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 180.1	
Lati	☐ dms	☐ dd Salinity (ppt) 0.08	Comments E. COLI DROPPED OFF @ AEL			

Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0013		☒ Grab	Date 10-18-2018 Time 1111	Central	Date _____ Time _____	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 3.92 ☒ mg/L	Total Res. Chlorine (mg/L)	B
WIN				☐ % sat		
Site Name:	Spartman Branch @ US 92	Temp (C) 25.0	pH 6.35	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 159.2	
Lati	☐ dms	☐ dd Salinity (ppt) 0.07	Comments E. COLI DROPPED OFF @ AEL			

Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0067		☒ Grab	Date 10-18-2018 Time 1135	Central	Date _____ Time _____	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.45 ☒ mg/L	Total Res. Chlorine (mg/L)	B
WIN				☐ % sat		
Site Name:	Spartman Branch at Harvey Tew Rd	Temp (C) 25.3	pH 6.54	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 162.7	
Lati	☐ dms	☐ dd Salinity (ppt) 0.08	Comments E. COLI DROPPED OFF @ AEL			

Relinquished By: <i>Sarah Meyer</i>	Date/Time 10/18/2018	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By:	Date/Time
--	--------------------------------	---------------------------------	--	--------------	-----------

Group: A	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W					
Group: A	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
SWD-AEL-EC					
Group: A	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					
Group: B	Bottle Type: QPCR-P-500ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
PCR-FILTER					
Group: B	Bottle Type: P-120ML-WC-THI	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
SWD-AEL-EC					
Group: B	Bottle Type: BG-500ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
W-E8321-DI					
W-E8321-MS					



☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6881 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE												LABORATORY I.D. #	
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B370AE		Analysis Required													
Phone: 813-470-5770		Project Address:															
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-10-08-08															
Sampled By:																	
Turn Around Time: ☒ STANDARD ☐ RUSH																	
Page: of		☐ ADaPT ☐ EQUIS ☐ Other															
SAMPLE ID		SAMPLE DESCRIPTION		Grab Comp		SAMPLING DATE		TIME		MATRIX		NO. COUNT		FIRE SER. VATI ON			
Field ID/WIN		G2SW0004				10-18-18		940		SW		1		1			
Site Name:		Flint Creek @ SR301, TP39				10-18-18		1030		SW		1		1			
Field ID/WIN		G2SW0066				10-18-18		1111		SW		1		1			
Site Name:		Flint Creek @ Knights Griffin Rd				10-18-18		1135		SW		1		1			
Field ID/WIN		G2SW0013				10-18-18		1042		SW		1		1			
Site Name:		Spartman Branch @ US 92				10-18-18											
Field ID/WIN		G2SW0067				10-18-18											
Site Name:		Spartman Branch at Harvey Tew Rd				10-18-18											
Field ID/WIN		G2SW0012				10-18-18											
Site Name:		Baker Creek @ Thonotosassa Rd				10-18-18											
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																	
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received (in degrees celsius)																	
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																	
FOR DRINKING WATER USE:																	
PWS ID:																	